

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

EVO-STIK GENERAL PURPOSE PVA EVOBOND

Supercedes date 05-May-2023

Revision date 19-Mar-2025 Revision Number 1.05

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name EVO-STIK GENERAL PURPOSE PVA EVOBOND

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesive

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word

None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]. May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

United Kingdom - BE Page 1 / 13

EVO-STIK GENERAL PURPOSE PVA EVOBOND Supercedes date 05-May-2023

Revision date 19-Mar-2025 Revision Number 1.05

P102 - Keep out of reach of children

2.3. Other hazards

No information available.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight- %	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	concentration	M-Factor	M-Factor (long-ter m)	Notes
Vinyl acetate 108-05-4	0.1 - <0.3	01-2119471301 -50-XXXX		Flam. Liq. 2 (H225) Acute Tox. 4 (H332) Carc. 2 (H351) STOT SE 3 (H335) STOT SE 3 (H336) STOT RE 2 (H373) Aquatic Chronic 3 (H412)		-	-	D
reaction mass of 5-chloro-2-methyl-2 H-isothiazol-3-one and 2-methyl-2H-isothiaz ol-3-one (3:1) [C(M)IT/MIT] 55965-84-9	<0.0015	No data available	611-341-5	(H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317)	C>=0.6% Eye Irrit. 2 :: 0.06%<=C<0 .6%		100	В

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Note D - Certain substances which are susceptible to spontaneous polymerization or decomposition are generally placed on the market in a stabilized form. It is in this form that they are listed in Part 3 of Annex VI to Regulation (EC) No 1272/2008. However, such substances are sometimes placed on the market in a non-stabilized form. In this case, the supplier who places such a substance on the market must state on the label the name of the substance followed by the words "non-stabilized".

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

United Kingdom - BE Page 2 / 13

EVO-STIK GENERAL PURPOSE PVA EVOBOND

Supercedes date 05-May-2023

Revision date 19-Mar-2025 Revision Number 1.05

Chemical name	EC No (EU	CAS No.	Oral LD50	Dermal LD50	Inhalation	Inhalation	Inhalation
	Index No)		mg/kg	mg/kg	LC50 - 4 hour -	LC50 - 4 hour -	LC50 - 4 hour -
					dust/mist -	vapour - mg/L	gas - ppm
					mg/L		
Vinyl acetate	203-545-4	108-05-4	-	-	-	12.956	-
	(607-023-00-0)						
reaction mass of	611-341-5	55965-84-9	66	141	0.17	-	-
5-chloro-2-methyl-2H-is							
othiazol-3-one and							
2-methyl-2H-isothiazol-							
3-one (3:1) [C(M)IT/MIT]							

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand. Show this safety

data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the No information available.

United Kingdom - BE Page 3 / 13

EVO-STIK GENERAL PURPOSE PVA EVOBOND

Supercedes date 05-May-2023

Revision date 19-Mar-2025 Revision Number 1.05

chemical

Hazardous combustion products Carbon oxides.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing.

Recommended storage

temperature

Do not freeze. Keep at temperatures between 5 and 35 °C.

7.3. Specific end use(s)

Specific use(s)

Adhesive.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

United Kingdom - BE Page 4 / 13

EVO-STIK GENERAL PURPOSE PVA EVOBOND

Supercedes date 05-May-2023

Revision date 19-Mar-2025 Revision Number 1.05

Chemical name	European Union	United Kingdom
Vinyl acetate	TWA: 5 ppm;	TWA: 5 ppm;
108-05-4	TWA: 17.6 mg/m ³ ;	TWA: 17.6 mg/m ³ ;
	STEL: 10 ppm;	STEL: 10 ppm;
	STEL: 35.2 mg/m ³ ;	STEL: 35.2 mg/m ³ ;

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DN	EL)		
Vinyl acetate (108-05-4)	·		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	17.6 mg/m³	
worker Short term Systemic health effects	Inhalation	35.2 mg/m ³	
worker Long term Local health effects	Inhalation	17.6 mg/m³	
worker Short term Local health effects	Inhalation	35.2 mg/m ³	
worker Long term Systemic health effects	Dermal	0.42 mg/kg bw/d	

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)	
Vinyl acetate (108-05-4)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.016 mg/l
Marine water	0.002 mg/l
Microorganisms in sewage treatment	6 mg/l
Freshwater sediment	0.067 mg/kg dry weight
Marine sediment	0.007 mg/kg dry weight
Soil	0.004 mg/kg dry weight

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Skin and body protectionTight sealing safety goggles.
Suitable protective clothing.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceDispersionColourWhite

United Kingdom - BE Page 5 / 13

None known

EVO-STIK GENERAL PURPOSE PVA EVOBOND

Supercedes date 05-May-2023

Revision date 19-Mar-2025 **Revision Number** 1.05

Acidic. Odour

Values Remarks • Method Property

Melting point / freezing point 0 °C None known 100 °C Initial boiling point and boiling None known

range

Flammability No data available None known

Flammability Limit in Air None known

Upper flammability or explosive No data available limits

Lower flammability or explosive No data available

limits Flash point

No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** None known

4 - 6

None known. pH (as aqueous solution) No data available None known Kinematic viscosity No data available None known

No data available **Dynamic viscosity** Water solubility No data available. None known Solubility(ies) No data available None known Partition coefficient No data available None known Vapour pressure No data available None known

Relative density 1.05

No data available **Bulk density**

Liquid Density 1.05

Relative vapour density No data available None known

Particle characteristics

Particle Size No information available **Particle Size Distribution** No information available

9.2. Other information

Solid content (%) 23.5

15 g/L **VOC** content

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available. Reactivity

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

United Kingdom - BE Page 6 / 13

EVO-STIK GENERAL PURPOSE PVA EVOBOND

Supercedes date 05-May-2023

Revision date 19-Mar-2025 Revision Number 1.05

10.4. Conditions to avoid

Conditions to avoid Do not freeze.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions. Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral) >2000 mg/kg
ATEmix (dermal) >2000 mg/kg
ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-dust/mist) >5 mg/l
ATEmix (inhalation-vapour) >20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Vinyl acetate	=2900 mg/kg (Rattus)	= 2335 mg/kg (Oryctolagus	=11.4 mg/L (Rattus) 4 h =
·		cuniculus)	3680 ppm (Rattus) 4 h
reaction mass of	66 mg/kg (Rat)	LD50 = 8141 mg/kg (Rat)	= 0.33 mg/L (Rat) 4h
5-chloro-2-methyl-2H-isothiazo		OECD 402	-
I-3-one and			
2-methyl-2H-isothiazol-3-one			
(3:1) [C(M)IT/MIT]			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

United Kingdom - BE Page 7 / 13

EVO-STIK GENERAL PURPOSE PVA EVOBOND

Supercedes date 05-May-2023

Revision date 19-Mar-2025 Revision Number 1.05

Vinyl acetate (108-05-4)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Vinyl acetate (108-05-4)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye			Non-irritant
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Component Information		
Vinyl acetate (108-05-4)		
Method	Species	Results
OECD Test No. 473: In vitro Mammalian	Human lymphocytes, in vitro	Mutagenic
Chromosome Aberration Test		
OECD Test No. 471: Bacterial Reverse		Not mutagenic in AMES Test
Mutation Test		

Carcinogenicity

Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component Information Vinvl acetate (108-05-4)			
Method	Species	Results	
OECD Test No. 453: Combined Chronic	Rat	Carcinogenic	
Toxicity/Carcinogenicity Studies			

Chemical name	European Union
Vinyl acetate	Carc. 2

Reproductive toxicity

Based on available data, the classification criteria are not met.

Vinyl acetate (108-05-4)		
Method	Species	Results
OECD Test No. 416: Two-Generation	Rat	NOAEL 100 mg/kg bw/d
Reproduction Toxicity		

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Vinyl acetate (108-05-4)

United Kingdom - BE Page 8 / 13

EVO-STIK GENERAL PURPOSE PVA EVOBOND

Supercedes date 05-May-2023

Revision date 19-Mar-2025 Revision Number 1.05

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 408: Repeated Dose 90-Day Oral Toxicity Study in Rodents	Mouse, female	Oral		91 days	NOAEL: 281 mg/kg
OECD Test No. 408: Repeated Dose 90-Day Oral Toxicity Study in Rodents	Mouse, male	Oral		91 days	NOAEL 285 mg/kg
OECD Test No. 408: Repeated Dose 90-Day Oral Toxicity Study in Rodents	Rat, male	Oral		91 days	NOAEL 684 mg/kg
OECD Test No. 408: Repeated Dose 90-Day Oral Toxicity Study in Rodents	Rat, female	Oral		91 days	NOAEL 810 mg/kg

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
Vinyl acetate	-	LC50 96 h = 14	EC50 = 2080	EC50 48 h =		
108-05-4		mg/L	mg/L 5 min	12.6 mg/L		
		(Pimephales		(Daphnia magna		
		promelas static))		
reaction mass of	EC50 (72h)	EC50 (96h) =	-	EC50 (48h) =0.1	100	100
5-chloro-2-methyl-2H-is	=0.048 mg/L	0.22 mg/L		mg/L (Daphnia		
othiazol-3-one and	(Pseudokirchner	(Oncorhynchus		magna) (OECD		
2-methyl-2H-isothiazol-	iella subcapitata)	mykiss) (OECD		202)		
3-one (3:1)	(OECD 201)	211)				
[C(M)IT/MIT]						
55965-84-9						

12.2. Persistence and degradability

Persistence and degradability No information available.

Vinyl acetate (108-05-4)			
Method	Exposure time	Value	Results
OECD Test No. 301C: Ready	14 days	82-92% biodegradation	Readily biodegradable

United Kingdom - BE Page 9 / 13

EVO-STIK GENERAL PURPOSE PVA EVOBOND

Supercedes date 05-May-2023

Revision date 19-Mar-2025 **Revision Number** 1.05

Biodegradability: Modified MITI Test (I) (TG 301 C)		
--	--	--

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)				
Method	Exposure time	Value	Results	
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable	
Biodegradability: CO2 Evolution Test	-	-		
(TG 301 B)				

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name		Partition coefficient
Vinyl acetate	е	0.73
reaction mass of 5-chloro-2-methyl-	2H-isothiazol-3-one and	0.7
2-methyl-2H-isothiazol-3-one	(3:1) [C(M)IT/MIT]	

12.4. Mobility in soil

No information available. Mobility in soil

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment Based on available data, the classification criteria are not met.

Chemical name	PBT and vPvB assessment
Vinyl acetate	Not PBT/vPvB
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	Not PBT/vPvB
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

12.6. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

12.7. Other adverse effects

Other adverse effects No information available.

Based on available data, the classification criteria are not met. PMT or vPvM properties

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

products

Do not reuse empty containers.

Other information

Contaminated packaging

Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Note: Keep from freezing.

Land transport (ADR/RID)

United Kingdom - BE Page 10 / 13

EVO-STIK GENERAL PURPOSE PVA EVOBOND

Supercedes date 05-May-2023

Revision date 19-Mar-2025 Revision Number 1.05

14.1 UN number or ID number
14.2 UN proper shipping name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

IMDG

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 Not regulated
 Not regulated
 Not regulated
 Not regulated

14.5 Marine pollutant NP14.6 Special precautions for user

Special Provisions None

14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide: Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

United Kingdom - BE Page 11 / 13

EVO-STIK GENERAL PURPOSE PVA EVOBOND

Supercedes date 05-May-2023

Revision date 19-Mar-2025 Revision Number 1.05

Ozone-depleting substances (ODS) regulation (EC) 2024/590

Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

EUH071 - Corrosive to the respiratory tract

H225 - Highly flammable liquid and vapour

H301 - Toxic if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H351 - Suspected of causing cancer

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H412 - Harmful to aquatic life with long lasting effects

Notes relating to the identification, classification and labelling of substances

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Note D - Certain substances which are susceptible to spontaneous polymerization or decomposition are generally placed on the market in a stabilized form. It is in this form that they are listed in Part 3 of Annex VI to Regulation (EC) No 1272/2008. However, such substances are sometimes placed on the market in a non-stabilized form. In this case, the supplier who places such a substance on the market must state on the label the name of the substance followed by the words "non-stabilized"

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value Sk* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

United Kingdom - BE Page 12 / 13

EVO-STIK GENERAL PURPOSE PVA EVOBOND

Supercedes date 05-May-2023

Revision date 19-Mar-2025 Revision Number 1.05

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 19-Mar-2025

Indication of changes

Revision Note Not applicable.

Training Advice No information available Further information No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 13 / 13