

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

**EVO-STIK EVO-GRIP SOLVENT FREE GRAB ADHESIVE** 

Supercedes Date: 14-Feb-2023

Revision date 08-Jan-2024 Revision Number 2.01

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name EVO-STIK EVO-GRIP SOLVENT FREE GRAB ADHESIVE

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

**Company Name** 

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

NHS: 111

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

Skin sensitisation Category 1 - (H317)

### 2.2. Label elements

Contains 2-methyl-2H-isothiazol-3-one [MIT], 1,2-benzisothiazol-3(2H)-one [BIT]; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]



Signal word Warning

United Kingdom - BE Page 1 / 13

Revision date 08-Jan-2024

**EVO-STIK EVO-GRIP SOLVENT FREE GRAB ADHESIVE** 

Supercedes Date: 14-Feb-2023 Revision Number 2.01

#### **Hazard statements**

H317 - May cause an allergic skin reaction.

## Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P501 - Dispose of contents/ container to an approved waste disposal plant

#### 2.3. Other hazards

No information available.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Diethylene glycol monobutyl ether	203-961-6 (603-096-00- 8)	112-34-5	0.1 - <0.3	Eye Irrit. 2 (H319)	-	01-2119475104- 44-XXXX
Sodium hydroxide	215-185-5 (011-002-00- 6)	1310-73-2	0.1 - <0.3	Skin Corr. 1A (H314) Eye Dam. 1 (H318) Met. Corr. 1 (H290)	Eye Irrit. 2 :: 0.5%<=C<2% Eye Dam. 1 :: C>=2% Skin Corr. 1A :: C>=5% Skin Corr. 1B :: 2%<=C<5% Skin Irrit. 2 :: 0.5%<=C<2%	01-2119457892- 27-XXXX
1,2-benzisothiazol-3(2H) -one [BIT]	220-120-9 (613-088-00- 6)	2634-33-5	0.01 - < 0.05	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	Skin Sens. 1 :: C>=0.05%	01-2120761540- 60-XXXX
2-methyl-2H-isothiazol-3 -one [MIT]	220-239-6 (613-326-00- 9)	2682-20-4	0.0025 - <0.01	Skin Corr. 1B (H314) Eye Dam. 1 (H318)	Skin Sens. 1A :: C>=0.0015%	01-2120764690- 50-xxxx

United Kingdom - BE Page 2 / 13

**EVO-STIK EVO-GRIP SOLVENT FREE GRAB ADHESIVE** 

Supercedes Date: 14-Feb-2023 Revision Number 2.01

Revision date 08-Jan-2024

Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one and 2-methyl-2H-isothiazol-3 -one (3:1) [C(M)IT/MIT]	611-341-5	55965-84-9	<0.0015	Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1	Eye Dam. 1 ::  C>=0.6% Eye Irrit. 2 ::  0.06%<=C<0.6%  Skin Corr. 1C ::  C>=0.6%  Skin Irrit. 2 ::  0.06%<=C<0.6%  Skin Sens. 1 ::  C>=0.0015%	-
---	--	-----------	------------	---------	--	--	---

#### Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### Notes

See section 16 for more information

Chemical name	Notes
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) IC(M)IT/MITI - 55965-84-9	В

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor.

**Skin contact** Wash with soap and water. May cause an allergic skin reaction. In the case of skin

irritation or allergic reactions see a doctor.

Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

United Kingdom - BE Page 3 / 13

**EVO-STIK EVO-GRIP SOLVENT FREE GRAB ADHESIVE** 

Supercedes Date: 14-Feb-2023 Revision Number 2.01

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

**Note to doctors**May cause sensitisation in susceptible persons. Treat symptomatically.

## **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

**Unsuitable extinguishing media** No information available.

5.2. Special hazards arising from the substance or mixture

chemical

Specific hazards arising from the Product is or contains a sensitiser. May cause sensitisation by skin contact.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

Revision date 08-Jan-2024

gear. Use personal protection equipment.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

6.2. Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

### SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

United Kingdom - BE Page 4/13

**EVO-STIK EVO-GRIP SOLVENT FREE GRAB ADHESIVE** 

Supercedes Date: 14-Feb-2023

Revision date 08-Jan-2024 Revision Number 2.01

with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash it before reuse.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from

freezing.

Recommended storage

temperature

Keep at temperatures between 5 and 35 °C.

7.3. Specific end use(s)

Specific use(s)

Adhesives.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### **Exposure Limits**

Chemical name	European Union	United Kingdom
Diethylene glycol monobutyl ether	TWA: 10 ppm	TWA: 10 ppm
112-34-5	TWA: 67.5 mg/m <sup>3</sup>	TWA: 67.5 mg/m <sup>3</sup>
		STEL: 15 ppm
		STEL: 101.2 mg/m <sup>3</sup>
Sodium hydroxide	-	STEL: 2 mg/m <sup>3</sup>
1310-73-2		

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)					
1,2-benzisothiazol-3(2H)-one [Bl	T] (2634-33-5)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Long term Systemic health effects	Inhalation	6.81 mg/m³			
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d			

Derived No Effect Level (DNEL)						
1,2-benzisothiazol-3(2H)-one [BIT	1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
Consumer	Inhalation	1.2 mg/m <sup>3</sup>				
Long term						
Systemic health effects						
Consumer	Dermal	0.345 mg/kg bw/d				
Long term						
Systemic health effects						

United Kingdom - BE Page 5 / 13

**EVO-STIK EVO-GRIP SOLVENT FREE GRAB ADHESIVE** 

Supercedes Date: 14-Feb-2023 Revision Number 2.01

# Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)					
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-	5)				
Environmental compartment	Predicted No Effect Concentration (PNEC)				
Freshwater	4.03 μg/l				
Marine water	0.403 μg/l				
Sewage treatment plant	1.03 mg/l				
Freshwater sediment	49.9 μg/l				
Marine sediment	4.99 µg/l				
Soil	3 mg/kg dry weight				

#### 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). Avoid contact with eyes. Eye

protection must conform to standard EN 166.

**Hand protection** Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the

breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. Gloves should be

Revision date 08-Jan-2024

replaced regularly and if there is any sign of damage to the glove material.

**Skin and body protection** Wear protective gloves and protective clothing. Avoid contact with skin, eyes or clothing.

**Respiratory protection** During spraying wear suitable respiratory equipment.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

## SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid Appearance Liquid

Colour No information available Odour No information available.

Property Values Remarks • Method

Melting point / freezing pointNo data availableNone knownInitial boiling point and boilingNo data availableNone known

range

Flammability No data available

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash pointNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownPHNo data availableNone known

pH No data available None known.
pH (as aqueous solution) No data available None known
Kinematic viscosity No data available None known

Dynamic viscosity No data available

Water solubility
No data available.
None known
Solubility(ies)
No data available
None known
Partition coefficient
No data available
None known
Vapour pressure
No data available
None known
Relative density
No data available
None known
None known

United Kingdom - BE Page 6 / 13

**EVO-STIK EVO-GRIP SOLVENT FREE GRAB ADHESIVE** 

Supercedes Date: 14-Feb-2023 Revision Number 2.01

Revision date 08-Jan-2024

Bulk Density No data available

Density 1.6

Relative vapour density No data available None known

Particle characteristics

Particle SizeNo information availableParticle Size DistributionNo information available

9.2. Other information

Solid content (%) No information available

VOC content No data available

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

## **SECTION 10: Stability and reactivity**

10.1. Reactivity

**Reactivity** No information available.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Do not freeze.

10.5. Incompatible materials

**Incompatible materials**None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

products

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

**Product Information** 

**Inhalation** Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

United Kingdom - BE Page 7 / 13

**EVO-STIK EVO-GRIP SOLVENT FREE GRAB ADHESIVE** 

Supercedes Date: 14-Feb-2023 Revision Number 2.01

**Skin contact** May cause sensitisation by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

Revision date 08-Jan-2024

susceptible persons. (based on components).

**Ingestion** Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Itching. Rashes. Hives.

Acute toxicity

**Numerical measures of toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >5000 mg/kg
ATEmix (dermal) >5000 mg/kg
ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-dust/mist) >5 mg/l
ATEmix (inhalation-vapour) >20 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Diethylene glycol monobutyl ether	=5660 mg/kg (Rattus)	= 2700 mg/kg (Oryctolagus cuniculus)	-
Sodium hydroxide	=325 mg/kg (Rattus)	= 1350 mg/kg (Oryctolagus cuniculus)	-
1,2-benzisothiazol-3(2H)-one [BIT]	=670 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	-
2-methyl-2H-isothiazol-3-one [MIT]	LD50 =285 mg/Kg (Rattus)	LD50 >242 mg/Kg (Rattus)	=0.11 mg/L (Rattus) 4 h
reaction mass of 5-chloro-2-methyl-2H-isothiazo I-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	= 53 mg/kg (Rat)	LD50 = 87.12 mg/kg (Oryctolagus cuniculus)	= 0.33 mg/L (Rat) 4h

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** May cause an allergic skin reaction.

2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	sensitising
Sensitisation			

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

United Kingdom - BE Page 8 / 13

**EVO-STIK EVO-GRIP SOLVENT FREE GRAB ADHESIVE** 

Revision date 08-Jan-2024 Supercedes Date: 14-Feb-2023 Revision Number 2.01

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

11.2.2. Other information

Other adverse effects No information available.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

## **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Diethylene glycol monobutyl ether 112-34-5	EC50: >100mg/L (96h, Desmodesmus subspicatus)	LC50: =1300mg/L (96h, Lepomis macrochirus)		EC50: =2850mg/L (24h, Daphnia magna) EC50: >100mg/L (48h, Daphnia magna)		
Sodium hydroxide 1310-73-2	-	LC50: =45.4mg/L (96h, Oncorhynchus mykiss)	1	1		
1,2-benzisothiazol-3(2 H)-one [BIT] 2634-33-5	EC50 3Hr 13mg/l (activated sludge) (OECD 209)		-	EC50(48hr) 2.94 mg/l (Daphnia Magna) OECD 202	1	
2-methyl-2H-isothiazol- 3-one [MIT] 2682-20-4	EC50 (72hr) 0.157 mg/l (Pseudokirchner iella subcapitata) (OECD 201)	`	-	EC50 (48hr) 1.68 mg/l (Daphnia) (OECD 202)	10	1
	EC50 (72h) =0.048 mg/L (Pseudokirchner iella subcapitata) (OECD 201)		-	EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD 202)	100	100

United Kingdom - BE Page 9/13

**EVO-STIK EVO-GRIP SOLVENT FREE GRAB ADHESIVE** 

Supercedes Date: 14-Feb-2023 Revision Number 2.01

Revision date 08-Jan-2024

#### 12.2. Persistence and degradability

Persistence and degradability No information available.

2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)

	/	•	
Method	Exposure time	Value	Results
OECD Test No. 308: Aerobic and		Half-life	1.28-2.1 days
Anaerobic Transformation in Aquatic			-
Sediment Systems			
OECD Test No. 309: Aerobic		biodegradation Half-life	Readily biodegradable 4.1
Mineralization in Surface Water -		_	days
Simulation Biodegradation Test			

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable
Biodegradability: CO2 Evolution Tes	st		
(TG 301 B)			

#### 12.3. Bioaccumulative potential

#### **Bioaccumulation**

**Component Information** 

Chemical name	Partition coefficient	
Diethylene glycol monobutyl ether	1	
1,2-benzisothiazol-3(2H)-one [BIT]	0.7	
2-methyl-2H-isothiazol-3-one [MIT]	-0.32	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7	
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]		

#### 12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment**The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment	
Diethylene glycol monobutyl ether	The substance is not PBT / vPvB	
Sodium hydroxide	The substance is not PBT / vPvB	
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB	
2-methyl-2H-isothiazol-3-one [MIT]	The substance is not PBT / vPvB	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB	
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]		

#### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

#### 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

United Kingdom - BE Page 10 / 13

**EVO-STIK EVO-GRIP SOLVENT FREE GRAB ADHESIVE** 

Revision date 08-Jan-2024 Supercedes Date: 14-Feb-2023 Revision Number 2.01

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

## **SECTION 14: Transport information**

Keep from freezing. Note:

Land transport (ADR/RID)

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated Not regulated 14.3 Transport hazard class(es) 14.4 Packing group Not regulated Not applicable 14.5 Environmental hazards

14.6 Special precautions for user

**Special Provisions** None

**IMDG** 

14.1 UN number or ID number Not regulated Not regulated 14.2 UN proper shipping name 14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing group

14.5 Marine pollutant

14.6 Special precautions for user

**Special Provisions** None

14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

## Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

**Special Provisions** None

## Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

## Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

**SVHC: Substances of Very High Concern for Authorisation:** 

United Kingdom - BE Page 11/13

**EVO-STIK EVO-GRIP SOLVENT FREE GRAB ADHESIVE** 

Supercedes Date: 14-Feb-2023

Revision date 08-Jan-2024 Revision Number 2.01

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Diethylene glycol monobutyl ether	112-34-5	55. 75.

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide: Contains C(M)IT/MIT (3:1). May produce an allergic reaction

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

## **Persistent Organic Pollutants**

Not applicable

#### **National regulations**

## 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

## SECTION 16: Other information

## Key or legend to abbreviations and acronyms used in the safety data sheet

## Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H330 - Fatal if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

## Notes relating to the identification, classification and labelling of substances

**Note B:** Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'.

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

United Kingdom - BE Page 12 / 13

**EVO-STIK EVO-GRIP SOLVENT FREE GRAB ADHESIVE** 

Supercedes Date: 14-Feb-2023 Revision Number 2.01

Revision date 08-Jan-2024

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Limit Value Sk\* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

#### Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 08-Jan-2024

Indication of changes

Revision note Not applicable.

Training Advice No information available Further information No information available

## This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

United Kingdom - BE Page 13 / 13