

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

BOSTIK MULTI-BOND GOLD Supercedes Date: 05-Sep-2022 Revision date 15-Apr-2024 Revision Number 5.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name BOSTIK MULTI-BOND GOLD

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

Skin sensitisation Category 1 - (H317)

2.2. Label elements

Contains Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(methylphenyl)-.omega.-hydroxy-; 1,2-benzisothiazol-3(2H)-one [BIT]; 2-methyl-2H-isothiazol-3-one [MIT]; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]



Signal word Warning

United Kingdom - BE Page 1 / 15

BOSTIK MULTI-BOND GOLD
Supercedes Date: 05-Sep-2022
Revision Number 5.01

Hazard statements

H317 - May cause an allergic skin reaction.

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing vapours

P280 - Wear protective gloves and eye/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Causes mild skin irritation.

PRT & vPvR

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Poly[oxy(methyl-1,2-etha nediyl)], .alpha(methylphenyl)o megahydroxy-		9064-13-5	1 - <5	Skin Sens. 1 (H317)	-	[7]
Xylenes (o-, m-, p- isomers)	215-535-7 (601-022-00- 9)	1330-20-7	1 - <3	STOT SE 3 (H335) STOT RE 2 (H373) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Flam. Liq. 3 (H226) Aquatic Chronic 3 (H412)	-	01-2119488216- 32-XXXX
Ethylbenzene	202-849-4 (601-023-00- 4)	100-41-4	0.1 - <0.5	Acute Tox. 4 (H332) STOT RE 2 (H373) Asp. Tox. 1 (H304)	-	01-2119489370- 35-XXXX

United Kingdom - BE Page 2/15

BOSTIK MULTI-BOND GOLD
Supercedes Date: 05-Sep-2022
Revision Number 5.01

Aquatic Chronic 3	
(H412)	
(H225)	
	119487136-
	3-XXXX
8) Skin Corr. 1A Skin Corr. 1A ::	
(H314) C>=5%	
Skin Corr. 1B ::	
2%<=C<5%	
Skin Irrit. 2 ::	
0.5%<=C<2%	
	120761540-
	0-XXXX
6) Acute Tox. 4	
(H302)	
Skin Irrit. 2	
(H315)	
Eye Dam. 1	
(H318) Skin Sens. 1A	
Skin Sens. TA (H317)	
Aquatic Acute 1	
(H400)	
Aquatic Chronic 1	
(H410)	
	120764690-
	50-xxxx
9) Eye Dam. 1	
(H318)	
Skin Sens. 1A	
(H317)	
Acute Tox. 3	
(H301)	
Acute Tox. 3	
(H311)	
Acute Tox. 2	
(H330)	
Aquatic Acute 1	
(H400)	
Aquatic Chronic 1	
(H410)	
reaction mass of 611-341-5 55965-84-9 <0.0015 Acute Tox. 3 Eye Dam. 1 ::	-
5-chloro-2-methyl-2H-iso (H301) C>=0.6% Eye Irrit. 2 :: Acute Tox. 2 0.06%<=C<0.6%	
2-methyl-2H-isothiazol-3 -one (3:1) [C(M)IT/MIT]	
-one (3.1) [C(W)(17/W11] Acute 10x. 2 C>=0.6% (H330) Skin Irrit. 2 ::	
Skin Corr. 1C 0.06%<=C<0.6%	
(H314) Skin Sens. 1 ::	
Eye Dam. 1 C>=0.0015%	
(H318)	
Skin Sens. 1A	
(H317)	
I Aduatic Acute 1 I	
Aquatic Acute 1 (H400)	
Aquatic Acute 1 (H400) Aquatic Chronic 1	

NOTE [7] - No registration number is given for this substance because it is a polymer exempted from registration according to the provisions of Article 2(9) of REACH. All monomers or other substances within the polymer are registered or exempt from

United Kingdom - BE Page 3 / 15

BOSTIK MULTI-BOND GOLD Revision date 15-Apr-2024 Supercedes Date: 05-Sep-2022 **Revision Number** 5.01

registration

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Notes

See section 16 for more information

Chemical name	Notes
Xylenes (o-, m-, p- isomers) - 1330-20-7	С
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	В
2-methyl-2H-isothiazol-3-one (3:1) [C(M)]T/MIT] - 55965-84-9	

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor.

Wash with soap and water. May cause an allergic skin reaction. In the case of skin Skin contact

irritation or allergic reactions see a doctor.

Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Itching. Rashes. Hives. Prolonged contact may cause redness and irritation. **Symptoms**

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

chemical

Specific hazards arising from the Product is or contains a sensitiser. May cause sensitisation by skin contact.

United Kingdom - BE Page 4 / 15

BOSTIK MULTI-BOND GOLD Revision date 15-Apr-2024 Supercedes Date: 05-Sep-2022 **Revision Number** 5.01

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Take up mechanically, placing in appropriate containers for disposal. Methods for cleaning up

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact Advice on safe handling

with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash it before reuse.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from

freezing.

Recommended storage

temperature

Keep at temperatures between 5 and 35 °C.

7.3. Specific end use(s)

Specific use(s) Adhesives.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

United Kingdom - BE Page 5 / 15

BOSTIK MULTI-BOND GOLD
Supercedes Date: 05-Sep-2022
Revision Number 5.01

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom
Limestone	-	TWA: 10 mg/m ³
1317-65-3		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m ³
Xylenes (o-, m-, p- isomers)	TWA: 50 ppm	TWA: 50 ppm
1330-20-7	TWA: 221 mg/m ³	TWA: 220 mg/m ³
	STEL: 100 ppm	STEL: 100 ppm
	STEL: 442 mg/m ³	STEL: 441 mg/m ³
	*	Sk*
Ethylbenzene	TWA: 100 ppm	TWA: 100 ppm
100-41-4	TWA: 442 mg/m ³	TWA: 441 mg/m ³
	STEL: 200 ppm	STEL: 125 ppm
	STEL: 884 mg/m ³	STEL: 552 mg/m ³
	*	Sk*
Potassium hydroxide	-	STEL: 2 mg/m ³
1310-58-3		

Chemical name	European Union	Ireland	United Kingdom
Xylenes (o-, m-, p- isomers)	-	1.5 g/g Creatinine (urine -	650 mmol/mol creatinine urine
1330-20-7		Methylhippuric acids end of shift)	
Ethylbenzene	-	0.7 g/g Creatinine (urine - sum of	-
100-41-4		Mandelic acid and Phenylglyoxylic	
		acid end of shift at end of	
		workweek)	
		0.7 g (end-exhaled air - not	
		critical)	

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DN	Derived No Effect Level (DNEL)					
Xylenes (o-, m-, p- isomers)	Xylenes (o-, m-, p- isomers) (1330-20-7)					
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
Long term Systemic health effects worker	Dermal	180 mg/kg bw/d				
Long term Systemic health effects worker	Inhalation	77 mg/m³				
Short term Local health effects Systemic health effects worker	Inhalation	289 mg/m³				

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Long term Systemic health effects	Inhalation	6.81 mg/m³		
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d		

Derived No Effect Level (DNEL)	
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)	

United Kingdom - BE Page 6 / 15

BOSTIK MULTI-BOND GOLD
Supercedes Date: 05-Sep-2022
Revision Number 5.01

Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	1.2 mg/m³	
Consumer Long term Systemic health effects	Dermal	0.345 mg/kg bw/d	

Predicted No Effect Concentration No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC)	
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	4.03 μg/l
Marine water	0.403 μg/l
Sewage treatment plant	1.03 mg/l
Freshwater sediment	49.9 μg/l
Marine sediment	4.99 μg/l
Soil	3 mg/kg dry weight

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Avoid contact with eyes. Eye

protection must conform to standard EN 166.

Hand protection Wear suitable gloves. Gloves must conform to standard EN 374. Ensure that the

breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. Gloves should be

replaced regularly and if there is any sign of damage to the glove material.

Skin and body protection Wear protective gloves and protective clothing. Avoid contact with skin, eyes or clothing.

Respiratory protectionDuring spraying wear suitable respiratory equipment.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearancePasteColourOff-whiteOdourAromatic.

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing pointNo data availableNone knownInitial boiling point and boiling100 °CNone known

range

Flammability No data available

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point > 80 °C None known Autoignition temperature No data available None known Decomposition temperature None known

United Kingdom - BE Page 7 / 15

BOSTIK MULTI-BOND GOLD
Supercedes Date: 05-Sep-2022
Revision Number 5.01

pH8 - 10None known.pH (as aqueous solution)No data availableNone knownKinematic viscosityNo data availableNone known

Dynamic viscosity

No data available -

Water solubility Miscible in water.

Solubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownVapour pressureNo data availableNone known

Relative density 1.3

Bulk Density No data available

Density No information available

Relative vapour density No data available None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

Solid content (%) No information available

VOC content No data available

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Do not freeze.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

products

SECTION 11: Toxicological information

United Kingdom - BE Page 8/15

BOSTIK MULTI-BOND GOLD
Supercedes Date: 05-Sep-2022
Revision Number 5.01

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact May cause sensitisation by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components). Causes mild skin irritation.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >2000 mg/kg
ATEmix (dermal) 75,751.70 mg/kg
ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-dust/mist) 182.72 mg/l
ATEmix (inhalation-vapour) 418.70 mg/l

Component Information

Chemical name Oral LD50		Dermal LD50	Inhalation LC50	
Poly[oxy(methyl-1,2-ethanediyl	LD50 > 5000 mg/kg (Rattus)	-	-	
)],				
.alpha(methylphenyl)omega. -hydroxy-				
Xylenes (o-, m-, p- isomers)	=3500 mg/kg (Rattus)	> 1700 mg/kg (Oryctolagus cuniculus) > 4350 mg/kg (Oryctolagus cuniculus)	= 11 mg/L (ATE)	
Ethylbenzene	=3500 mg/kg (Rattus)	= 15400 mg/kg (Oryctolagus cuniculus)	=17.6 mg/L (Rattus) 4 h	
Potassium hydroxide	=333 mg/kg (Rattus)	-	-	
1,2-benzisothiazol-3(2H)-one [BIT]	=450 mg/kg (ATE)	LD50 > 2000 mg/kg (Rattus)	-	
2-methyl-2H-isothiazol-3-one [MIT]	LD50 =285 mg/Kg (Rattus)	LD50 >242 mg/Kg (Rattus)	=0.11 mg/L (Rattus) 4 h	
reaction mass of 5-chloro-2-methyl-2H-isothiazo I-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	= 53 mg/kg (Rat)	LD50 = 87.12 mg/kg (Oryctolagus cuniculus)	= 0.33 mg/L (Rat) 4h	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes mild skin irritation.

United Kingdom - BE Page 9 / 15

BOSTIK MULTI-BOND GOLD Supercedes Date: 05-Sep-2022 Revision date 15-Apr-2024 Revision Number 5.01

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicityBased on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
						(long-term)
Poly[oxy(methyl-1,2-eth	EC50 (72h) >	LC50 (96h) = 10	-	EC50 (48h)> 100		
anediyl)],	100 mg/L	- 100 mg/L		mg/L (Daphnia		
.alpha(methylphenyl)		(Leuciscus idus)		magna) OECD		
omegahydroxy-		,		202		
9064-13-5						
Xylenes (o-, m-, p-	-	LC50 96 h 2.6	EC50 = 0.0084	EC50 48 h = 3.4		
isomers)		mg/L	mg/L 24 h	mg/L (Dappnia		
1330-20-7		(Oncorhynchus	3	magna)		
		mykiss) (OECD		1113,5113,7		
		203)				
Ethylbenzene	EC50 72 h 2.6 -	LC50 96 h = 4.2	EC50 = 9.68	EC50: 1.8 -		
100-41-4	11.3 mg/L	mg/L	mg/L 30 min	2.4mg/L (48h,		
	(Pseudokirchner	(Oncorhynchus	EC50 = 96 mg/L	Daphnia magna)		
	iella subcapitata)	mykiss	24 h			
	,	semi-static)				
Potassium hydroxide	-	LC50: =80mg/L	-	-	_	

United Kingdom - BE Page 10 / 15

BOSTIK MULTI-BOND GOLD
Supercedes Date: 05-Sep-2022
Revision Number 5.01

1310-58-3		(96h, Gambusia affinis)				
1,2-benzisothiazol-3(2 H)-one [BIT] 2634-33-5	EC50 3Hr 13mg/l (activated sludge) (OECD 209)			EC50(48hr) 2.94 mg/l (Daphnia Magna) OECD 202	1	1
	EC50 (72hr) 0.157 mg/l (Pseudokirchner iella subcapitata) (OECD 201)		-	EC50 (48hr) 1.68 mg/l (Daphnia) (OECD 202)	10	1
reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) [C(M)IT/MIT] 55965-84-9	(Pseudokirchner		-	EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD 202)	100	100

12.2. Persistence and degradability

Persistence and degradability No information available.

Xylenes (o-, m-, p- isomers) (1330-20-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	biodegradation	87.8 % Readily biodegradable
Biodegradability: Manometric			
Respirometry Test (TG 301 F)			

2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)

Method	Exposure time	Value	Results
OECD Test No. 308: Aerobic and		Half-life	1.28-2.1 days
Anaerobic Transformation in Aquatic			
Sediment Systems			
OECD Test No. 309: Aerobic		biodegradation Half-life	Readily biodegradable 4.1
Mineralization in Surface Water -		-	days
Simulation Biodegradation Test			

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

		j: =:: :::::: (:::/[:(:::/:::::] (:::::::/		
Method	Exposure time	Value	Results	
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable	
Biodegradability: CO2 Evolution Test	-	_		
(TG 301 B)				

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Component information	
Chemical name	Partition coefficient
Poly[oxy(methyl-1,2-ethanediyl)],	2.78
.alpha(methylphenyl)omegahydroxy-	
Xylenes (o-, m-, p- isomers)	3.15
Ethylbenzene	3.6
Potassium hydroxide	0.83
1,2-benzisothiazol-3(2H)-one [BIT]	0.7
2-methyl-2H-isothiazol-3-one [MIT]	-0.32
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

United Kingdom - BE Page 11 / 15

BOSTIK MULTI-BOND GOLD
Supercedes Date: 05-Sep-2022
Revision Number 5.01

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

Chemical name	PBT and vPvB assessment		
Xylenes (o-, m-, p- isomers)	The substance is not PBT / vPvB		
Ethylbenzene	The substance is not PBT / vPvB		
Potassium hydroxide	The substance is not PBT / vPvB		
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB		
2-methyl-2H-isothiazol-3-one [MIT]	The substance is not PBT / vPvB		
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB		
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]			

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Note: Keep from freezing.

Land transport (ADR/RID)

14.1 UN number or ID number Not regulated

14.2 UN proper shipping name -

14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

IMDG

14.1 UN number or ID number
14.2 UN proper shipping name
14.3 Transport hazard class(es)
14.4 Packing group
Not regulated
Not regulated
Not regulated
Not regulated

14.5 Marine pollutant NP

14.6 Special precautions for user

Special Provisions None

United Kingdom - BE Page 12/15

BOSTIK MULTI-BOND GOLD

Supercedes Date: 05-Sep-2022

Revision date 15-Apr-2024

Revision Number 5.01

14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not regulated Not applicable

14.6 Special precautions for user Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide: Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

National regulations

United Kingdom - BE Page 13/15

BOSTIK MULTI-BOND GOLD
Supercedes Date: 05-Sep-2022
Revision Number 5.01

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H226 - Flammable liquid and vapour

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H310 - Fatal in contact with skin

H311 - Toxic in contact with skin

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H330 - Fatal if inhaled

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H412 - Harmful to aquatic life with long lasting effects

Notes relating to the identification, classification and labelling of substances

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'.

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Limit Value Sk* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 15-Apr-2024

United Kingdom - BE Page 14/15

BOSTIK MULTI-BOND GOLD

Supercedes Date: 05-Sep-2022

Revision date 15-Apr-2024

Revision Number 5.01

Indication of changes

Revision note SDS sections updated, 2, 3, 9.
Training Advice No information available
Further information No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 15 / 15