



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

**BOSTIK BRICK AND PATIO CLEANER**  
Supersedes date 01-Nov-2024

Revision date 01-Nov-2024  
Revision Number 1.06

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product Name BOSTIK BRICK AND PATIO CLEANER

### Other means of identification

Pure substance/mixture Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Cleaning agent

Uses advised against None known

### 1.3. Details of the supplier of the safety data sheet

#### Company Name

Bostik SA  
420 rue d'Estienne d'Orves  
92700 Colombes  
FRANCE  
Tel: +33 (0)1 49 00 90 00

E-mail address SDS.box-EU@bostik.com

### 1.4. Emergency telephone number

Ireland **NPIC - National Poison Information Centre**  
Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week)  
Healthcare Professionals: +353 (01) 8092566 (24 hour service)  
United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)  
Europe 112

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals	Category 1 - (H290)
Skin corrosion	Category 1 - (H314)
Serious eye damage	Category 1 - (H318)

### 2.2. Label elements

Contains Hydrochloric acid



# SAFETY DATA SHEET

**BOSTIK BRICK AND PATIO CLEANER**  
**Supersedes date** 01-Nov-2024

**Revision date** 01-Nov-2024  
**Revision Number** 1.06

**Signal word**  
Danger

**Hazard statements**  
H290 - May be corrosive to metals.  
H314 - Causes severe skin burns and eye damage.

**Precautionary Statements - EU (§28, 1272/2008)**  
P101 - If medical advice is needed, have product container or label at hand  
P102 - Keep out of reach of children  
P234 - Keep only in original packaging  
P280 - Wear protective gloves and eye/face protection  
P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P390 - Absorb spillage to prevent material damage  
P405 - Store locked up  
P501 - Dispose of contents/ container to an approved waste disposal plant

**Additional information**  
This product requires child resistant fastenings if supplied to the general public. This product requires tactile warnings if supplied to the general public.

**2.3. Other hazards**  
No information available.

**PBT & vPvB**  
The components in this formulation do not meet the criteria for classification as PBT or vPvB.

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

## SECTION 3: Composition/information on ingredients

**3.1 Substances**  
Not applicable

**3.2 Mixtures**

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
Hydrochloric acid 7647-01-0	5 - <10	01-2119484862 -27-XXXX	231-595-7 (017-002-00-2)	Skin Corr. 1B (H314) Eye Dam. 1 (H318) STOT SE 3 (H335) Met. Corr. 1 (H290)	Eye Dam. 1 :: 1%<=C<10% Skin Corr. 1B :: 10%<=C<25% Skin Corr. 1A :: C>25% STOT SE 3 :: C>=10% Met. Corr. 1 :: C>0.1%	-	-	U,5

Note U - When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas,

# SAFETY DATA SHEET

**BOSTIK BRICK AND PATIO CLEANER**  
**Supersedes date** 01-Nov-2024

**Revision date** 01-Nov-2024  
**Revision Number** 1.06

liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.), Press. Gas (Liq.), Press. Gas (Ref. Liq.), Press. Gas (Diss.). Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).

Note 5 - The concentration limits for gaseous mixtures are expressed as volume per volume percentage.

**Full text of H- and EUH-phrases: see section 16**

## Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Hydrochloric acid	231-595-7 (017-002-00-2)	7647-01-0	-	-	-	-	-

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>General advice</b>	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
<b>Inhalation</b>	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical attention.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical attention.
<b>Ingestion</b>	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical attention.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8). Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Burning sensation.
-----------------	--------------------

# SAFETY DATA SHEET

BOSTIK BRICK AND PATIO CLEANER  
Supersedes date 01-Nov-2024

Revision date 01-Nov-2024  
Revision Number 1.06

Effects of Exposure No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

**Note to doctors** Product is a corrosive material. Use of gastric lavage or emesis is contra-indicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** No information available.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards arising from the chemical** The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapours.

**Hazardous combustion products** Hydrogen chloride.

### 5.3. Advice for firefighters

**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

**Other information** Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

# SAFETY DATA SHEET

BOSTIK BRICK AND PATIO CLEANER  
Supersedes date 01-Nov-2024

Revision date 01-Nov-2024  
Revision Number 1.06

## 7.1. Precautions for safe handling

### Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

### General hygiene considerations

Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

### Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials. Keep from freezing.

### Recommended storage temperature

Keep at temperatures between 5 and 35 °C.

## 7.3. Specific end use(s)

### Specific use(s)

Cleaning agent.

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

### Other information

Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

Chemical name	European Union	Ireland	United Kingdom
Hydrochloric acid 7647-01-0	TWA: 5 ppm TWA: 8 mg/m <sup>3</sup> STEL: 10 ppm STEL: 15 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup> TWA: 5 ppm STEL: 10 ppm STEL: 15 mg/m <sup>3</sup>	TWA: 1 ppm TWA: 2 mg/m <sup>3</sup> STEL: 5 ppm STEL: 8 mg/m <sup>3</sup>

**Derived No Effect Level (DNEL)** No information available

#### Derived No Effect Level (DNEL)

##### Hydrochloric acid (7647-01-0)

Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Local health effects	Inhalation	8 mg/m <sup>3</sup>	

#### Derived No Effect Level (DNEL)

##### Hydrochloric acid (7647-01-0)

Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term	Inhalation	8 mg/m <sup>3</sup>	

# SAFETY DATA SHEET

BOSTIK BRICK AND PATIO CLEANER  
Supersedes date 01-Nov-2024

Revision date 01-Nov-2024  
Revision Number 1.06

Local health effects			
Consumer Short term Local health effects	Inhalation	15 mg/m <sup>3</sup>	

**Predicted No Effect Concentration (PNEC)**

## 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

<b>Eye/face protection</b>	Tight sealing safety goggles. Face protection shield. Eye protection must conform to standard EN 166
<b>Hand protection</b>	Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. Gloves should be replaced regularly and if there is any sign of damage to the glove material.
<b>Skin and body protection</b>	Wear suitable protective clothing.
<b>Respiratory protection</b>	During spraying wear suitable respiratory equipment.

**Environmental exposure controls** No information available.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	Liquid
<b>Appearance</b>	Liquid
<b>Colour</b>	Light yellow
<b>Odour</b>	Characteristic.

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>Melting point / freezing point</b>	No data available	None known
<b>Initial boiling point and boiling range</b>	No data available	None known
<b>Flammability</b>	No data available	
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Flash point</b>	No data available	
<b>Autoignition temperature</b>	No data available	None known
<b>Decomposition temperature</b>		None known
<b>pH</b>	-0.4	
<b>pH (as aqueous solution)</b>	No data available	None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	No data available	
<b>Water solubility</b>	No data available.	None known
<b>Solubility(ies)</b>	No data available	None known
<b>Partition coefficient</b>	No data available	None known
<b>Vapour pressure</b>	No data available	None known
<b>Relative density</b>	1.05	
<b>Bulk density</b>	No data available	
<b>Density</b>	No data available	
<b>Relative vapour density</b>	No data available	None known
<b>Particle characteristics</b>		
<b>Particle Size</b>	No information available	

# SAFETY DATA SHEET

BOSTIK BRICK AND PATIO CLEANER  
Supersedes date 01-Nov-2024

Revision date 01-Nov-2024  
Revision Number 1.06

Particle Size Distribution No information available

## 9.2. Other information

Solid content (%) No information available  
VOC content No data available

9.2.1. Information with regards to physical hazard classes  
Not applicable

9.2.2. Other safety characteristics  
No information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Reactivity No information available.

### 10.2. Chemical stability

Stability Stable under normal conditions.

### Explosion data

Sensitivity to mechanical impact None.  
Sensitivity to static discharge None.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

### 10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods. Do not freeze.

### 10.5. Incompatible materials

Incompatible materials Oxidising agent. Acids. Bases.

### 10.6. Hazardous decomposition products

Hazardous decomposition products Hydrogen chloride. Thermal decomposition can lead to release of irritating and toxic gases and vapours.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye

# SAFETY DATA SHEET

**BOSTIK BRICK AND PATIO CLEANER**  
**Supersedes date** 01-Nov-2024

**Revision date** 01-Nov-2024  
**Revision Number** 1.06

damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.

## Skin contact

Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.

## Ingestion

Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

## Symptoms related to the physical, chemical and toxicological characteristics

### Symptoms

Redness. Burning. May cause blindness. Coughing and/ or wheezing.

### Acute toxicity

## Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	>2000 mg/kg
ATEmix (dermal)	>2000 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-dust/mist)	>5 mg/l
ATEmix (inhalation-vapour)	>20 mg/l

## Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrochloric acid	>2000 mg/kg (Rattus)	> 5010 mg/kg (Oryctolagus cuniculus)	>5 mg/L (Rattus) 1 h

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

### Skin corrosion/irritation

Classification based on data available for ingredients. Causes severe skin burns and eye damage.

### Serious eye damage/eye irritation

Classification based on data available for ingredients. Causes serious eye damage. Causes burns.

### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

### Carcinogenicity

Based on available data, the classification criteria are not met.

### Reproductive toxicity

Based on available data, the classification criteria are not met.



# SAFETY DATA SHEET

BOSTIK BRICK AND PATIO CLEANER  
Supersedes date 01-Nov-2024

Revision date 01-Nov-2024  
Revision Number 1.06

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

## **11.2. Information on other hazards**

### **11.2.1. Endocrine disrupting properties**

**Endocrine disrupting properties** No information available.

### **11.2.2. Other information**

**Other adverse effects** No information available.

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

#### **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Hydrochloric acid 7647-01-0	-	LC50 96 h = 20.5 mg/l	-	-		

### **12.2. Persistence and degradability**

**Persistence and degradability** No information available.

### **12.3. Bioaccumulative potential**

**Bioaccumulation** There is no data for this product.

### **12.4. Mobility in soil**

**Mobility in soil** No information available.

### **12.5. Results of PBT and vPvB assessment**

**PBT and vPvB assessment** The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Hydrochloric acid	The substance is not PBT / vPvB

### **12.6. Endocrine disrupting properties**

**Endocrine disrupting properties** No information available.

### **12.7. Other adverse effects**

No information available.

## **SECTION 13: Disposal considerations**

# SAFETY DATA SHEET

**BOSTIK BRICK AND PATIO CLEANER**  
Supersedes date 01-Nov-2024

Revision date 01-Nov-2024  
Revision Number 1.06

## 13.1. Waste treatment methods

<b>Waste from residues/unused products</b>	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
<b>Contaminated packaging</b>	Handle contaminated packages in the same way as the product itself.
<b>Other information</b>	Waste codes should be assigned by the user based on the application for which the product was used.

## **SECTION 14: Transport information**

**Note:** The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments made in non-bulk packages (see regulatory definition). The information shown here, may not always agree with the bill of lading shipping description for the material. Keep from freezing.

### Land transport (ADR/RID)

<b>14.1 UN number or ID number</b>	UN1789
<b>14.2 UN proper shipping name</b>	Hydrochloric acid solution
<b>14.3 Transport hazard class(es)</b>	8
<b>Labels</b>	8
<b>14.4 Packing group</b>	III
<b>Description</b>	UN1789, Hydrochloric acid solution, 8, III, (E)
<b>14.5 Environmental hazards</b>	No
<b>14.6 Special precautions for user</b>	
<b>Special Provisions</b>	520
<b>Classification code</b>	C1
<b>Tunnel restriction code</b>	(E)
<b>Limited quantity (LQ)</b>	5 L
<b>ADR Hazard Id (Kemmler Number)</b>	80

### IMDG

<b>14.1 UN number or ID number</b>	UN1789
<b>14.2 UN proper shipping name</b>	Hydrochloric acid solution
<b>14.3 Transport hazard class(es)</b>	8
<b>14.4 Packing group</b>	III
<b>Description</b>	UN1789, Hydrochloric acid solution, 8, III
<b>14.5 Marine pollutant</b>	NP
<b>14.6 Special precautions for user</b>	
<b>Special Provisions</b>	223
<b>Limited Quantity (LQ)</b>	5 L
<b>EmS-No.</b>	F-A, S-B

### **14.7 Maritime transport in bulk according to IMO instruments**

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

### Air transport (ICAO-TI / IATA-DGR)

<b>14.1 UN number or ID number</b>	UN1789
<b>14.2 UN proper shipping name</b>	Hydrochloric acid solution
<b>14.3 Transport hazard class(es)</b>	8
<b>14.4 Packing group</b>	III
<b>Description</b>	UN1789, Hydrochloric acid solution, 8, III
<b>14.5 Environmental hazards</b>	No
<b>14.6 Special precautions for user</b>	
<b>Special Provisions</b>	A3, A803
<b>Limited quantity (LQ)</b>	1 L
<b>ERG Code</b>	8L

# SAFETY DATA SHEET

BOSTIK BRICK AND PATIO CLEANER  
Supersedes date 01-Nov-2024

Revision date 01-Nov-2024  
Revision Number 1.06

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

##### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

##### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

##### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

##### Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

##### Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Hydrochloric acid - 7647-01-0	25	250

##### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

##### Persistent Organic Pollutants

Not applicable

##### REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

##### Regulation (EC) No. 648/2004 (Detergents regulation)

Labelling for contents according to regulation (EC) No. 648/2004

chlorine-based bleaching agents	5 - < 15%

#### National regulations

### 15.2. Chemical safety assessment

# SAFETY DATA SHEET

**BOSTIK BRICK AND PATIO CLEANER**  
**Supersedes date** 01-Nov-2024

**Revision date** 01-Nov-2024  
**Revision Number** 1.06

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

## SECTION 16: Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H290 - May be corrosive to metals  
H314 - Causes severe skin burns and eye damage  
H318 - Causes serious eye damage  
H335 - May cause respiratory irritation

#### Notes relating to the identification, classification and labelling of substances

Note U - When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.), Press. Gas (Liq.), Press. Gas (Ref. Liq.), Press. Gas (Diss.). Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2)

#### Notes relating to the classification and labelling of mixtures

Note 5 - The concentration limits for gaseous mixtures are expressed as volume per volume percentage

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see <http://ec.europa.eu/environment/waste/framework/list.htm>)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

#### Legend SECTION 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
AGW	Occupational exposure limit value	BGW	Biological limit value
Ceiling	Maximum limit value	SK*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method

# SAFETY DATA SHEET

**BOSTIK BRICK AND PATIO CLEANER**  
**Supersedes date** 01-Nov-2024

**Revision date** 01-Nov-2024  
**Revision Number** 1.06

Ozone	Calculation method
Corrosive to metals	On basis of test data

## Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)  
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)  
European Chemicals Agency (ECHA) (ECHA\_API)  
Environmental Protection Agency  
Acute Exposure Guideline Level(s) (AEGL(s))  
International Uniform Chemical Information Database (IUCLID)  
National Institute of Technology and Evaluation (NITE)  
NIOSH (National Institute for Occupational Safety and Health)  
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme  
Organisation for Economic Co-operation and Development Screening Information Data Set

**Prepared By** Product Safety & Regulatory Affairs

**Revision date** 01-Nov-2024

**Revision Note** SDS sections updated 7 8 9

**Training Advice** No information available

**Further information** No information available

## Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**