

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

#### BOSTIK CEMENTONE CONCRETE MOULD OIL Supercedes Date: 14-Oct-2022

Revision date 17-Jan-2024 Revision Number 2.04

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
Product Name	BOSTIK CEMENTONE CONCRETE MOULD OIL		
Pure substance/mixture	Mixture		
1.2. Relevant identified uses of the	substance or mixture and uses advised against	<u>.                                    </u>	
Recommended use	Consumer use		
Uses advised against	None known		
1.3. Details of the supplier of the sa	afety data sheet		
Company Name Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36			
E-mail address	SDS.box-EU@bostik.com		
1.4. Emergency telephone number	_		
United Kingdom	Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) NHS: 111		
SECTION 2: Hazards identifi	cation		
2.1. Classification of the substance	e or mixture		
GB CLP (SI 2020/1567 as amended)	)		
Aspiration hazard Chronic aquatic toxicity		Category 1 - (H304) Category 3 - (H412)	

# 2.2. Label elements

Contains Kerosine, petroleum



Signal word Danger

# BOSTIK CEMENTONE CONCRETE MOULD OIL

Supercedes Date: 14-Oct-2022

Revision date 17-Jan-2024 Revision Number 2.04

#### Hazard statements

H304 - May be fatal if swallowed and enters airways. H412 - Harmful to aquatic life with long lasting effects.

# Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

# Additional information

This product requires child resistant fastenings if supplied to the general public. This product requires tactile warnings if supplied to the general public.

# 2.3. Other hazards

Harmful to aquatic life.

# PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

# **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

Not applicable

# 3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Kerosine, petroleum	232-366-4 (649-404-00- 4)	8008-20-6	10 - <20	Asp. Tox. 1 (H304)	-	-
Ammonia	215-647-6 (007-001-01- 2)	1336-21-6	0.1- <1	Skin Corr. 1B (H314) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) STOT SE 3 (H335)	STOT SE 3 :: C>=5%	-

# Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# Notes

See section 16 for more information

# BOSTIK CEMENTONE CONCRETE MOULD OIL

Supercedes Date: 14-Oct-2022

Chemical name	Notes
Ammonia - 1336-21-6	В

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Inhalation	Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention. Delayed pulmonary edema may occur.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.
4.2. Most important symptoms and	d effects, both acute and delayed
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness.
Effects of Exposure	No information available.
4.3. Indication of any immediate m	edical attention and special treatment needed
Note to doctors	Because of the danger of aspiration, emesis or gastric lavage should not be used unless the risk is justified by the presence of additional toxic substances.
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Full water jet. Do not scatter spilled material with high pressure water streams.
5.2. Special hazards arising from t	he substance or mixture
Specific hazards arising from the chemical	No information available.

5.3. Advice for firefighters

# BOSTIK CEMENTONE CONCRETE MOULD OIL

Supercedes Date: 14-Oct-2022

Special protective equipment and<br/>precautions for fire-fightersFirefighters should wear self-contained breathing apparatus and full firefighting turnout<br/>gear. Use personal protection equipment.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Do not flush into surface water or sanitary sewer system. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.
6.3. Methods and material for cont	ainment and cleaning up
Methods for containment	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.
SECTION 7: Handling and st	orage

# 7.1. Precautions for safe handling

Advice on safe handling	Ensure adequate ventilation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.		
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.		
7.2. Conditions for safe storage, in	cluding any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Store away from other materials.		
7.3. Specific end use(s)			
<b>Specific use(s)</b> Consumer use.			
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.		
Other information	Observe technical data sheet.		
SECTION 8: Exposure controls/personal protection			

# 8.1. Control parameters

# **Exposure Limits**

# BOSTIK CEMENTONE CONCRETE MOULD OIL

Supercedes Date: 14-Oct-2022

Revision date 17-Jan-2024 Revision Number 2.04

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available. (PNEC)

#### 8.2. Exposure controls

Engineering controlsEnsure adequate ventilation, especially in confined areas. Vapours/aerosols must be<br/>exhausted directly at the point of origin.Personal protective equipment<br/>Eye/face protection<br/>Hand protectionTight sealing safety goggles.Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the<br/>breakthrough time of the glove material is not exceeded. Refer to glove supplier for<br/>information on breakthrough time for specific gloves. The breakthrough time of the gloves<br/>depends on the material and the thickness as well as the temperature.Skin and body protection<br/>Respiratory protectionSuitable protective clothing.<br/>During spraying wear suitable respiratory equipment.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

9.1. Information on basic physical	and chemical properties	
Physical state	Liquid	
Appearance	Emulsion	
Colour	Cream	
Odour	Characteristic.	
Property_	Values	Remarks • Method
Melting point / freezing point	No data available	
Initial boiling point and boiling	No data available	None known
range		
Flammability	No data available	
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
рН	No data available	None known.
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	
Water solubility	Insoluble in water.	
Solubility(ies)	Methyl alcohol	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	0.97	
Bulk Density	No data available	
Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

# BOSTIK CEMENTONE CONCRETE MOULD OIL

Supercedes Date: 14-Oct-2022

Revision date 17-Jan-2024 Revision Number 2.04

9.2. Other information	
Solid content (%)	
VOC content	

No information available No data available

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No information available.

10.2. Chemical stability

Stability

Reactivity

Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanicalNone.impactSensitivity to static dischargeNone.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

# 10.4. Conditions to avoid None known based on information supplied. Conditions to avoid None known based on information supplied. 10.5. Incompatible materials None known based on information supplied. 10.6. Hazardous decomposition products None under normal use conditions. Stable under recommended storage conditions.

Hazardous decomposition None under normal use conditions. Stable under recommended storage conditions. products

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Information on likely routes of exposure

# **Product Information**

Inhalation	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. May cause irritation.
Skin contact	Repeated exposure may cause skin dryness or cracking.
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary

# BOSTIK CEMENTONE CONCRETE MOULD OIL

Supercedes Date: 14-Oct-2022

	edema and pneumonitis. May be fatal if swallowed and enters airways.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness.
Acute toxicity	
Numerical measures of toxicity	
The following values are calculated	d based on chapter 3.1 of the GHS document
ATEmix (oral)	>5000 mg/kg
ATEmix (dermal)	10,526.30 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-dust/mist)	>5 mg/l >20 mg/l
ATEmix (inhalation-vapour)	

# **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Kerosine, petroleum	>5000 mg/kg (Rattus)	> 2000 mg/kg (Oryctolagus cuniculus)	>5.28 mg/L (Rattus) 4 h
Ammonia	=350 mg/kg (Rattus)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term ex	nosure
Delayed and inimediate effects as well as childric effects from short and long-term ex	posule

Skin corrosion/irritation	Based on available data, the classification criteria are not met.	
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.	
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.	
Reproductive toxicity	Based on available data, the classification criteria are not met.	
STOT - single exposure	Based on available data, the classification criteria are not met.	
STOT - repeated exposure	Based on available data, the classification criteria are not met.	
Aspiration hazard	May be fatal if swallowed and enters airways.	
11.2. Information on other hazards		

11.2.1. Endocrine disrupting properties

# BOSTIK CEMENTONE CONCRETE MOULD OIL

Supercedes Date: 14-Oct-2022

# Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects

No information available.

# SECTION 12: Ecological information

# 12.1. Toxicity

# Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
Ammonia	-	LC50 96 h =	-	EC50:		
1336-21-6		0.89 mg/L		=0.66mg/L (48h,		
		(Oncorhynchus		Daphnia pulex)		
		mykiss)		EC50:		
				=0.66mg/L (48h,		
				Dappnia magna)		

# 12.2. Persistence and degradability

Persistence and degradability No information available.

# 12.3. Bioaccumulative potential

**Bioaccumulation** 

There is no data for this product.

# 12.4. Mobility in soil

Mobility in soilNo information available.12.5. Results of PBT and vPvB assessment

# PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Kerosine, petroleum	The substance is not PBT / vPvB

# 12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

# 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers. Handle contaminated packages in the same way as the

#### BOSTIK CEMENTONE CONCRETE MOULD OIL Supercedes Date: 14-Oct-2022

Revision date 17-Jan-2024 Revision Number 2.04

	product itself.
European Waste Catalogue	15 01 10*: Packaging containing residues of or contaminated by dangerous substances
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

# **SECTION 14: Transport information**

Land transport (ADR/RID) 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user Special Provisions	Not regulated Not regulated Not regulated Not applicable None
IMDG	
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Marine pollutant	NP
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk	
according to IMO instruments	
Transport in bulk according to	Annex II of MARPOL and the IBC Code Not applicable
Air transport (ICAO TI (IATA DCB)	
<u>Air transport (ICAO-TI / IATA-DGR)</u> 14.1 UN number or ID number	- Not regulated
	Not regulated

14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	
Special Provisions		None

# Section 15: REGULATORY INFORMATION

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

# Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# BOSTIK CEMENTONE CONCRETE MOULD OIL

Supercedes Date: 14-Oct-2022

# EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Ammonia	1336-21-6	75.

# Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

# Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Kerosine, petroleum - 8008-20-6	2500	25000

# Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

# **Persistent Organic Pollutants**

Not applicable

# National regulations

# 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

# **SECTION 16: Other information**

# Key or legend to abbreviations and acronyms used in the safety data sheet

# Full text of H-Statements referred to under section 3

H304 - May be fatal if swallowed and enters airways

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

#### Notes relating to the identification, classification and labelling of substances

**Note B:** Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations.

In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'.

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Legend	
TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
Sk*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue

# BOSTIK CEMENTONE CONCRETE MOULD OIL Supercedes Date: 14-Oct-2022

Revision date 17-Jan-2024 Revision Number 2.04

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG	International Maritime Dangerous Goods (IMDG)
IATA	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and source No information available	ces for data
Prepared By Revision date Indication of changes	Product Safety & Regulatory Affairs 17-Jan-2024
Revision note	Not applicable.

Revision noteNot applicable.Training AdviceNo information availableFurther informationNo information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet