

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

BOSTIK PATIO GROUT NATURAL Supercedes Date: 04-Oct-2021 Revision date 13-Dec-2023 Revision Number 2.01

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1	.1	Pr	od	uct	identifier
_					

Product Name BOSTIK PATIO GROUT NATURAL

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Building and construction work

Uses advised against None known

## 1.3. Details of the supplier of the safety data sheet

Company Name Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25

Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

### 1.4. Emergency telephone number

**United Kingdom** 

Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) NHS: 111

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

Skin sensitisation

Category 1 - (H317)

2.2. Label elements

Contains Cobalt bis(2-ethylhexanoate)



Signal word Warning

Hazard statements

United Kingdom - BE

### **BOSTIK PATIO GROUT NATURAL**

Supercedes Date: 04-Oct-2021

Revision date 13-Dec-2023 Revision Number 2.01

H317 - May cause an allergic skin reaction.

### Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P501 - Dispose of contents/ container to an approved waste disposal plant

### 2.3. Other hazards

Harmful to aquatic life.

### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Cobalt bis(2-ethylhexanoate)	205-250-6 (607-230-00- 6)	136-52-7	0.1 - <0.3	Eye Irrit. 2 (H319) Skin Sens. 1A (H317) Repr. 1B (H360fd) Aquatic Acute 1 (H400) Aquatic Chronic 3 (H412)	-	01-2119524678- 29-XXXX
2-Ethyl-Hexanoic Acid, Zirconium Salt	245-018-1 (607-230-00- 6)	22464-99-9	0.1 - <0.3	Repr. 1B (H360d)	-	01-2119979088- 21-xxxx

### Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

**General advice** 

Show this safety data sheet to the doctor in attendance.

<b>BOSTIK PATIO GR</b>	OUT NATURAL
Supercedes Date:	04-Oct-2021

Remove to fresh air. IF exposed or concerned: Get medical advice/attention.		
Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.		
Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.		
Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.		
effects, both acute and delayed		
Itching. Rashes. Hives.		
No information available.		
edical attention and special treatment needed		
May cause sensitisation in susceptible persons. Treat symptomatically.		
asures		
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
No information available.		
he substance or mixture		
Product is or contains a sensitiser. May cause sensitisation by skin contact.		
Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.		
ase measures		
ve equipment and emergency procedures		
Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.		
Use personal protection recommended in Section 8.		
See Section 12 for additional Ecological Information.		
ainment and cleaning up		
Prevent further leakage or spillage if safe to do so.		
e up mechanically, placing in appropriate containers for disposal.		

## **BOSTIK PATIO GROUT NATURAL**

Supercedes Date: 04-Oct-2021

Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handling	_
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.
7.3. Specific end use(s)	
<b>Specific use(s)</b> Building and construction work.	
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.
Other information	Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### **Exposure Limits**

Chemical name	European Union	United Kingdom
Cobalt bis(2-ethylhexanoate)	-	TWA: 0.1 mg/m <sup>3</sup>
136-52-7		STEL: 0.3 mg/m <sup>3</sup>
		Sen+
2-Ethyl-Hexanoic Acid, Zirconium Salt	-	TWA: 5 mg/m <sup>3</sup>
22464-99-9		STEL: 10 mg/m <sup>3</sup>

## Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)					
Cobalt bis(2-ethylhexanoa	ite) (136-52-7)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker	Inhalation	235.1 µg/cm²			
Long term					
Local health effects					

Derived No Effect Level (DNEL)						
Cobalt bis(2-ethylhexanoate) (136-52-7)						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
Consumer	Inhalation	37 µg/cm <sup>2</sup>				
Long term						

## **BOSTIK PATIO GROUT NATURAL**

Local health effects			
Consumer	Oral	55.8 μg/Kg bw/day	
Long term			
Systemic health effects			

## Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)				
Cobalt bis(2-ethylhexanoate) (136-52-7)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	3 µg/l			
Marine water	2.36 µg/l			
Sewage treatment plant	0.37 µg/l			
Freshwater sediment	9.5 mg/kg dry weight			
Marine sediment	9.5 µg/l			
Soil	10.9 mg/kg dry weight			

### 8.2. Exposure controls

Engineering controls	Ensure adequate ventilation, especially in confined areas.
Personal protective equipment Eye/face protection Hand protection	Tight sealing safety goggles. Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature.
Skin and body protection	Suitable protective clothing.

Environmental exposure controls No information available.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state	Solid	
Appearance	Granules	
Colour	Brown	
Odour	Characteristic.	
Property	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Initial boiling point and boiling	No data available	None known
range		
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
рН	No data available	None known.
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	
Water solubility	Insoluble in water.	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known

**BOSTIK PATIO GROUT NATURAL** 

Supercedes Date: 04-Oct-2021

Revision date 13-Dec-2023 Revision Number 2.01

Vapour pressure Relative density Bulk Density Density Relative vapour density	No data available No data available No data available No data available No data available No data available	None known None known None known
Particle characteristics Particle Size Particle Size Distribution	No information available No information available	
9.2. Other information Solid content (%) VOC content	No information available	No data available
9.2.1. Information with regards to Not applicable	physical hazard classes	

9.2.2. Other safety characteristics No information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Reactivity	No information available.
10.2. Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical	None.
impact Sensitivity to static discharge	None.
10.3. Possibility of hazardous react	tions
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	None known based on information supplied.
10.5. Incompatible materials	
Incompatible materials	None known based on information supplied.
10.6. Hazardous decomposition pro	oducts_
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.
SECTION 11: Toxicological i	nformation

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Information on likely routes of exposure

### **Product Information**

Inhalation

Based on available data, the classification criteria are not met.

<b>BOSTIK PATIO GR</b>	OUT NATURAL
Supercedes Date:	04-Oct-2021

Eye contact	Based on available data, the classification criteria are not met.
Skin contact	May cause sensitisation by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).
Ingestion	Based on available data, the classification criteria are not met.
Symptoms related to the pl	nysical, chemical and toxicological characteristics
Symptoms	Itching. Rashes. Hives.
Acute toxicity	
Numerical measures of tox	icity
The following values are ca ATEmix (oral)	alculated based on chapter 3.1 of the GHS document >5000 mg/kg

ATEMIX (oral)	>5000 mg/kg
ATEmix (dermal)	>5000 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-dust/mist)	>5 mg/l
ATEmix (inhalation-vapour)	>20 mg/l

## **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Cobalt bis(2-ethylhexanoate)	3129 mg/Kg (Rattus) (OECD 425)	> 5000 mg/kg (Oryctolagus cuniculus)	>10 mg/L (Rattus) 1 h
2-Ethyl-Hexanoic Acid, Zirconium Salt	Ld50 =2043 mg/Kg (Rattus)	LD50 >2000 mg/Kg (Rattus)	-

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Cobalt bis(2-ethylhexanoate) (136-52-7)

Method	Species	Exposure route	Results	
OECD Test No. 429: Skin Sensitisation: Local Lymph Node Assay	Mouse	Dermal	sensitising	
Germ cell mutagenicity	Based on available data, t	ne classification criteria are	e not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.			
Reproductive toxicity	Based on available data, t	ne classification criteria are	e not met.	

## **BOSTIK PATIO GROUT NATURAL**

Supercedes Date: 04-Oct-2021

STOT - single exposure	Based on available data, the classification criteria are not met.	
STOT - repeated exposure	Based on available data, the classification criteria are not met.	
Aspiration hazard	Based on available data, the classification criteria are not met.	
11.2. Information on other hazards		
11.2.1. Endocrine disrupting properties		
Endocrine disrupting properties	No information available.	
11.2.2. Other information		
Other adverse effects	No information available.	

## **SECTION 12: Ecological information**

## 12.1. Toxicity

## Ecotoxicity

Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Cobalt	-	EC50 1.5 mg/L	-	-	1	
bis(2-ethylhexanoate)		dissolved cobalt				
136-52-7		- read-across				

## 12.2. Persistence and degradability

Persistence and degradability No information available.

## 12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

## 12.4. Mobility in soil

Mobility in soilNo information available.12.5. Results of PBT and vPvB assessment

```
PBT and vPvB assessment
```

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Cobalt bis(2-ethylhexanoate)	The substance is not PBT / vPvB
2-Ethyl-Hexanoic Acid, Zirconium Salt	The substance is not PBT / vPvB

## 12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

## 12.7. Other adverse effects

No information available.

**BOSTIK PATIO GROUT NATURAL** 

Supercedes Date: 04-Oct-2021

## **SECTION 13:** Disposal considerations

#### 13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

Land transport (ADR/RID)	
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
IMDG	
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Marine pollutant	NP
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk	None
according to IMO instruments	
0	Annex II of MARPOL and the IBC Code Not applicable
Transport in bulk according to	Annex II of MARFOL and the IBC Code Not applicable
Air transport (ICAO-TI / IATA-DGR)	
14.1 UN number or ID number	L Not regulated
	8
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable

## Section 15: REGULATORY INFORMATION

None

14.6 Special precautions for user

**Special Provisions** 

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### European Union

### Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## **BOSTIK PATIO GROUT NATURAL**

Supercedes Date: 04-Oct-2021

## EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

#### Persistent Organic Pollutants Not applicable

## National regulations

## 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

## SECTION 16: Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

## Full text of H-Statements referred to under section 3

Full text of H-Statements referred	to under Section 3	
H317 - May cause an allergic skin reaction		
H319 - Causes serious eye irritation		
H360D - May damage the unborn child		
H360FD - May damage fertility. May damage the unborn child		
H400 - Very toxic to aquatic life		
H412 - Harmful to aquatic life with long lasting effects		
Legend		
TWĂ	TWA (time-weighted average)	
STEL	STEL (Short Term Exposure Limit)	
Ceiling	Ceiling Limit Value	
Sk*	Skin designation	
SVHC	Substance(s) of Very High Concern	
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals	
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals	
STOT RE	Specific target organ toxicity - Repeated exposure	
STOT SE	Specific target organ toxicity - Single exposure	
EWC	European Waste Catalogue	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by	
	Road	
IMDG	International Maritime Dangerous Goods (IMDG)	
ΙΑΤΑ	International Air Transport Association (IATA)	
RID	Regulations concerning the International Transport of Dangerous Goods by Rail	

Key literature references and sources for data No information available	
Prepared By	Product Safety & Regulatory Affairs
Revision date	13-Dec-2023

BOSTIK PATIO GROUT NATURAL Supercedes Date: 04-Oct-2021 Revision date 13-Dec-2023 Revision Number 2.01

Indication of changes

Revision note Training Advice Further information Not applicable. No information available No information available

### This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet