

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

IDENDEN VAPO-SEAL COATING 30-90 Supercedes date 20-Jun-2024 Revision date 07-Nov-2024 Revision Number 4.01

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.	1.	Product	identifier

Product Name IDENDEN VAPO-SEAL COATING 30-90

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Sealant

Uses advised against None known

## 1.3. Details of the supplier of the safety data sheet

Company Name Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

#### E-mail address

SDS.box-EU@bostik.com

#### 1.4. Emergency telephone number

United Kingdom

Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) NHS: 111

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

Skin sensitisation	Category 1 - (H317)
Hazardous to the aquatic environment - chronic	Category 3 - (H412)

## 2.2. Label elements

Contains Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione; 1,2-benzisothiazol-3(2H)-one [BIT]; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]; 2-octyl-2H-isothiazol-3-one [OIT]



Signal word

United Kingdom - BE

**IDENDEN VAPO-SEAL COATING 30-90** 

Supercedes date 20-Jun-2024

Revision date 07-Nov-2024 Revision Number 4.01

Warning

### Hazard statements

H317 - May cause an allergic skin reaction. H412 - Harmful to aquatic life with long lasting effects.

#### Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing vapours

P280 - Wear protective gloves and eye/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P501 - Dispose of contents/ container to an approved waste disposal plant

#### 2.3. Other hazards

Toxic to aquatic life.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

		554011			<b>a</b> 14			
Chemical name	Weight-	REACH	EC No (EU	Classification	Specific	M-Factor		Notes
	%	registration	Index No)		concentration		(long-ter	
		number		Regulation (EC) No.	limit (SCL)		m)	
				1272/2008 [CLP]				
Titanium dioxide	0.1- <1	01-2119489379	236-675-5	[C]	-	-	-	V,W,10
13463-67-7		-17-XXXX	(022-006-00-2)					
Quartz	0.1 - <0.3	[5]	238-878-4	[B]	-	-	-	-
14808-60-7								
Hydrocarbons,	0.1 - <0.3	01-2119456810	920-901-0	Asp. Tox. 1 (H304)	-	-	-	-
C11-C13, isoalkanes,		-XXXX		(EUH066)				
<2% aromatics								
246538-78-3								
Tetrahydro-1,3,4,6-t	0.1 - <0.3	No data	226-408-0	Skin Sens. 1B	-	-	-	-
etrakis(hydroxymeth		available		(H317)				
yl)imidazo[4,5-d]imid								
azole-2,5(1H,3H)-dio								
ne								
5395-50-6								
1,2-benzisothiazol-3(	0.0025 -	01-2120761540	220-120-9	Acute Tox. 4 (H302)	Skin Sens.	1	1	-
2H)-one [BIT]	<0.01	-60-XXXX	(613-088-00-6)	Acute Tox. 2 (H330)	1A ::			
2634-33-5				Skin Irrit. 2 (H315)	C>=0.036%			
				Eye Dam. 1 (H318)				
				Skin Sens. 1A				
				(H317)				
				Aquatic Acute 1				
				(H400)				
				Aquatic Chronic 1				
				(H410)				
Zinc pyrithione	0.0025 -	01-2119511196	236-671-3	Acute Tox. 3 (H301)	-	1000	10	-
13463-41-7	<0.01	-46-XXXX	(613-333-00-7)	Acute Tox. 2 (H330)				

IDENDEN VAPO-SEAL COATING 30-90 Supercedes date 20-Jun-2024

				Eye Dam. 1 (H318) Repr. 1B (H360D) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)				
reaction mass of 5-chloro-2-methyl-2 H-isothiazol-3-one and 2-methyl-2H-isothiaz ol-3-one (3:1) [C(M)IT/MIT] 55965-84-9	0.0015 - < 0.0025	No data available		Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317)	C>=0.6% Eye Irrit. 2 :: 0.06%<=C<0 .6%		100	В
2-octyl-2H-isothiazol -3-one [OIT] 26530-20-1	<0.0015	No data available	(613-112-00-5)	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1B (H314) Eye Dam 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	Skin Sens. 1A ::	100	100	-

Substances identified by a number starting "RR-" in the CAS-field are substances for which the CAS# is not adopted in EU and we use an internal numbering system to track within our SDS software

NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex V of REACH Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[B] - Substance with a Community workplace exposure limit

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Note V - If the substance is to be placed on the market as fibres (with diameter <  $3 \mu m$ , length >  $5 \mu m$  and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.

Note W - It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation. Note 10 - The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter  $\leq$  10 µm.

#### Full text of H- and EUH-phrases: see section 16

#### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its

#### IDENDEN VAPO-SEAL COATING 30-90 Supercedes date 20-Jun-2024

#### components

Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Titanium dioxide	236-675-5 (022-006-00-2)	13463-67-7	-	-	-	-	-
Quartz	238-878-4	14808-60-7	-	-	-	-	-
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	920-901-0	246538-78-3	-	-	-	-	-
Tetrahydro-1,3,4,6-tetra kis(hydroxymethyl)imid azo[4,5-d]imidazole-2,5 (1H,3H)-dione	226-408-0	5395-50-6	-	-	-	-	-
1,2-benzisothiazol-3(2 H)-one [BIT]	220-120-9 (613-088-00-6)	2634-33-5	450	-	=0.21 mg/L (ATE dust/mist)	0.21 +	0.21+
Zinc pyrithione	236-671-3 (613-333-00-7)	13463-41-7	221 +	-	0.14+	0.14+	0.14+
reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) [C(M)IT/MIT]		55965-84-9	66	141	0.17	-	-
2-octyl-2H-isothiazol-3- one [OIT]	247-761-7 (613-112-00-5)	26530-20-1	125+	311+	0.27+	0.27 +	0.27 +

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.			
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.			
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.			
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.			
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.			
4.2. Most important symptoms and	d effects, both acute and delayed			
Symptoms	Itching. Rashes. Hives.			
Effects of Exposure	No information available.			
4.3. Indication of any immediate medical attention and special treatment needed				
Note to doctors	May cause sensitisation in susceptible persons. Treat symptomatically.			

# SECTION 5: Firefighting measures

IDENDEN VAPO-SEAL COATING 30-90 Supercedes date 20-Jun-2024

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.							
Unsuitable extinguishing media	No information available.							
5.2. Special hazards arising from t	5.2. Special hazards arising from the substance or mixture							
Specific hazards arising from the chemical	Product is or contains a sensitiser. May cause sensitisation by skin contact.							
Hazardous combustion products	Carbon oxides. Carbon dioxide (CO2). Hydrogen chloride.							
5.3. Advice for firefighters								
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.							
SECTION 6: Accidental relea	ase measures							
6.1. Personal precautions, protect	ve equipment and emergency procedures							
Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.							
For emergency responders	Use personal protection recommended in Section 8.							
6.2. Environmental precautions								
Environmental precautions	See Section 12 for additional Ecological Information.							
6.3. Methods and material for cont	ainment and cleaning up							
Methods for containment	Prevent further leakage or spillage if safe to do so.							
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.							
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.							
6.4. Reference to other sections								
Reference to other sections	See section 8 for more information. See section 13 for more information.							
SECTION 7: Handling and storage								
7.1. Precautions for safe handling								
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.							
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.							
7.2. Conditions for safe storage, including any incompatibilities								

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

IDENDEN VAPO-SEAL COATING 30-90 Supercedes date 20-Jun-2024

### 7.3. Specific end use(s)

Specific use(s) Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information

Observe technical data sheet.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

**Exposure Limits** 

This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product

Chemical name	European Union	United Kingdom
Titanium dioxide	-	TWA: 10 mg/m <sup>3</sup>
13463-67-7		TWA: 4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>
Quartz	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
14808-60-7	_	STEL: 0.3 mg/m <sup>3</sup>
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	CEFIC-HSPA advisory : 1200 mg/m <sup>3</sup>	-
246538-78-3		

### Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)						
Titanium dioxide (13463-67-7)						
Туре		Derived No Effect Level (DNEL)	Safety factor			
worker Long term Local health effects	Inhalation	10 mg/m³				

Quartz (14808-60-7)						
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Long term Systemic health effects	Inhalation	6.81 mg/m³				
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d				

Derived No Effect Level (DNEL)							
Titanium dioxide (13463-67-7)	Titanium dioxide (13463-67-7)						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor				
Consumer	Oral	700 mg/kg bw/d					
Long term Systemic health effects							

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)			
Туре		Derived No Effect Level (DNEL)	Safety factor
Consumer	Inhalation	1.2 mg/m <sup>3</sup>	

# IDENDEN VAPO-SEAL COATING 30-90

Supercedes date 20-Jun-2024

Long term Systemic health effects			
Consumer	Dermal	0.345 mg/kg bw/d	
Long term			
Systemic health effects			

# Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)			
Titanium dioxide (13463-67-7)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Marine water	0.0184 mg/l		
Freshwater sediment	1000 mg/kg		
Freshwater	0.184 mg/l		
Marine sediment	100 mg/kg		
Soil	100 mg/kg		
Microorganisms in sewage treatment	100 mg/l		
Freshwater - intermittent	0.193 mg/l		

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	4.03 μg/l		
Marine water	0.403 μg/l		
Sewage treatment plant	1.03 mg/l		
Freshwater sediment	49.9 μg/l		
Marine sediment	4.99 μg/l		
Soil	3 mg/kg dry weight		

## 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Personal protectiv	e equipment
--------------------	-------------

Eye/face protection<br/>Hand protectionTight sealing safety goggles. Eye protection must conform to standard EN 166.<br/>Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the<br/>breakthrough time of the glove material is not exceeded. Refer to glove supplier for<br/>information on breakthrough time for specific gloves. The breakthrough time of the glove<br/>depends on the material and the thickness as well as the temperature. Gloves should be<br/>replaced regularly and if there is any sign of damage to the glove material.<br/>Suitable protective clothing.

Environmental exposure controls No information available.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state Appearance Colour Odour	Liquid Thixotropic Liquid White Acrylic.
<u>Property</u> Melting point / freezing point Initial boiling point and boiling	Values No data available 100 °C
range Flammability Flammability Limit in Air	No data available
Upper flammability or explosive limits	No data available
Lower flammability or explosive	No data available

Remarks • Method None known None known

None known

IDENDEN VAPO-SEAL COATING 30-90 Supercedes date 20-Jun-2024 Revision date 07-Nov-2024 Revision Number 4.01

limits		
Flash point	> 80 °C	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
рН	7 - 9	None known.
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	approx 50 Pa.s	
Water solubility	Miscible in water.	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	1.36	
Bulk density	No data available	
Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
9.2. Other information		
Solid content (%)	53	
VOC content	31 g/L	
	C C	
9.2.1. Information with regards to	o physical hazard classes	

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

# SECTION 10: Stability and reactivity

10.1. Reactivity	
Reactivity	No information available.
10.2. Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
10.3. Possibility of hazardous react	tions
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	None known based on information supplied.
10.5. Incompatible materials	
Incompatible materials	None known based on information supplied.
10.6. Hazardous decomposition pro	oducts
Hazardous decomposition	None under normal use conditions. Stable under recommended storage conditions.

IDENDEN VAPO-SEAL COATING 30-90 Supercedes date 20-Jun-2024

#### products

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

**Product Information** 

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	May cause sensitisation by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).
Ingestion	Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

Acute toxicity

### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	>2000 mg/kg
ATEmix (dermal)	>2000 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-dust/mist)	>5 mg/l
ATEmix (inhalation-vapour)	>20 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L (Rattus) 4 h
Quartz	>2000 mg/kg (Rattus)	-	-
Hydrocarbons, C11-C13,	LD50 > 5000 mg/kg (Rat)	LC50 >2000 mg/Kg (Rattus)	LC50 >5991 mg/m3 (Rat)
isoalkanes, <2% aromatics	(OECD Guideline 401)	(OECD 402)	Aerosol (OECD Guideline 403)
1,2-benzisothiazol-3(2H)-one	=450 mg/kg (ATE)	LD50 > 2000 mg/kg (Rattus)	-
[BIT]			
Zinc pyrithione	=177 mg/kg (Rattus)	>2000 mg/kg (Oryctolagus	4h = 1.03 mg/L (Rattus) 4 h
		cuniculus)	
		(EPA OPP 81-2)	
reaction mass of	66 mg/kg (Rat)	LD50 = 8141 mg/kg (Rat)	= 0.33 mg/L (Rat) 4h
5-chloro-2-methyl-2H-isothiazo		OECD 402	
I-3-one and			
2-methyl-2H-isothiazol-3-one			
(3:1) [C(M)IT/MIT]			
2-octyl-2H-isothiazol-3-one	=125 mg/kg (Rattus)	= 690 mg/kg (Oryctolagus	-
[OIT]		cuniculus)	

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

2-octyl-2H-isothiazol-3-one [OIT] (26530-20-1)						
Method	Species	Exposure route	Effective dose	Exposure time	Results	
OECD Test No. 404:	Rabbit	Dermal			Corrosive	
Acute Dermal						
Irritation/Corrosion						

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)							
Method	Species	Exposure route	Effective dose	Exposure time	Results		
OECD Test No. 405:	Rabbit	Eye			Non-irritant		
Acute Eye							
Irritation/Corrosion							

2-octyl-2H-isothiazol-3-one [OIT] (26530-20-1)						
Method	Species	Exposure route	Effective dose	Exposure time	Results	
OECD Test No. 405:	Rabbit	Corneal			Eye Damage	
Acute Eye						
Irritation/Corrosion						

**Respiratory or skin sensitisation** May cause an allergic skin reaction.

Titanium dioxide (13463-67-7)						
2-octyl-2H-isothiazol-3-one [OIT] (26530-20-1)						
Method	Species	Exposure route	Results			
GPMT - Guinea pig maximisation test	Guinea pig	Dermal	Sensitising			

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Titanium dioxide	Carc. 2

**Reproductive toxicity** 

Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.				
Chemical name European Union				
Zinc pyrithione Repr. 1B				

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
11.2. Information on other hazard	ds
11.2.1. Endocrine disrupting prop	perties
Endocrine disrupting properties	No information available.
11.2.2. Other information	

Other adverse effects No information available.

# SECTION 12: Ecological information

# 12.1. Toxicity

Ecotoxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	-	-	-		
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics 246538-78-3		LL50 96 h >1000 mg/L (Oncorhynchus mykiss)	-	-		
Tetrahydro-1,3,4,6-tetr akis(hydroxymethyl)imi dazo[4,5-d]imidazole-2, 5(1H,3H)-dione 5395-50-6	U U	EC50 (96h) =17.6 mg/L (Brachydanio rerio) (OECD 203)	-	EC50 (48h) >38.9 mg/L (Daphnia magna) (OECD 202)		
1,2-benzisothiazol-3(2 H)-one [BIT] 2634-33-5	EC50 3Hr 13mg/l (activated sludge) (OECD 209)	LC50 (96hr) 2.15 mg/l Cyprinodon variegatus EPA 540/9-85-006	-	EC50(48hr) 2.94 mg/l (Daphnia Magna) OECD 202	1	1
Zinc pyrithione 13463-41-7	EC50 (72hr) 0.0013 mg/l (Skeletonema costatum) (ISO 10253) 0.051 mg/l (Pseudokirchner iella subcapitata) (OECD 201)		-	EC50 (48h) =0.038 mg/L Crustaceans (Ilyocypris dentifera)	1000	10
reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) [C(M)IT/MIT] 55965-84-9	(Pseudokirchner iella subcapitata) (OECD 201)	mykiss) (OECD 211)	-	EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD 202)	100	100
2-octyl-2H-isothiazol-3- one [OIT] 26530-20-1	EC50(72h) = 0.084 mg/L (Scenedesmus	LC50 (96h) = 0.036 mg/L (Oncorhynchus	-	EC50 (48h) =0.42 mg/L (OECD 202)	100	100

## **IDENDEN VAPO-SEAL COATING 30-90**

Supercedes date 20-Jun-2024

subsp	icatus) mykiss) (OECI		
(OEC	D 201) 203)		

## 12.2. Persistence and degradability

#### Persistence and degradability

No information available.

Quartz (14808-60-7)						
Zinc pyrithione (13463-41-7)						
Method	Exposure time	Value	Results			
OECD Test No. 309: Aerobic		biodegradation Half-life	Readily biodegradable 0.5			
Mineralization in Surface Water -			days			
Simulation Biodegradation Test						

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)						
Method	Exposure time	Value	Results			
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable			
Biodegradability: CO2 Evolution Tes	t					
(TG 301 B)						

2-octyl-2H-isothiazol-3-one [OIT] (26530-20-1)							
Method	Exposure time	Value	Results				
OECD Test No. 309: Aerobic		Half-life 0.6-1.4 d	Readily biodegradable				
Mineralization in Surface Water -							
Simulation Biodegradation Test							

### 12.3. Bioaccumulative potential

#### Bioaccumulation

#### **Component Information**

Chemical name	Partition coefficient
Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imida	2
zole-2,5(1H,3H)-dione	
1,2-benzisothiazol-3(2H)-one [BIT]	0.7
Zinc pyrithione	1.21
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	
2-octyl-2H-isothiazol-3-one [OIT]	2.92

### 12.4. Mobility in soil

# Mobility in soilNo information available.12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Titanium dioxide	The substance is not PBT / vPvB
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	The substance is not PBT / vPvB
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB
Zinc pyrithione	The substance is not PBT / vPvB
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	
2-octyl-2H-isothiazol-3-one [OIT]	The substance is not PBT / vPvB

### 12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

IDENDEN VAPO-SEAL COATING 30-90 Supercedes date 20-Jun-2024

12.7. Other adverse effects

No information available.

# SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

# **SECTION 14: Transport information**

Land transport (ADR/RID)		
14.1 UN number or ID number	Not regulated	
14.2 UN proper shipping name	Not regulated	
14.3 Transport hazard class(es)	Transport hazard class(es) Not regulated	
14.4 Packing group	king group Not regulated	
14.5 Environmental hazards	4.5 Environmental hazards Not applicable	
14.6 Special precautions for user		
Special Provisions	None	
IMDG		
14.1 UN number or ID number	Not regulated	
14.2 UN proper shipping name	Not regulated	
14.3 Transport hazard class(es)	Not regulated	
14.4 Packing group	Not regulated	
14.5 Marine pollutant	NP	
14.6 Special precautions for user		
Special Provisions	None	
14.7 Maritime transport in bulk		
according to IMO instruments		
Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable		
<u>Air transport (ICAO-TI / IATA-DGR)</u>		
14.1 UN number or ID number	Not regulated	
14.2 UN proper shipping name	Not regulated	

14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	
Special Provisions		None

# Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

**IDENDEN VAPO-SEAL COATING 30-90** 

Supercedes date 20-Jun-2024

#### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

#### **Export Notification requirements**

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Ozone-depleting substances (ODS) Regulation (EU) 2024/590 Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors Not applicable

#### National regulations

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

## **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of any hazard and/or precautionary statements referred to under Sections 2-15

- H301 Toxic if swallowed
- H302 Harmful if swallowed
- H304 May be fatal if swallowed and enters airways
- H310 Fatal in contact with skin
- H311 Toxic in contact with skin
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage H330 - Fatal if inhaled
- H360D May damage the unborn child
- H372 Causes damage to organs through prolonged or repeated exposure
- H400 Very toxic to aquatic life

**IDENDEN VAPO-SEAL COATING 30-90** 

Supercedes date 20-Jun-2024

#### H410 - Very toxic to aquatic life with long lasting effects

Notes relating to the identification, classification and labelling of substances

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Note V - If the substance is to be placed on the market as fibres (with diameter <  $3 \mu m$ , length >  $5 \mu m$  and aspect ratio  $\ge 3:1$ ) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied

Note W - It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation

## Notes relating to the classification and labelling of mixtures

Note 10 - The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter  $\leq$  10 µm

Legena	
TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
Sk*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by
	Road
IMDG	International Maritime Dangerous Goods (IMDG)
ΙΑΤΑ	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data   No information available   Prepared By Product Safety & Regulatory Affairs		
Revision date	07-Nov-2024	
Indication of changes		
Revision Note	Not applicable.	
Training Advice	No information available	
Further information	No information available	

#### This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **End of Safety Data Sheet**