

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

IDENDEN VAPO-SEAL COATING 30-90 AF

Supercedes date 20-Jun-2024

Revision date 07-Nov-2024 Revision Number 3.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

IDENDEN VAPO-SEAL COATING 30-90 AF **Product Name**

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant

None known Uses advised against

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

Skin sensitisation	Category 1 - (H317)
Hazardous to the aquatic environment - chronic	Category 3 - (H412)

2.2. Label elements

Contains Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione; 1,2-benzisothiazol-3(2H)-one [BIT]; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]; 2-octyl-2H-isothiazol-3-one [OIT]



Signal word

United Kingdom - BE 1 / 15 Page

IDENDEN VAPO-SEAL COATING 30-90 AF

Supercedes date 20-Jun-2024

Revision date 07-Nov-2024 Revision Number 3.01

Warning

Hazard statements

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing vapours

P280 - Wear protective gloves and eye/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Toxic to aquatic life.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight- %	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-ter m)	Notes
Titanium dioxide 13463-67-7	0.1- <1	01-2119489379 -17-XXXX	236-675-5 (022-006-00-2)	[C]	-	-	-	V,W,10
Quartz 14808-60-7	0.1 - <0.3	[5]	238-878-4	[B]	-	-	-	-
C11-C13, isoalkanes, <2% aromatics 246538-78-3		01-2119456810 -XXXX	920-901-0	Asp. Tox. 1 (H304) (EUH066)	1	-	-	-
Tetrahydro-1,3,4,6-t etrakis(hydroxymeth yl)imidazo[4,5-d]imid azole-2,5(1H,3H)-dio ne 5395-50-6		No data available	226-408-0	Skin Sens. 1B (H317)	-	-	-	-
1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5	0.0025 - <0.01	01-2120761540 -60-XXXX		Acute Tox. 4 (H302) Acute Tox. 2 (H330) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Skin Sens. 1A :: C>=0.036%	1	1	-
Zinc pyrithione 13463-41-7	0.0025 - <0.01	01-2119511196 -46-XXXX		Acute Tox. 3 (H301) Acute Tox. 2 (H330)	-	1000	10	-

United Kingdom - BE Page 2 / 15

IDENDEN VAPO-SEAL COATING 30-90 AF Supercedes date 20-Jun-2024

Revision date 07-Nov-2024 Revision Number 3.01

				E B 4 (110.40)	ı			
				Eye Dam. 1 (H318)				
				Repr. 1B (H360D)				
				STOT RE 1 (H372)				
				Aquatic Acute 1				
				(H400)				
				Aquatic Chronic 1				
				(H410)				
reaction mass of	0.0015 -	No data	611-341-5	Acute Tox. 3 (H301)	Eye Dam. 1 ::	100	100	В
5-chloro-2-methyl-2	< 0.0025	available		Acute Tox. 2 (H310)	C>=0.6%			
H-isothiazol-3-one				Acute Tox. 2 (H330)	Eye Irrit. 2 ::			
and				Skin Corr. 1C	0.06%<=C<0			
2-methyl-2H-isothiaz				(H314)	.6%			
ol-3-one (3:1)				Eye Dam. 1 (H318)	Skin Corr. 1C			
[C(M)IT/MIT]				Skin Sens. 1A	:: C>=0.6%			
55965-84-9				(H317)	Skin Irrit. 2 ::			
				, ,	0.06%<=C<0			
				(H400)	.6%			
				Aquatic Chronic 1	Skin Sens.			
				(H410)	1A ::			
				(EUH071)	C>=0.0015%			
2-octyl-2H-isothiazol	<0.0015	No data	247-761-7	Acute Tox. 3 (H301)		100	100	_
-3-one [OIT]		available		Acute Tox. 3 (H311)				
26530-20-1				Acute Tox. 2 (H330)				
				Skin Corr. 1B				
				(H314)				
				Eye Dam 1 (H318)				
				Skin Sens. 1A				
				(H317)				
				Aquatic Acute 1				
				(H400)				
				Aquatic Chronic 1				
				(H410)				
				(EUH071)				
<u> </u>				(==:::::/				

Substances identified by a number starting "RR-" in the CAS-field are substances for which the CAS# is not adopted in EU and we use an internal numbering system to track within our SDS software

NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex V of REACH Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[B] - Substance with a Community workplace exposure limit

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Note V - If the substance is to be placed on the market as fibres (with diameter < 3 μ m, length > 5 μ m and aspect ratio \geq 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.

Note W - It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation. Note 10 - The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter \leq 10 μ m.

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its

United Kingdom - BE Page 3 / 15

IDENDEN VAPO-SEAL COATING 30-90 AF

Supercedes date 20-Jun-2024

Revision date 07-Nov-2024 Revision Number 3.01

components

Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	dust/mist -	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
T'4 1 11 11	222 275 5	10.100.07.7			mg/L		
Titanium dioxide	236-675-5 (022-006-00-2)	13463-67-7	-	-	-	-	-
Quartz	238-878-4	14808-60-7	-	-	-	-	-
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	920-901-0	246538-78-3	-	-	-	-	-
Tetrahydro-1,3,4,6-tetra kis(hydroxymethyl)imid azo[4,5-d]imidazole-2,5 (1H,3H)-dione		5395-50-6	-	-	-	-	-
1,2-benzisothiazol-3(2 H)-one [BIT]	220-120-9 (613-088-00-6)	2634-33-5	450	-	=0.21 mg/L (ATE dust/mist)	0.21 +	0.21+
Zinc pyrithione	236-671-3 (613-333-00-7)	13463-41-7	221+	-	0.14+	0.14+	0.14+
reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) [C(M)IT/MIT]		55965-84-9	66	141	0.17	-	-
2-octyl-2H-isothiazol-3- one [OIT]	247-761-7 (613-112-00-5)	26530-20-1	125+	311+	0.27+	0.27+	0.27+

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin

irritation or allergic reactions see a doctor.

Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

United Kingdom - BE Page 4 / 15

IDENDEN VAPO-SEAL COATING 30-90 AF

Supercedes date 20-Jun-2024

Revision date 07-Nov-2024 Revision Number 3.01

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

No information available. Unsuitable extinguishing media

5.2. Special hazards arising from the substance or mixture

chemical

Specific hazards arising from the Product is or contains a sensitiser. May cause sensitisation by skin contact.

Hazardous combustion products

Carbon oxides. Carbon dioxide (CO2). Hydrogen chloride.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal **Personal precautions**

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Take up mechanically, placing in appropriate containers for disposal. Methods for cleaning up

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash it before reuse.

Handle in accordance with good industrial hygiene and safety practice. General hygiene considerations

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. **Storage Conditions**

5 / 15 United Kingdom - BE Page

IDENDEN VAPO-SEAL COATING 30-90 AF

Supercedes date 20-Jun-2024

Revision date 07-Nov-2024 Revision Number 3.01

7.3. Specific end use(s)

Specific use(s)

Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure LimitsThis product contains titanium dioxide in a non-respirable form. Inhalation of titanium

dioxide is unlikely to occur from exposure to this product

Chemical name	European Union	United Kingdom
Titanium dioxide	-	TWA: 10 mg/m ³
13463-67-7		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m ³
Quartz	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
14808-60-7	Ţ.	STEL: 0.3 mg/m ³
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	CEFIC-HSPA advisory : 1200 mg/m ³	-
246538-78-3		

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (D	NEL)		
Titanium dioxide (13463-67	7-7)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker	Inhalation	10 mg/m³	
Long term Local health effects			

Quartz (14808-60-7)			
1,2-benzisothiazol-3(2H)-one	e [BIT] (2634-33-5)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	6.81 mg/m³	
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d	

Derived No Effect Level (DNEL)			
Titanium dioxide (13463-67-7)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Oral	700 mg/kg bw/d	

1,2-benzisothiazol-3(2H)-one [BIT]	(2634-33-5)		
Туре	Exposure route	Derived No Effect Level	Safety factor
		(DNEL)	
Consumer	Inhalation	1.2 mg/m ³	

United Kingdom - BE Page 6 / 15

IDENDEN VAPO-SEAL COATING 30-90 AF

Supercedes date 20-Jun-2024

Revision date 07-Nov-2024 Revision Number 3.01

Long term Systemic health effects			
Consumer	Dermal	0.345 mg/kg bw/d	
Long term			
Systemic health effects			

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)	
Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5	5)
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	4.03 μg/l
Marine water	0.403 μg/l
Sewage treatment plant	1.03 mg/l
Freshwater sediment	49.9 μg/l
Marine sediment	4.99 μg/l
Soil	3 mg/kg dry weight

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Hand protection

Tight sealing safety goggles. Eye protection must conform to standard EN 166. Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. Gloves should be

replaced regularly and if there is any sign of damage to the glove material.

Skin and body protection Suitable protective clothing.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid

Appearance Thixotropic Liquid

ColourWhiteOdourAcrylic.

Property <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing pointNo data availableNone knownInitial boiling point and boiling100 °CNone known

range

Flammability No data available

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

United Kingdom - BE Page 7 / 15

IDENDEN VAPO-SEAL COATING 30-90 AF

Supercedes date 20-Jun-2024

Revision date 07-Nov-2024 Revision Number 3.01

limits

Flash point > 80 °C None known
Autoignition temperature No data available None known
Decomposition temperature None known

pH 7 - 9 None known.
pH (as aqueous solution) No data available None known
Kinematic viscosity No data available None known

Dynamic viscosity approx 50 Pa.s **Water solubility** Miscible in water.

Solubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownVapour pressureNo data availableNone known

Relative density 1.36

Bulk density

No data available

Density

No data available

Relative vapour density

No data available

None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

Solid content (%) 53

VOC content 31 g/L

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition None under normal use conditions. Stable under recommended storage conditions.

United Kingdom - BE Page 8 / 15

IDENDEN VAPO-SEAL COATING 30-90 AF

Supercedes date 20-Jun-2024

Revision date 07-Nov-2024 Revision Number 3.01

products

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact May cause sensitisation by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components).

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 >2000 mg/kg

 ATEmix (dermal)
 >2000 mg/kg

 ATEmix (inhalation-gas)
 >20000 ppm

 ATEmix (inhalation-dust/mist)
 >5 mg/l

 ATEmix (inhalation-vapour)
 >20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L (Rattus) 4 h
Quartz	>2000 mg/kg (Rattus)	-	-
Hydrocarbons, C11-C13,	LD50 > 5000 mg/kg (Rat)	LC50 >2000 mg/Kg (Rattus)	LC50 >5991 mg/m ³ (Rat)
isoalkanes, <2% aromatics	(OECD Guideline 401)	(OECD 402)	Aerosol (OECD Guideline 403)
1,2-benzisothiazol-3(2H)-one	=450 mg/kg (ATE)	LD50 > 2000 mg/kg (Rattus)	-
[BIT]			
Zinc pyrithione	=177 mg/kg (Rattus)	>2000 mg/kg (Oryctolagus	4h = 1.03 mg/L (Rattus) 4 h
		cuniculus)	
		(EPA OPP 81-2)	
reaction mass of	66 mg/kg (Rat)	LD50 = 8141 mg/kg (Rat)	= 0.33 mg/L (Rat) 4h
5-chloro-2-methyl-2H-isothiazo		OECD 402	
I-3-one and			
2-methyl-2H-isothiazol-3-one			
(3:1) [C(M)IT/MIT]			
2-octyl-2H-isothiazol-3-one	=125 mg/kg (Rattus)	= 690 mg/kg (Oryctolagus	-
[OIT]		cuniculus)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

United Kingdom - BE Page 9 / 15

IDENDEN VAPO-SEAL COATING 30-90 AF

Supercedes date 20-Jun-2024

Revision date 07-Nov-2024 Revision Number 3.01

Titanium dioxide (13463-67-7)						
Method	Species	Exposure route	Effective dose	Exposure time	Results	
OECD Test No. 404:	Rabbit	Dermal			Non-irritant	
Acute Dermal						
Irritation/Corrosion						

2-octyl-2H-isothiazol-3-one [OIT] (26530-20-1)						
Method	Species	Exposure route	Effective dose	Exposure time	Results	
OECD Test No. 404:	Rabbit	Dermal			Corrosive	
Acute Dermal						
Irritation/Corrosion						

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)							
Method	Species	Exposure route	Effective dose	Exposure time	Results		
OECD Test No. 405:	Rabbit	Eye			Non-irritant		
Acute Eye							
Irritation/Corrosion							

2-octyl-2H-isothiazol-3-one [OIT] (26530-20-1)							
Method	Species	Exposure route	Effective dose	Exposure time	Results		
OECD Test No. 405:	Rabbit	Corneal			Eye Damage		
Acute Eye							
Irritation/Corrosion							

Respiratory or skin sensitisation May cause an allergic skin reaction.

Titanium dioxide (13463-67-7)						
2-octyl-2H-isothiazol-3-one [OIT] (26530-20-1)						
Method	Species	Exposure route	Results			
GPMT - Guinea pig maximisation test	Guinea pig	Dermal	Sensitising			

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Titanium dioxide	Carc. 2

Reproductive toxicity Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

The table below indicates ingredients above the ear-on timeshold considered as relevant which are listed as reproductive toxi					
Chemical name	European Union				
Zinc pyrithione	Repr. 1B				

STOT - single exposure Based on ava

Based on available data, the classification criteria are not met.

United Kingdom - BE Page 10 / 15

IDENDEN VAPO-SEAL COATING 30-90 AF

Supercedes date 20-Jun-2024

Revision date 07-Nov-2024 Revision Number 3.01

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	-	-	-		(tong tonn)
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics 246538-78-3	-	LL50 96 h >1000 mg/L (Oncorhynchus mykiss)	-	-		
Tetrahydro-1,3,4,6-tetr akis(hydroxymethyl)imi dazo[4,5-d]imidazole-2, 5(1H,3H)-dione 5395-50-6		EC50 (96h) =17.6 mg/L (Brachydanio rerio) (OECD 203)	-	EC50 (48h) >38.9 mg/L (Daphnia magna) (OECD 202)		
1,2-benzisothiazol-3(2 H)-one [BIT] 2634-33-5	EC50 3Hr 13mg/l (activated sludge) (OECD 209)	LC50 (96hr) 2.15 mg/l Cyprinodon variegatus EPA 540/9-85-006	-	EC50(48hr) 2.94 mg/l (Daphnia Magna) OECD 202	1	1
Zinc pyrithione 13463-41-7	EC50 (72hr) 0.0013 mg/l (Skeletonema costatum) (ISO 10253) 0.051 mg/l (Pseudokirchner iella subcapitata) (OECD 201)		-	EC50 (48h) =0.038 mg/L Crustaceans (Ilyocypris dentifera)	1000	10
reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) [C(M)IT/MIT] 55965-84-9	(Pseudokirchner		-	EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD 202)	100	100
2-octyl-2H-isothiazol-3- one [OIT] 26530-20-1	EC50(72h) = 0.084 mg/L (Scenedesmus	LC50 (96h) = 0.036 mg/L (Oncorhynchus	-	EC50 (48h) =0.42 mg/L (OECD 202)	100	100

United Kingdom - BE Page 11 / 15

IDENDEN VAPO-SEAL COATING 30-90 AF

Supercedes date 20-Jun-2024

Revision date 07-Nov-2024 Revision Number 3.01

subspicatus)	mykiss) (OECD		
(OECD 201)	203)		

12.2. Persistence and degradability

Persistence and degradability No information available.

Quartz (14808-60-7)						
Zinc pyrithione (13463-41-7)						
Method	Exposure time	Value	Results			
OECD Test No. 309: Aerobic		biodegradation Half-life	Readily biodegradable 0.5			
Mineralization in Surface Water -		-	days			
Simulation Biodegradation Test			·			

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)						
Method	Exposure time	Value	Results			
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable			
Biodegradability: CO2 Evolution Test			-			
(TG 301 B)						

2-octyl-2H-isothiazol-3-one [OIT] (26530-20-1)				
Method	Exposure time	Value	Results	
OECD Test No. 309: Aerobic		Half-life 0.6-1.4 d	Readily biodegradable	
Mineralization in Surface Water -			_	
Simulation Biodegradation Test				

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Component information		
Chemical name	Partition coefficient	
Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imida	2	
zole-2,5(1H,3H)-dione		
1,2-benzisothiazol-3(2H)-one [BIT]	0.7	
Zinc pyrithione	1.21	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7	
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]		
2-octyl-2H-isothiazol-3-one [OIT]	2.92	

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessmentThe product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment	
Titanium dioxide	The substance is not PBT / vPvB	
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	The substance is not PBT / vPvB	
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB	
Zinc pyrithione	The substance is not PBT / vPvB	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB	
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]		
2-octyl-2H-isothiazol-3-one [OIT]	The substance is not PBT / vPvB	

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

United Kingdom - BE Page 12 / 15

IDENDEN VAPO-SEAL COATING 30-90 AF

Supercedes date 20-Jun-2024

Revision date 07-Nov-2024 Revision Number 3.01

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

IMDG

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 Not regulated
 Not regulated
 Not regulated

14.5 Marine pollutant
 14.6 Special precautions for user
 Special Provisions

None

14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number
14.2 UN proper shipping name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
Not regulated Not regulated Not applicable

14.6 Special precautions for user Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

United Kingdom - BE Page 13 / 15

IDENDEN VAPO-SEAL COATING 30-90 AF

Supercedes date 20-Jun-2024

Revision date 07-Nov-2024 Revision Number 3.01

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide: Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Ozone-depleting substances (ODS) Regulation (EU) 2024/590

Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H310 - Fatal in contact with skin

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H360D - May damage the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

United Kingdom - BE Page 14 / 15

IDENDEN VAPO-SEAL COATING 30-90 AF

Supercedes date 20-Jun-2024

Revision date 07-Nov-2024 Revision Number 3.01

H410 - Very toxic to aquatic life with long lasting effects

Notes relating to the identification, classification and labelling of substances

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Note V - If the substance is to be placed on the market as fibres (with diameter < $3 \mu m$, length > $5 \mu m$ and aspect ratio $\geq 3:1$) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied

Note W - It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation

Notes relating to the classification and labelling of mixtures

Note 10 - The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value Sk* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 07-Nov-2024

Indication of changes

Revision Note Not applicable.

Training Advice No information available Further information No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 15 / 15