

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

IDENDEN 10-188 WATER BASED INSULATION ADHESIVE Supercedes date 26-Feb-2024

Revision date 07-Jan-2025 Revision Number 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name	IDENDEN 10-188 WATER BASED INSULATION ADHESIVE
Pure substance/mixture	Mixture
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Recommended use	Adhesives
Uses advised against	None known
1.3. Details of the supplier of the	safety data sheet
<u>Company Name</u> Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36	
E-mail address	SDS.box-EU@bostik.com
1.4. Emergency telephone numb	<u>er</u>
United Kingdom	Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) NHS: 111
SECTION 2: Hazards ident	ification
2.1. Classification of the substa	nce or mixture
GB CLP (SI 2020/1567 as amend	ed)
Skin sensitisation	Category 1 - (H317)
2.2. Label elements	

Contains 1,2-benzisothiazol-3(2H)-one [BIT]; 2-methyl-2H-isothiazol-3-one [MIT]; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]



Signal word Warning

IDENDEN 10-188 WATER BASED INSULATION ADHESIVE

Supercedes date 26-Feb-2024

Revision date 07-Jan-2025 Revision Number 3

Hazard statements

H317 - May cause an allergic skin reaction.

EU Specific Hazard Statements

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P273 - Avoid release to the environment

P280 - Wear protective gloves and eye/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P501 - Dispose of contents/ container to an approved waste disposal plant

Additional information

This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

No information available.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight- %	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-ter m)	Notes
Hydrocarbons, C9, aromatics 	1 - <2.5	01-2119455851 -35-XXXX	918-668-5	STOT SE 3 (H335) STOT SE 3 (H336) Asp. Tox. 1 (H304) Aquatic Chronic 2 (H411) (EUH066) Flam. Liq. 3 (H226)		-	-	-
Xylenes (o-, m-, p- isomers) 1330-20-7	0.1- <1	01-2119488216 -32-XXXX		Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335) STOT RE 2 (H373) Asp. Tox. 1 (H304) Aquatic Chronic 3 (H412) Flam. Liq. 3 (H226)		-	-	С
Ethylbenzene 100-41-4	0.1 - <0.3	01-2119489370 -35-XXXX		Acute Tox. 4 (H332) STOT RE 2 (H373) Asp. Tox. 1 (H304) Aquatic Chronic 3 (H412) Flam. Liq. 2 (H225)	-	-	-	-
2-methyl-2H-isothiaz	0.0025 -	01-2120764690	220-239-6	Skin Corr. 1B	Skin Sens.	10	1	-

IDENDEN 10-188 WATER BASED INSULATION ADHESIVE

Supercedes date 26-Feb-2024

ol-3-one [MIT]	<0.01	-50-xxxx	(613-326-00-9)		1A ::			
2682-20-4				Eye Dam. 1 (H318)	C>=0.0015%			
				Skin Sens. 1A				
				(H317)				
				Acute Tox. 3				
				(H301)				
				Acute Tox. 3 (H311)				
				Acute Tox. 2				
				(H330)				
				Aquatic Acute 1				
				(H400)				
				Aquatic Chronic 1				
				(H410)				
				(EUH071)				
1,2-benzisothiazol-3(0.0025 -	01-2120761540	220-120-9	Acute Tox. 4 (H302)	Skin Sens.	1	1	-
2H)-one [BIT]	<0.01	-60-XXXX	(613-088-00-6)	Acute Tox. 2 (H330)	1A ::			
2634-33-5			,	Skin Irrit. 2 (H315)	C>=0.036%			
				Eye Dam. 1 (H318)				
				Skin Sens. 1A				
				(H317)				
				Aquatic Acute 1				
				(H400)				
				Aquatic Chronic 1				
				(H410)				
reaction mass of	<0.0015	No data	611-341-5	Acute Tox. 3 (H301)	Eye Dam. 1 ::	100	100	В
5-chloro-2-methyl-2		available		Acute Tox. 2 (H310)				
H-isothiazol-3-one				Acute Tox. 2 (H330)				
and					0.06%<=C<0			
2-methyl-2H-isothiaz				(H314)	.6%			
ol-3-one (3:1)				Eye Dam. 1 (H318)	Skin Corr. 1C			
[C(M)IT/MIT]				Skin Sens. 1A	:: C>=0.6%			
55965-84-9				(H317)	Skin Irrit. 2 ::			
				Aquatic Acute 1	0.06%<=C<0			
				(H400)	.6%			
				Aquatic Chronic 1	Skin Sens.			
				(H410)	1A ::			
				(ÈUH071)	C>=0.0015%			

Substances identified by a number starting "RR-" in the CAS-field are substances for which the CAS# is not adopted in EU and we use an internal numbering system to track within our SDS software

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Note C - Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No (EU	CAS No.	Oral LD50	Dermal LD50	Inhalation	Inhalation	Inhalation
	Index No)		mg/kg	mg/kg	LC50 - 4 hour -	LC50 - 4 hour -	LC50 - 4 hour -
					dust/mist -	vapour - mg/L	gas - ppm
					mg/L		

IDENDEN 10-188 WATER BASED INSULATION ADHESIVE Supercedes date 26-Feb-2024

Revision date 07-Jan-2025 Revision Number 3

Chemical name	EC No (EU	CAS No.	Oral LD50	Dermal LD50	Inhalation	Inhalation	Inhalation
	Index No)		mg/kg	mg/kg	LC50 - 4 hour -	LC50 - 4 hour -	LC50 - 4 hour -
					dust/mist -	vapour - mg/L	gas - ppm
					mg/L		
Hydrocarbons, C9, aromatics	918-668-5		-	-	-	-	-
Xylenes (o-, m-, p- isomers)	215-535-7 (601-022-00-9)	1330-20-7	2500	1990	4.8	-	-
Ethylbenzene	202-849-4	100-41-4	3500	15400	4.99	17.6	
Euryibenzene	(601-023-00-4)	100-41-4	3500	15400	4.99	17.0	-
2-methyl-2H-isothiazol-	220-239-6	2682-20-4	285	243	0.11		
3-one [MIT]	(613-326-00-9)	2002-20-4	200	243	0.11	-	-
1,2-benzisothiazol-3(2	220-120-9	2634-33-5	450		_0.21 mg/L (ATE	0.21+	0.21 +
H)-one [BIT]	(613-088-00-6)	2034-33-3	450	-	=0.21 mg/L (ATE dust/mist)	0.21	0.21
reaction mass of	611-341-5	55965-84-9	66	141	0.17	_	-
5-chloro-2-methyl-2H-is		00000 04 0	00	141	0.17		
othiazol-3-one and							
2-methyl-2H-isothiazol-							
3-one (3:1) [C(M)IT/MIT]							

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.				
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.				
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.				
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.				
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.				
4.2. Most important symptoms and	d effects, both acute and delayed				
Symptoms	Itching. Rashes. Hives.				
Effects of Exposure	No information available.				
4.3. Indication of any immediate m	nedical attention and special treatment needed				
Note to doctors	May cause sensitisation in susceptible persons. Treat symptomatically.				
SECTION 5: Firefighting measures					
5.1. Extinguishing media					

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

IDENDEN 10-188 WATER BASED INSULATION ADHESIVE Supercedes date 26-Feb-2024

Unsuitable extinguishing media	No information available.
5.2. Special hazards arising from t	he substance or mixture
Specific hazards arising from the chemical	Product is or contains a sensitiser. May cause sensitisation by skin contact.
Hazardous combustion products	Hydrogen chloride. Silicon dioxide.
5.3. Advice for firefighters	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, protecti	ve equipment and emergency procedures
Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information.
6.3. Methods and material for cont	ainment and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handling	_
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing.
Recommended storage temperature	Keep at temperatures between 5 and 35 °C.
7.3. Specific end use(s)	
Specific use(s)	

IDENDEN 10-188 WATER BASED INSULATION ADHESIVE

Supercedes date 26-Feb-2024

Adhesives.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom
Kaolin	-	TWA: 2 mg/m ³
1332-58-7		STEL: 6 mg/m ³
Talc	-	TWA: 1 mg/m ³
14807-96-6		STEL: 3 mg/m ³
Aluminum hydroxide (Al(OH)3)	-	TWA: 10 mg/m ³
21645-51-2		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m ³
Hydrocarbons, C9, aromatics	TWA: 100 mg/m ³	-
	-	
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics,	-	TWA: 350 mg/m ³
aromatics (2-25%)		
RR-91855-8		
Xylenes (o-, m-, p- isomers)	TWA: 50 ppm	TWA: 50 ppm
1330-20-7	TWA: 221 mg/m ³	TWA: 220 mg/m ³
	STEL: 100 ppm	STEL: 100 ppm
	STEL: 442 mg/m ³	STEL: 441 mg/m ³
	*	Sk*
Magnesite	-	TWA: 10 mg/m ³
13717-00-5		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m ³
Ethylbenzene	TWA: 100 ppm	TWA: 100 ppm
100-41-4	TWA: 442 mg/m ³	TWA: 441 mg/m ³
	STEL: 200 ppm	STEL: 125 ppm
	STEL: 884 mg/m ³	STEL: 552 mg/m ³
	*	Sk*

Chemical name	European Union	Ireland	United Kingdom
Xylenes (o-, m-, p- isomers)	-	1.5 g/g Creatinine (urine -	650 mmol/mol creatinine - urine
1330-20-7		Methylhippuric acids end of shift)	(Methyl hippuric acid) - post shift
Ethylbenzene	-	0.7 g/g Creatinine (urine - sum of	-
100-41-4		Mandelic acid and Phenylglyoxylic	
		acid end of shift at end of	
		workweek)	
		0.7 g (end-exhaled air - not	
		critical)	

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DN	IEL)					
Hydrocarbons, C9, aromatics ()						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Long term Systemic health effects	Dermal	12.5 mg/kg bw/d				
worker Long term Systemic health effects	Inhalation	150 mg/m³				

IDENDEN 10-188 WATER BASED INSULATION ADHESIVE Supercedes date 26-Feb-2024

Xylenes (o-, m-, p- isomers) (1330-20-7)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Long term Systemic health effects worker	Dermal	180 mg/kg bw/d			
Long term Systemic health effects worker	Inhalation	77 mg/m³			
Short term Local health effects Systemic health effects worker	Inhalation	289 mg/m³			

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Long term Systemic health effects	Inhalation	6.81 mg/m³			
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d			

Derived No Effect Level (DNEL) Hydrocarbons, C9, aromatics (
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Long term Systemic health effects	Dermal	7.5 mg/kg bw/d		
Consumer Long term Systemic health effects	Inhalation	32 mg/m ³		

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Long term Systemic health effects	Inhalation	1.2 mg/m ³		
Consumer Long term Systemic health effects	Dermal	0.345 mg/kg bw/d		

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)	
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	4.03 μg/l
Marine water	0.403 µg/l
Sewage treatment plant	1.03 mg/l
Freshwater sediment	49.9 μg/l
Marine sediment	4.99 μg/l
Soil	3 mg/kg dry weight

IDENDEN 10-188 WATER BASED INSULATION ADHESIVE

Supercedes date 26-Feb-2024

8.2. Exposure controls	
Engineering controls	Ensure adequate ventilation, especially in confined areas.
Personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles). Avoid contact with eyes. Eye protection must conform to standard EN 166.
Hand protection	Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. Gloves should be replaced regularly and if there is any sign of damage to the glove material.
Skin and body protection Respiratory protection	Wear protective gloves and protective clothing. Avoid contact with skin, eyes or clothing. During spraying wear suitable respiratory equipment.
Environmental exposure controls	No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical		
Physical state	Liquid Paste	
Appearance Colour		
	Light yellow	
Odour	No information available.	
Property	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Initial boiling point and boiling	36 °C	
range	00 0	
Flammability	No data available	
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Flash point	> 80 °C	
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	7 - 9	None known.
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	approx 94 Pa.s	
Water solubility	Soluble in water.	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	1.25	
Bulk density	No data available	
Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
9.2. Other information		
Solid content (%)	No information available	
VOC content		a available
	NU Uai	

9.2.1. Information with regards to physical hazard classes Not applicable

IDENDEN 10-188 WATER BASED INSULATION ADHESIVE

Supercedes date 26-Feb-2024

Revision date 07-Jan-2025 Revision Number 3

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and re	activity
10.1. Reactivity	
Reactivity	No information available.
10.2. Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical	None.
impact Sensitivity to static discharge	None.
10.3. Possibility of hazardous reac	tions
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	Do not freeze.
10.5. Incompatible materials	
Incompatible materials	None known based on information supplied.
10.6. Hazardous decomposition pro	oducts
Hazardous decomposition products	Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.
SECTION 11: Toxicological i	nformation
11.1. Information on hazard class	es as defined in Regulation (EC) No 1272/2008
Information on likely routes of exp	osure
Product Information	
Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	May cause sensitisation by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).
Ingestion	Based on available data, the classification criteria are not met.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	Itching. Rashes. Hives.
Acute toxicity	

IDENDEN 10-188 WATER BASED INSULATION ADHESIVE Supercedes date 26-Feb-2024

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	>2000 mg/kg
ATEmix (dermal)	>2000 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-dust/mist)	>5 mg/l
ATEmix (inhalation-vapour)	>20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrocarbons, C9, aromatics	3592 mg/Kg (Rattus) (OECD 401)	>3160 mg/Kg (Oryctolagus cuniculus) (OECD 402)	4hour >6193 mg/m3 (Rattus)
Xylenes (o-, m-, p- isomers)	=3500 mg/kg (Rattus)	> 1700 mg/kg (Oryctolagus cuniculus) > 4350 mg/kg (Oryctolagus cuniculus)	= 11 mg/L (ATE)
Ethylbenzene	=3500 mg/kg (Rattus)	= 15400 mg/kg (Oryctolagus cuniculus)	=17.6 mg/L (Rattus) 4 h
2-methyl-2H-isothiazol-3-one [MIT]	LD50 =285 mg/Kg (Rattus)	LD50 >242 mg/Kg (Rattus)	=0.11 mg/L (Rattus) 4 h
1,2-benzisothiazol-3(2H)-one [BIT]	=450 mg/kg (ATE)	LD50 > 2000 mg/kg (Rattus)	-
reaction mass of 5-chloro-2-methyl-2H-isothiazo I-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	66 mg/kg (Rat)	LD50 = 8141 mg/kg (Rat) OECD 402	= 0.33 mg/L (Rat) 4h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.

IDENDEN 10-188 WATER BASED INSULATION ADHESIVE

Supercedes date 26-Feb-2024

11.2. Information on other hazards

- 11.2.1. Endocrine disrupting properties
- Endocrine disrupting properties No information available.
- 11.2.2. Other information

Other adverse effects

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Hydrocarbons, C9,	EL50 (72h): 2.6 -	LL50 (96h): 9.2	-	EL50 (48h): 3.2		
aromatics	2.9 mg/L	mg/L		mg/L (Daphnia		
	(Pseudokirchner iella subcapitata)	(Oncornynchus mykiss)		magna) OECD 202		
Xylenes (o-, m-, p-	ielia subcapitata)	LC50 96 h 2.6	EC50 = 0.0084	EC50 48 h = 3.4		
isomers)	-	mg/L	mg/L 24 h	mg/L (Dappnia		
1330-20-7		(Oncorhynchus	111g/ L 2 + 11	magna)		
1000 20 1		mykiss) (OECD		magna)		
		203)				
Ethylbenzene	EC5072h 2.6-	LC50 96 h = 4.2	EC50 = 9.68	EC50: 1.8 -		
100-41-4	11.3 mg/L	mg/L	mg/L 30 min	2.4mg/L (48h,		
		(Oncorhynchus		Daphnia magna)		
	iella subcapitata)		24 h			
		semi-static)				-
2-methyl-2H-isothiazol-		EC50 (96hr)	-	EC50 (48hr)	10	1
3-one [MIT]	0.157 mg/l	5.71 mg/l		1.68 mg/l		
2682-20-4	(Pseudokirchner iella subcapitata)			(Daphnia) (OECD 202)		
	(OECD 201)	203		(OECD 202)		
1,2-benzisothiazol-3(2	EC50 3Hr	LC50 (96hr) 2.15		EC50(48hr) 2.94	1	1
H)-one [BIT]		mg/I Cyprinodon		mg/l (Daphnia		•
2634-33-5	sludge) (OECD	variegatus EPA		Magna) OECD		
	209)	540/9-85-006		202		
reaction mass of	EC50 (72h)	EC50 (96h) =	-	EC50 (48h) =0.1	100	100
5-chloro-2-methyl-2H-is		0.22 mg/L		mg/L (Daphnia		
othiazol-3-one and	(Pseudokirchner			magna) (OECD		
2-methyl-2H-isothiazol-	iella subcapitata)			202)		
3-one (3:1)	(OECD 201)	211)				
[C(M)IT/MIT]						
55965-84-9						

12.2. Persistence and degradability

Persistence and degradability No information available.

Xylenes (o-, m-, p- isomers) (1330-20-7)					
Method Exposure time Value Results					
OECD Test No. 301F: Ready	28 days	biodegradation	87.8 % Readily biodegradable		
Biodegradability: Manometric			·		
Respirometry Test (TG 301 F)					

2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)

IDENDEN 10-188 WATER BASED INSULATION ADHESIVE

Supercedes date 26-Feb-2024

Method	Exposure time	Value	Results
OECD Test No. 308: Aerobic and		Half-life	1.28-2.1 days
Anaerobic Transformation in Aquatic			-
Sediment Systems			
OECD Test No. 309: Aerobic		biodegradation Half-life	Readily biodegradable 4.1
Mineralization in Surface Water -			days
Simulation Biodegradation Test			

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)				
Method	Exposure time	Value	Results	
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable	
Biodegradability: CO2 Evolution Test				
(TG 301 B)				

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Xylenes (o-, m-, p- isomers)	3.15
Ethylbenzene	3.6
2-methyl-2H-isothiazol-3-one [MIT]	-0.32
1,2-benzisothiazol-3(2H)-one [BIT]	0.7
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

12.4. Mobility in soil

Mobility in soilNo information available.12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Xylenes (o-, m-, p- isomers)	The substance is not PBT / vPvB
Ethylbenzene	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one [MIT]	The substance is not PBT / vPvB
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused
productsDispose of in accord
environmental leg

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

IDENDEN 10-188 WATER BASED INSULATION ADHESIVE Supercedes date 26-Feb-2024

Contaminated packaging	Do not reuse empty containers.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Note:	Keep from freezing.	
Land transport (ADR/RID) 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable	
IMDG		
14.1 UN number or ID number	Not regulated	
14.2 UN proper shipping name	Not regulated	
14.3 Transport hazard class(es)	Not regulated	
14.4 Packing group	Not regulated	
14.5 Marine pollutant	NP	
14.6 Special precautions for user		
Special Provisions	None	
14.7 Maritime transport in bulk		
according to IMO instruments Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable		
Transport in bulk according to	Annex if of MARPOL and the IBC Code Not applicable	
Air transport (ICAO-TI / IATA-DGR)	<u>L</u>	
14.1 UN number or ID number	Not regulated	
14.2 UN proper shipping name	Not regulated	
14.3 Transport hazard class(es)	Not regulated	
14.4 Packing group	Not regulated	

14.5 Environmental hazards Not applicable 14.6 Special precautions for user Special Provisions None None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

IDENDEN 10-188 WATER BASED INSULATION ADHESIVE

Supercedes date 26-Feb-2024

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Ozone-depleting substances (ODS) Regulation (EU) 2024/590 Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

- H225 Highly flammable liquid and vapour
- H226 Flammable liquid and vapour
- H301 Toxic if swallowed
- H302 Harmful if swallowed
- H304 May be fatal if swallowed and enters airways
- H310 Fatal in contact with skin
- H311 Toxic in contact with skin
- H312 Harmful in contact with skin
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H319 Causes serious eye irritation
- H330 Fatal if inhaled
- H332 Harmful if inhaled
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H373 May cause damage to organs through prolonged or repeated exposure

IDENDEN 10-188 WATER BASED INSULATION ADHESIVE

Supercedes date 26-Feb-2024

Revision date 07-Jan-2025 Revision Number 3

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

H412 - Harmful to aquatic life with long lasting effects

Notes relating to the identification, classification and labelling of substances

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Note C - Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers

Legend	
TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
Sk*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by
	Road
IMDG	International Maritime Dangerous Goods (IMDG)
ΙΑΤΑ	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data No information available			
Prepared By	Product Safety & Regulatory Affairs		
Revision date	07-Jan-2025		
Indication of changes			
Revision Note Training Advice	Not applicable. No information available		
Further information	No information available		

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet