

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

BOSTIK TANKING KIT PART A - BOSTIK FLEXIBLE TANKING PRIMER Supercedes Date: 07-May-2024 Revision date 07-May-2024

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name	BOSTIK TANKING KIT PART A - BOSTIK FLEXIBLE TANKING PRIMER
Pure substance/mixture	Mixture
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Recommended use	Building and construction work
Uses advised against	None known
1.3. Details of the supplier of the sa	afety data sheet
Company Name Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36	
E-mail address	SDS.box-EU@bostik.com
1.4. Emergency telephone number	_
United Kingdom	Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) NHS: 111
SECTION 2: Hazards identifi	cation
2.1. Classification of the substance	e or mixture
GB CLP (SI 2020/1567 as amended)	

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains 1,2-benzisothiazol-3(2H)-one [BIT] & 2-methyl-2H-isothiazol-3-one [MIT] & reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]. May produce an allergic reaction EUH210 - Safety data sheet available on request

BOSTIK TANKING KIT PART A - BOSTIK FLEXIBLE TANKING PRIMER

Supercedes Date: 07-May-2024

Revision Number 1

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand
P102 - Keep out of reach of children
P280 - Wear protective gloves and protective clothing
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

2.3. Other hazards

No information available.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
1,2-benzisothiazol-3(2H) -one [BIT]	220-120-9 (613-088-00- 6)	2634-33-5	0.01 <= 0.036	Acute Tox. 2 (H330) Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Skin Sens. 1A :: C>=0.036%	01-2120761540- 60-XXXX
reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one and 2-methyl-2H-isothiazol-3 -one (3:1) [C(M)IT/MIT]		55965-84-9	<0.0015	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Eye Dam. 1 :: C>=0.6% Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: C>=0.0015%	-
2-methyl-2H-isothiazol-3 -one [MIT]	220-239-6 (613-326-00- 9)	2682-20-4	<0.0015	Skin Corr. 1B (H314) Eye Dam. 1 (H318)	Skin Sens. 1A :: C>=0.0015%	01-2120764690- 50-xxxx

BOSTIK TANKING KIT PART A - BOSTIK FLEXIBLE TANKING PRIMER Supercedes Date: 07-May-2024

Revision date 07-May-2024

Revision Number 1

Skin Sens. 1A	
(H317)	
Acute Tox. 3	
(H301)	
Acute Tox. 3	
(H311)	
Acute Tox. 2	
(H330)	
Aquatic Acute 1	
(H400)	
Aquatic Chronic 1	
(H410)	

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Notes

See section 16 for more information

Chemical name	Notes
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] - 55965-84-9	В

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	If medical advice is needed, have product container or label at hand. Show this safety data sheet to the doctor in attendance.	
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.	
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.	
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.	
4.2. Most important symptoms and	d effects, both acute and delayed	
Symptoms	No information available.	
Effects of Exposure	No information available.	
4.3. Indication of any immediate medical attention and special treatment needed		
Note to doctors	No information available.	

SECTION 5: Firefighting measures

5.1. Extinguishing media

BOSTIK TANKING KIT PART A - BOSTIK FLEXIBLE TANKING PRIMER

Supercedes Date: 07-May-2024

Revision date 07-May-2024

Revision Number 1

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Unsuitable extinguishing media	No information available.	
5.2. Special hazards arising from the	ne substance or mixture	
Specific hazards arising from the chemical	No information available.	
5.3. Advice for firefighters		
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	
SECTION 6: Accidental relea	se measures	
6.1. Personal precautions, protecti	ve equipment and emergency procedures	
Personal precautions	Ensure adequate ventilation.	
For emergency responders	Use personal protection recommended in Section 8.	
6.2. Environmental precautions		
Environmental precautions	See Section 12 for additional Ecological Information.	
6.3. Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
6.4. Reference to other sections		
Reference to other sections	See section 8 for more information. See section 13 for more information.	
SECTION 7: Handling and st	orage	
7.1. Precautions for safe handling	-	
Advice on safe handling	Ensure adequate ventilation.	
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.	
7.2. Conditions for safe storage, in	cluding any incompatibilities	
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place.	
7.3. Specific end use(s)		
Specific use(s) Building and construction work.		
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.	
Other information	Observe technical data sheet.	

BOSTIK TANKING KIT PART A - BOSTIK FLEXIBLE TANKING PRIMER Supercedes Date: 07-May-2024

Revision Number 1

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)			
1,2-benzisothiazol-3(2H)-one [B	1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	6.81 mg/m³	
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d	

Derived No Effect Level (DNEL)			
1,2-benzisothiazol-3(2H)-one	[BIT] (2634-33-5)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	1.2 mg/m³	
Consumer Long term Systemic health effects	Dermal	0.345 mg/kg bw/d	

Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)		
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	
Freshwater	4.03 μg/l	
Marine water	0.403 µg/l	
Sewage treatment plant	1.03 mg/l	
Freshwater sediment	49.9 µg/l	
Marine sediment	4.99 µg/l	
Soil	3 mg/kg dry weight	

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Suitable protective clothing.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

BOSTIK TANKING KIT PART A - BOSTIK FLEXIBLE TANKING PRIMER Supercedes Date: 07-May-2024 Revision date 07-May-2024

Revision Number 1

9.1. Information on basic physical Physical state Appearance Colour Odour	and chemical properties Liquid Aqueous solution White Ammoniacal.	_	
Property_	Values		Remarks • Method
Melting point / freezing point	No data available		None known
Initial boiling point and boiling	No data available 100	°C	None known
range			
Flammability	No data available		None known
Flammability Limit in Air			None known
Upper flammability or explosive limits	No data available		
Lower flammability or explosive	No data available		
limits			
Flash point	No data available		None known
Autoignition temperature	No data available		None known
Decomposition temperature			None known
pH	> 7		None known.
pH (as aqueous solution)	No data available		None known
Kinematic viscosity	No data available		None known
Dynamic viscosity	No data available		
Water solubility	No data available.		None known
Solubility(ies)	No data available		None known
Partition coefficient	No data available		None known
Vapour pressure	No data available		None known
Relative density	No data available		None known
Bulk Density	No data available		
Density	No data available		
Relative vapour density	No data available		None known
Particle characteristics			
Particle Size	No information available		
Particle Size Distribution	No information available		
9.2. Other information Solid content (%) VOC content	No information available	No data avai	lable
9.2.1. Information with regards to p Not applicable	physical hazard classes		

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity	
Reactivity	No information available.
10.2. Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical	None.
impact Sensitivity to static discharge	None.

BOSTIK TANKING KIT PART A - BOSTIK FLEXIBLE TANKING PRIMER Supercedes Date: 07-May-2024

Revision date 07-May-2024

Revision Number 1

10.3. Possibility of hazardous react	tions
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	None known based on information supplied.
10.5. Incompatible materials	
Incompatible materials	None known based on information supplied.
10.6. Hazardous decomposition pro	oducts
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.
SECTION 11: Toxicological i	nformation
11.1. Information on hazard class	es as defined in Regulation (EC) No 1272/2008
Information on likely routes of exp	osure
Product Information	
Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	No information available.
Acute toxicity	
Numerical measures of toxicity	
The following values are calculated ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-gas) ATEmix (inhalation-dust/mist) ATEmix (inhalation-vapour)	d based on chapter 3.1 of the GHS document >5000 mg/kg >20000 ppm >5 mg/l >20 mg/l
Component Information	

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
1,2-benzisothiazol-3(2H)-one	=450 mg/kg (ATE)	LD50 > 2000 mg/kg (Rattus)	-
[BIT]			
reaction mass of	= 53 mg/kg (Rat)	LD50 = 87.12 mg/kg	= 0.33 mg/L (Rat) 4h
5-chloro-2-methyl-2H-isothiazo		(Oryctolagus cuniculus)	
I-3-one and			
2-methyl-2H-isothiazol-3-one			
(3:1) [C(M)IT/MIT]			

BOSTIK TANKING KIT PART A - BOSTIK FLEXIBLE TANKING PRIMER

Supercedes Date: 07-May-2024

Revision Number 1

2-methyl-2H-isothiazol-3-one [MIT]	LD50 =285 mg/Kg (Rattus)	LD50 >242 mg/Kg (Rattus)	=0.11 mg/L (Rattus) 4 h	
Delayed and immediate effects	as well as chronic effects fr	om short and long-term expos	ure	
Skin corrosion/irritation	Based on available data,	the classification criteria are not	met.	
Serious eye damage/eye irritati	on Based on available data,	the classification criteria are not	met.	
Respiratory or skin sensitisatio	n Based on available data,	the classification criteria are not	met.	
Germ cell mutagenicity	Based on available data,	the classification criteria are not	met.	
Carcinogenicity	Based on available data,	the classification criteria are not	met.	
Reproductive toxicity	Based on available data,	the classification criteria are not	met.	
STOT - single exposure	Based on available data,	the classification criteria are not	met.	
STOT - repeated exposure	Based on available data,	the classification criteria are not	met.	
Aspiration hazard	Based on available data,	the classification criteria are not	met.	
11.2. Information on other hazards				
11.2.1. Endocrine disrupting p	roperties			
Endocrine disrupting propertie	s No information available.			
11.2.2. Other information				
Other adverse effects	No information available.			
SECTION 12: Ecological i	nformation			

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
1,2-benzisothiazol-3(2	EC50 3Hr	LC50 (96hr) 2.15	-	EC50(48hr) 2.94	1	1
H)-one [BIT]	13mg/l (activated	mg/I Cyprinodon		mg/l (Daphnia		
2634-33-5	sludge) (OECD	variegatus EPA		Magna) OECD		
	209)	540/9-85-006		202		
reaction mass of	EC50 (72h)	EC50 (96h) =	-	EC50 (48h) =0.1	100	100
5-chloro-2-methyl-2H-is	=0.048 mg/L	0.22 mg/L		mg/L (Daphnia		
othiazol-3-one and	(Pseudokirchner	(Oncorhynchus		magna) (OECD		

BOSTIK TANKING KIT PART A - BOSTIK FLEXIBLE TANKING PRIMER

Supercedes Date: 07-May-2024

Revision date 07-May-2024

Revision Number 1

2-methyl-2H-isothiazol-	iella subcapitata)	mykiss) (OECD		202)		
3-one (3:1)	(OECD 201)	211)				
[C(M)IT/MIT]						
55965-84-9						
2-methyl-2H-isothiazol-	EC50 (72hr)	EC50 (96hr)	_	EC50 (48hr)	10	1
3-one [MIT]	0.157 mg/l	5.71 mg/l		1.68 mg/l		
2682-20-4	(Pseudokirchner	(Oncorhynchus		(Daphnia)		
	iella subcapitata)	mykiss) OECD		(OECD 202)		
	(OECD 201)	203				

12.2. Persistence and degradability

Persistence and degradability No information available.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable
Biodegradability: CO2 Evolution Test	-	-	
(TG 301 B)			

2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)

Method	Exposure time	Value	Results
OECD Test No. 308: Aerobic and		Half-life	1.28-2.1 days
Anaerobic Transformation in Aquatic			
Sediment Systems			
OECD Test No. 309: Aerobic		biodegradation Half-life	Readily biodegradable 4.1
Mineralization in Surface Water -		-	days
Simulation Biodegradation Test			

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
1,2-benzisothiazol-3(2H)-one [BIT]	0.7
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	
2-methyl-2H-isothiazol-3-one [MIT]	-0.32

12.4. Mobility in soil

Mobility in soilNo information available.12.5. Results of PBT and vPvB assessment

```
PBT and vPvB assessment
```

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one [MIT]	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

BOSTIK TANKING KIT PART A - BOSTIK FLEXIBLE TANKING PRIMER

Supercedes Date: 07-May-2024

Revision Number 1

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Land transport (ADR/RID) 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user	Not regulated - Not regulated Not regulated Not applicable
Special Provisions	None
IMDG 14.1 UN number or ID number 14.2 UN proper shipping name	Not regulated Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group 14.5 Marine pollutant	Not regulated NP
14.5 Marine politicant 14.6 Special precautions for user Special Provisions	
14.7 Maritime transport in bulk according to IMO instruments	
I ransport in bulk according to	Annex II of MARPOL and the IBC Code Not applicable
<u>Air transport (ICAO-TI / IATA-DGR)</u> 14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated

14.1	number of iD number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	
S	pecial Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

BOSTIK TANKING KIT PART A - BOSTIK FLEXIBLE TANKING PRIMER

Supercedes Date: 07-May-2024

Revision date 07-May-2024

Revision Number 1

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

- H302 Harmful if swallowed
- H310 Fatal in contact with skin
- H311 Toxic in contact with skin
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H330 Fatal if inhaled
- H400 Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Notes relating to the identification, classification and labelling of substances

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'.

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Legend TWA

TWA (time-weighted average)

BOSTIK TANKING KIT PART A - BOSTIK FLEXIBLE TANKING PRIMER Supercedes Date: 07-May-2024 Revision date 07-May-2024

Revision Number 1

STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
Sk*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by
	Road
IMDG	International Maritime Dangerous Goods (IMDG)
ΙΑΤΑ	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sour No information available Prepared By Revision date Indication of changes	ces for data Product Safety & Regulatory Affairs 07-May-2024
Revision note	Not applicable.
Training Advice	No information available
Further information	No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet