

MATRIX FC GREY Revision Number 1.01 Revision date 12-Jun-2024 Supersedes date 05-Oct-2016

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name MATRIX FC GREY

Product Code(s)

30840105

30801128; 30840099; 30840100; 30840105

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Adhesives and/or sealants

Uses advised against No information available.

Details of manufacturer or importer

<u>Supplier</u> <u>Manufacturer</u>

Bostik Australia Pty Ltd
51-71 High Street,
Thomastown Victoria

Bostik Australia Pty Ltd
51-71 High Street,
Thomastown Victoria

Thomastown Victoria

Australia Australia

ABN: 79 003 893 838 **ABN:** 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

Section 2: Hazard(s) identification

GHS Classification

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Respiratory sensitization	Category 1 - (H334)
Skin sensitization	Category 1 - (H317)
Carcinogenicity	Category 2 - (H351)

Label elements

Health hazard

Australia - EN Page 1 / 11

MATRIX FC GREY Revision Number 1.01 Revision date 12-Jun-2024 Supersedes date 05-Oct-2016



Signal word DANGER

Hazard statements

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H351 - Suspected of causing cancer

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of water and soap

Take off contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing

If experiencing respiratory symptoms: Call a POISON CENTER or doctor

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

No information available.

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number 6

Label requirements in accordance with SUSMP

POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

<u>Mixture</u>

Australia - EN Page 2 / 11

MATRIX FC GREYRevision date12-Jun-2024Revision Number1.01Supersedes date05-Oct-2016

Chemical name	CAS No.	Weight-%
Xylenes (o-, m-, p- isomers)	1330-20-7	5 - 10
4,4'-Methylenediphenyl diisocyanate	101-68-8	1 - 5
Urea, N,N"-(methylenedi-4,1-phenylene)bis[N'-butyl-	77703-56-1	1 - 5
Benzenesulfonyl isocyanate, 4-methyl-	4083-64-1	0.1 - 1
Glycidoxypropyltrimethoxysilane	2530-83-8	0.1 - 1
Quartz (fine fraction)	14808-60-7	0.1 - 1
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Emergency telephone number Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention.

Inhalation May cause allergic respiratory reaction. If breathing has stopped, give artificial

respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact

with skin. Use barrier to give mouth-to-mouth resuscitation.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see

a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.

Ingestion May produce an allergic reaction. Do NOT induce vomiting. Rinse mouth. Never give

anything by mouth to an unconscious person. Get immediate medical attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/

or wheezing. Itching. Rashes. Hives. May cause redness and tearing of the eyes.

Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Australia - EN Page 3 / 11

MATRIX FC GREYRevision date12-Jun-2024Revision Number1.01Supersedes date05-Oct-2016

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by inhalation. May cause

sensitization by skin contact.

Hazardous combustion products

Carbon oxides. Carbon dioxide (CO2). Nitrogen oxides (NOx). Hydrogen cyanide.

Isocyanates. Hydrochloric Acid.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders

Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash before reuse.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and

immediately after handling the product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children. Protect from moisture.

Recommended storage

temperature

Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Australia - EN Page 4 / 11

MATRIX FC GREYRevision date12-Jun-2024Revision Number1.01Supersedes date05-Oct-2016

This material is a scheduled poison and must be stored, maintained and used in accordance with the relevant regulations

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits This product contains titanium dioxide in a non-respirable form. Inhalation of titanium

dioxide is unlikely to occur from exposure to this product. As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne

hazard (dust, mist, or spray) under normal condition of uses.

Chemical name	Australia
Xylenes (o-, m-, p- isomers)	TWA: 80 ppm
1330-20-7	TWA: 350 mg/m ³
	STEL: 150 ppm
	STEL: 655 mg/m ³
4,4'-Methylenediphenyl diisocyanate	TWA: 0.02 mg/m ³
101-68-8	STEL: 0.07 mg/m ³
Benzenesulfonyl isocyanate, 4-methyl-	TWA: 0.02 mg/m ³
4083-64-1	STEL: 0.07 mg/m ³
Quartz (fine fraction)	TWA: 0.05 mg/m ³
14808-60-7	

OEL as published by Safe Work Australia

Biological occupational exposure limits

Appropriate engineering controls

Engineering controls Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Hand protection For operations where prolonged or repeated skin contact may occur, impervious gloves

should be worn. Wear suitable gloves. Impervious gloves.

Respiratory protection Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Organic gases

and vapors filter conforming to EN 14387.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Solid
Appearance Paste
Color Gray
Odor Solvent

Odor threshold No information available

Property Values Remarks • Method pH . Not applicable

pH (as aqueous solution)

Melting point / freezing point

Initial boiling point and boiling

No data available

No data available

range

Australia - EN Page 5 / 11

MATRIX FC GREY Revision date 12-Jun-2024 **Revision Number** 1.01 Supersedes date 05-Oct-2016

No data available Flash point **Evaporation rate** No data available No data available **Flammability**

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available Relative vapor density No data available

Relative density 1.23

Water solubility Reacts with water Solubility(ies) No data available No data available Partition coefficient **Autoignition temperature** No data available No data available **Decomposition temperature** Kinematic viscosity No data available No data available Dynamic viscosity **Explosive properties**

No information available **Oxidizing properties** No information available

Other information

Solid content (%) No information available No information available **Density**

No information available **VOC** content

Section 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization Hazardous polymerization may occur.

Conditions to avoid

Conditions to avoid Protect from moisture.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Incompatible materials

Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Hydrogen cyanide. Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Section 11: TOXICOLOGICAL INFORMATION

Australia - EN Page 6 / 11

MATRIX FC GREYRevision date12-Jun-2024Revision Number1.01Supersedes date05-Oct-2016

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause sensitization in

susceptible persons. (based on components). May cause irritation of respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

irritation. (based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. Repeated or prolonged

skin contact may cause allergic reactions with susceptible persons. (based on components). May cause sensitization by skin contact. Causes skin irritation.

Ingestion Specific test data for the substance or mixture is not available. May cause additional

affects as listed under "Inhalation". Ingestion may cause gastrointestinal irritation,

nausea, vomiting and diarrhea.

Symptoms Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing,

tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives. Redness. May cause

redness and tearing of the eyes.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >5000 mg/kg **ATEmix (dermal)** 6,797.40 mg/kg

ATEmix (inhalation-gas) >20000 ATEmix (inhalation-vapor) 107.50 ATEmix (inhalation-dust/mist) 21.40 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Xylenes (o-, m-, p- isomers)	=3500 mg/kg (Rattus)	> 1700 mg/kg (Oryctolagus cuniculus) > 4350 mg/kg (Oryctolagus cuniculus)	= 11 mg/L (ATE)
4,4'-Methylenediphenyl diisocyanate	=31600 mg/kg (Rattus) = 9200 mg/kg (Rattus)	LD 50 > 9400 mg/kg (Oryctolagus cuniculus) OECD 402	1.5 mg/L (Rattus) 4 h
Urea, N,N"-(methylenedi-4,1-phenyle ne)bis[N'-butyl-	>2000 mg/Kg (Rattus) (OECD 401)	>2000 mg/Kg (Rattus) (OECD 402)	-
Benzenesulfonyl isocyanate, 4-methyl-	=2234 mg/kg (Rattus)	LD 50 (Rattus) > 2000 mg/kg OECD 402	>640 ppm (Rattus) 1 h
Glycidoxypropyltrimethoxysilan e	=8025 mg/kg (Rattus)	= 4250 mg/kg (Oryctolagus cuniculus)	>5.3 mg/L (Rattus) 4 h
Quartz (fine fraction)	>2000 mg/kg (Rattus)	-	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Australia - EN Page 7 / 11

MATRIX FC GREY Revision Number 1.01 Revision date 12-Jun-2024 Supersedes date 05-Oct-2016

Component Information					
4,4'-Methylenediphenyl diisocyanate (101-68-8)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	Eye	0.1 mL	24 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

Glycidoxypropyltrimethoxy	rsilane (2530-83-8)				
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	Eye			Eye Damage
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an

allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to

be available as an airborne hazard (dust, mist, or spray) under normal condition of uses. Contains a known or suspected carcinogen. Classification based on data available for

ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Xylenes (o-, m-, p- isomers) 1330-20-7			Group 3
4,4'-Methylenediphenyl diisocyanate 101-68-8	Carc. 2	Carc. 2	Group 3
Quartz (fine fraction) 14808-60-7	Carc. 1A		Group 1

Legend

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans

Component Information			
4,4'-Methylenediphenyl diisocyanate (101-68-8)			
Method	Species	Results	
OECD Test No. 453: Combined Chronic	Rat	Limited evidence of a carcinogenic	
Toxicity/Carcinogenicity Studies		effect	

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Section 12: Ecological information

Australia - EN Page 8 / 11

MATRIX FC GREYRevision date12-Jun-2024Revision Number1.01Supersedes date05-Oct-2016

Ecotoxicity

Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Xylenes (o-, m-, p-	-	LC50 96 h 2.6 mg/L	EC50 = 0.0084 mg/L 24	EC50 48 h = 3.4 mg/L
isomers)		(Oncorhynchus mykiss)	h	(Dappnia magna)
1330-20-7		(OECD 203)		
4,4'-Methylenediphenyl	ErC50 (72h) >1640 mg/L	>1000 mg/l Danio rerio	-	EC50 (24H) >1000 mg/L
diisocyanate	Algae (scenedesmus			Daphnia magna
101-68-8	subspicatus) (OECD			
	201)			
Urea,	EC50 (72h) >100 mg/L	LC50 (96h)>250 mg/L	-	EC50 (48h) >100 mg/L
N,N"-(methylenedi-4,1-p	Algae (Raphidocelis	(Brachydanio rerio)		Daphnia magna
henylene)bis[N'-butyl-	subcapitata)	,		
77703-56-1	. ,			
Glycidoxypropyltrimetho	EC50 (96hr): 350 mg/l	LC50 (96h) = 55 mg/L	-	EC50 (48h) =473 mg/L
xysilane	Pseudokirchneriella	(Cyprinus carpio) OECD		Daphnia magna
2530-83-8	subcapitata	203		

Persistence and degradability

Persistence and degradability No information available.

Component Information			
Xylenes (o-, m-, p- isomers) (1330-20-7)			
Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	biodegradation	87.8 % Readily biodegradable
Biodegradability: Manometric			
Respirometry Test (TG 301 F)			

4,4'-Methylenediphenyl diisocyanate (101-68-8)			
Method	Exposure time	Value	Results
OECD Test No. 302C: Inherent	28 days	0% biodegradation	Not readily biodegradable
Biodegradability: Modified MITI Test	-		
(II)			

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Xylenes (o-, m-, p- isomers)	3.15
1330-20-7	
4,4'-Methylenediphenyl diisocyanate	4.51
101-68-8	
Benzenesulfonyl isocyanate, 4-methyl-	0.6
4083-64-1	

Mobility

Mobility in soilNo information available.MobilityNo information available.

Other adverse effects

Australia - EN Page 9 / 11

MATRIX FC GREYRevision date12-Jun-2024Revision Number1.01Supersedes date05-Oct-2016

Other adverse effects No information available.

Section 13: Disposal considerations

Disposal methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

Section 14: Transport information

ADG Not regulated

IMDG Not regulated

Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u>

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Xylenes (o-, m-, p- isomers)	10 tonne/yr Threshold category 1 including individual or mixed
1330-20-7	isomers
4,4'-Methylenediphenyl diisocyanate	10 tonne/yr Threshold category 1
101-68-8	

International Inventories

AIIC Complies
NZIoC Complies
ENCS Not Listed
IECSC Not Listed

Australia - EN Page 10 / 11

MATRIX FC GREYRevision date12-Jun-2024Revision Number1.01Supersedes date05-Oct-2016

KECI Not Listed PICCS Not Listed

Legend:

AllC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Directive 2011/65/EU (EU RoHS 2), as amended by the Delegated Directive (EU) 2015/863 (EU RoHS 3)

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information

Revision date 12-Jun-2024

Revision Note

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

C Carcinogen

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Australia - EN Page 11 / 11

^{***}Indicates updated data since last publication.