

PATCHFIX FINE RENDER NSW Revision Number 2

Revision date 16-Jul-2024 Supersedes date 24-Mar-2022

Section 1: Identification: Product identifier and chemical identity		
Product identifier		
Product Name	PATCHFIX FINE RENDER NSW	
Product Code(s) 30840155 30840155		
Other means of identification		
Pure substance/mixture	Mixture	
Recommended use of the chemica	l and restrictions on use	
Recommended use	No information available	
Uses advised against Details of manufacturer or importe	No information available. <u>r</u>	
Supplier Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria Australia Tel: 613 9279-9333 Fax: 613 9279-9342 ABN: 79 003 893 838		
E-mail address	au-bostik-sds@bostik.com	
Emergency telephone number		
Emergency telephone number	24-hr Emergency: 1800 033 111	
Section 2: Hazard(s) identification		
GHS Classification		

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Carcinogenicity	Category 1A - (H350)
Specific target organ toxicity (repeated exposure)	Category 2 - (H373)

Label elements

Health hazard Corrosion

PATCHFIX FINE RENDER NSW Revision Number 2 Revision date 16-Jul-2024 Supersedes date 24-Mar-2022



Signal word DANGER

Hazard statements

H315 - Causes skin irritation
H318 - Causes serious eye damage
H350 - May cause cancer
H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/clothing and eye/face protection Wash face, hands and any exposed skin thoroughly after handling Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor

IF ON SKIN: Wash with plenty of water and soap

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease. Product dust may be irritating to eyes, skin and respiratory system.

Repeated exposure may cause skin dryness or cracking.

When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers.

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

Chemical name	CAS No.	Weight-%
Ashes, residues	68131-74-8	10 - 30
Cement, portland, chemicals (Chromium VI reduced)	65997-15-1	10 - 30
Quartz	14808-60-7	1 - 5

PATCHFIX FINE RENDER NSW

Revision Number 2

Sulfuric acid, aluminum salt (3:2)	10043-01-3	0.1 - 1
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures		
Emergency telephone number	Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766	
Description of first aid measures		
General advice	If medical advice is needed, have product container or label at hand. Take a copy of the Safety Data Sheet when going for medical treatment.	
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.	
Eye contact	Do not rub affected area. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.	
Skin contact	Brush off loose particles from skin. Remove material from skin immediately. Take off contaminated clothing and wash before reuse.	
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.	
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).	
Most important symptoms and eff	ects, both acute and delayed	
Symptoms	Burning sensation. Causes serious eye damage. Irritating to skin. Inhalation of dust in high concentration may cause irritation of respiratory system. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers.	
Indication of any immediate medic	cal attention and special treatment needed	
Note to physicians	Treat symptomatically.	
Section 5: Firefighting measures		
Suitable Extinguishing Media		
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Unsuitable extinguishing media	No information available.	
Specific hazards arising from the chemical		
Specific hazards arising from the	No information available.	

Specific hazards arising from the No information available. chemical

Hazardous combustion products Carbon oxides. Sulfur oxides.

Special protective actions for fire-fighters

PATCHFIX FINE RENDER NSW

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	
Section 6: Accidental release mea	sures	
Personal precautions, protective e	quipment and emergency procedures	
Personal precautions	Avoid generation of dust. Do not get in eyes, on skin, or on clothing. Use personal protective equipment as required.	
Other information	Refer to protective measures listed in Sections 7 and 8.	
For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil.	
Methods and material for containn	nent and cleaning up	
Methods for containment	Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Prevent dust cloud.	
Methods for cleaning up	Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust.	
Precautions to prevent secondary	hazards	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
Section 7: Handling and storage, i	ncluding how the chemical may be safely used	
Precautions for safe handling		
Advice on safe handling	Ensure adequate ventilation. Avoid generation of dust. Use personal protection equipment. Take off contaminated clothing and wash before reuse.	
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Keep the packing dry and well sealed to prevent contamination and absorption of humidity.	
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents. Acids. Aluminum.	
Section 8: Exposure controls and personal protection		
Control parameters		

Exposure Limits

Chemical name	Australia
Cement, portland, chemicals (Chromium VI reduced) 65997-15-1	TWA: 10 mg/m ³
Quartz	TWA: 0.05 mg/m ³

14808-60-	.7		
Sulfuric acid, aluminum salt (3:2)		TWA: 2 mg/m ³	
0EL as published by Safe Work Australia	-		
Appropriate engineering controls			
Engineering controls	Showers, eyewash stations, and ventilation systems.		
Individual protection measures, su	uch as personal protectiv	e equipment	
Eye/face protection	Tight sealing safety goggles.		
Skin and body protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.		
Hand protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Nitrile rubber.		
Respiratory protection	Wear a respirator conforming to EN 140 with Type P2/P3 filter or better.		
Environmental exposure controls	No information available.		
Section 9: Physical and chemical	properties		
Information on basic physical and	chemical properties		
Physical state Appearance Color Odor Odor threshold	Solid Powder No information available No information available No information available		
Property pH pH (as aqueous solution) Melting point / freezing point Initial boiling point and boiling	Values No data available No data available Not applicable . Not applicable .	Remarks • Method	

Physical stateSolidAppearancePowderColorNo information availableOdorNo information availableOdor thresholdNo information available	
Property Values Remarks	 Method
pH No data available	
pH (as aqueous solution) No data available	
Melting point / freezing point Not applicable .	
Initial boiling point and boiling Not applicable .	
range	
Flash point Not applicable Evaporation rate Not applicable	
Flammability No data available	
Flammability Limit in Air	
Upper flammability or explosive No data available	
limits	
Lower flammability or explosive No data available	
limits	
Vapor pressure No data available	
Relative vapor density No data available	
Relative density No data available	
Water solubility No data available Cement based	
products react and solidify in contact with water	
Solubility(ies) No data available	
Partition coefficient No data available	
Autoignition temperature No data available	
Decomposition temperature No data available	
Kinematic viscosity Not applicable .	
Dynamic viscosity Not applicable .	
Explosive properties No information available	

Oxidizing properties	No information available	
Other information Softening point Solid content (%) Density VOC content	Not relevant No information available No information available No information available	
Section 10: Stability and reactivity		
Reactivity		
Reactivity	Product cures with moisture.	
Chemical stability		
Stability	Keep away from Incompatible materials. Stable under recommended storage conditions.	
Explosion data Sensitivity to mechanical impact	None.	
Sensitivity to static discharge	None.	
Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
Conditions to avoid		
Conditions to avoid	Product cures with moisture.	
Incompatible materials		
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents. Acids. Aluminum.	
Hazardous decomposition product	<u>s</u>	
Hazardous decomposition products	None known based on information supplied.	
Section 11: TOXICOLOGICAL INFO	DRMATION	
Acute toxicity		
Information on likely routes of exp	osure	
Product Information		
Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.	
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.	
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).	
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.	
Symptoms	Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.	

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS documentATEmix (oral)>5000ATEmix (dermal)>5000ATEmix (inhalation-gas)>20000ATEmix (inhalation-vapor)>20ATEmix (inhalation-dust/mist)>5

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ashes, residues	>2000 mg/kg (Rattus)	-	-
Cement, portland, chemicals (Chromium VI reduced)	-	>2000 Kg/mg (Lapin)	>5 g/m³ (Rattus)
Quartz	>2000 mg/kg (Rattus)	-	-
Sulfuric acid, aluminum salt (3:2)	>2000 mg/kg (Rattus)	> 5000 mg/kg (Rabbit)	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes burns. Causes serious eye damage.
Respiratory or skin sensitization	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Ashes, residues 68131-74-8			Group 1
Quartz 14808-60-7	Carc. 1A		Group 1

Legend

IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans

Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

No information available.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ashes, residues 68131-74-8	-	-	-	EC50: 140 - 2000mg/L (24h, Daphnia magna)
Sulfuric acid, aluminum salt (3:2) 10043-01-3	-	LC50 96 h = 100 mg/L (Carassius auratus)	-	EC50: =136mg/L (15min, Daphnia magna)

Persistence and degradability

Persistence and degradability	No information available.
Bioaccumulative potential Bioaccumulation	No information available.
<u>Mobility</u>	
Mobility in soil	No information available.
Mobility	No information available.
Other adverse effects	
Other adverse effects	No information available.

Section 13: Disposal considerations		
Disposal methods		
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.	
Contaminated packaging	Do not reuse empty containers.	
Section 14: Transport information		
ADG	Not regulated	
IATA	Not regulated	
IMDG	Not regulated	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u> See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)No poisons schedule number allocatedPoison Schedule NumberNot applicable

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Ashes, residues	10 tonne/yr Threshold category 1
68131-74-8	2000 tonne/yr Threshold category 2b
	60000 MWH Threshold category 2b
	20 MW Threshold category 2b

International Inventories

AIIC	Complies
NZIoC	Not Listed
ENCS	Not Listed
IECSC	Not Listed
KECI	Not Listed
PICCS	Not Listed

Legend:

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No.

STEL (Short Term Exposure Limit)

Skin designation

1907/2006 (REACH), Article 59)

Directive 2011/65/EU (EU RoHS 2), as amended by the Delegated Directive (EU) 2015/863 (EU RoHS 3)

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information

Revision date

16-Jul-2024

Revision Note

***Indicates updated data since last publication.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION TWA TWA (time-weighted average) STEL

 TWA
 TWA (time-weighted average)

 Ceiling
 Maximum limit value

 C
 Carcinogen

 Section 11: TOXICOLOGICAL INFORMATION

 LD50 (lethal dose)

 Section 12: Ecological information

 EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

Sk*

End of Safety Data Sheet