

Revision date 16-Jun-2022

**DESIGNER GROUT 001 WHITE SMOOTH** 

Revision Number 1.01 Supersedes Date: 26-Jul-2018

\_\_\_

## Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name DESIGNER GROUT 001 WHITE SMOOTH

**Product Code(s)** 

30840383

30604391; 30605658; 30616246; 30840383; 30840530

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Grout

Uses advised against No information available

Details of manufacturer or importer

**Supplier** 

Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria Australia

Tel: 613 9279-9333 Fax: 613 9279-9342

1 ax. 010 0270 0012

**ABN:** 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

## Section 2: Hazard(s) identification

## **GHS Classification**

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Specific target organ toxicity (single exposure)	Category 3 - (H335)

## Label elements

Exclamation mark Corrosion

Australia - EN Page 1/9

## **DESIGNER GROUT 001 WHITE SMOOTH**

Revision Number 1.01 Supersedes Date: 26-Jul-2018

Revision date 16-Jun-2022



### Signal word DANGER

## **Hazard statements**

H315 - Causes skin irritation

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

## **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear protective gloves/clothing and eye/face protection

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a doctor

IF ON SKIN: Wash with plenty of water and soap

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a doctor if you feel unwell

## **Precautionary Statements - Storage**

Store in well-ventilated place

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Other hazards which do not result in classification

When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers.

Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease. Product dust may be irritating to eyes, skin and respiratory system.

Repeated exposure may cause skin dryness or cracking.

## Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

## Section 3: Composition and information on ingredients, in accordance with Schedule 8

## Substance

Not applicable

## <u>Mixture</u>

Chemical name	CAS No	Weight-%
Cement, portland, chemicals (Chromium VI reduced)	65997-15-1	30 - 60
Non-hazardous ingredients	Proprietary	Balance

## Section 4: First aid measures

Australia - EN Page 2/9

**DESIGNER GROUT 001 WHITE SMOOTH** 

Revision Number 1.01 Supersedes Date: 26-Jul-2018

**Emergency telephone number** Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

Description of first aid measures

General advice If medical advice is needed, have product container or label at hand.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or

concerned: Get medical advice/attention.

Eye contact Do not rub affected area. Immediately flush with plenty of water. After initial flushing,

remove any contact lenses and continue flushing for at least 15 minutes. Consult an

Revision date 16-Jun-2022

ophthalmologist.

Skin contact Brush off loose particles from skin. Remove material from skin immediately. Take off

contaminated clothing and wash before reuse.

**Ingestion** Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious

person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section

8).

Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation. Causes serious eye damage. Irritating to skin. Inhalation of dust in

high concentration may cause irritation of respiratory system. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g.

when kneeling in wet cement even when wearing trousers.

Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

Section 5: Firefighting measures

**Suitable Extinguishing Media** 

surrounding environment.

**Unsuitable extinguishing media** No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

No information available.

chemical

Hazardous combustion products Carbon oxides.

Special protective actions for fire-fighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Australia - EN Page 3/9

**DESIGNER GROUT 001 WHITE SMOOTH** 

Revision Number 1.01 Supersedes Date: 26-Jul-2018

**Personal precautions** Avoid generation of dust. Do not get in eyes, on skin, or on clothing. Use personal

protective equipment as required.

**Other information** Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Use personal protection recommended in Section 8.

**Environmental precautions** 

**Environmental precautions** Prevent product from entering drains. Do not allow to enter into soil/subsoil.

Methods and material for containment and cleaning up

**Methods for containment**Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry.

Prevent dust cloud.

Methods for cleaning up Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect

dust. Use appropriate personal protective equipment (PPE). Carefully shovel or sweep

Revision date 16-Jun-2022

up spilled material and place in suitable container. Avoid generating dust.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: Handling and storage, including how the chemical may be safely used

#### Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Avoid generation of dust. Avoid contact with skin, eyes or

clothing. Use personal protection equipment. Take off contaminated clothing and wash

before reuse.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children. Keep the packing dry and well sealed to prevent

contamination and absorption of humidity. Protect from moisture.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents. Acids. Aluminum.

## Section 8: Exposure controls and personal protection

### **Control parameters**

## **Exposure Limits**

Chemical name	Australia
Cement, portland, chemicals (Chromium VI reduced)	TWA: 10 mg/m <sup>3</sup>
65997-15-1	

OEL as published by Safe Work Australia

## **Appropriate engineering controls**

**Engineering controls** Showers, eyewash stations, and ventilation systems.

Australia - EN Page 4/9

#### **DESIGNER GROUT 001 WHITE SMOOTH**

Revision Number 1.01 Supersedes Date: 26-Jul-2018

Revision date 16-Jun-2022

\_\_\_

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection**Wear suitable protective clothing. Long sleeved clothing.

Hand protection Wear suitable gloves. Impervious gloves. Nitrile rubber.

**Respiratory protection** black. Wear a respirator conforming to EN 140 with Type P2/P3 filter or better.

**Environmental exposure controls** No information available.

## Section 9: Physical and chemical properties

#### Information on basic physical and chemical properties

Physical stateSolidAppearancePowderColorWhiteOdorOdorlessOdor thresholdNot applicable

Property Values Remarks • Method

**pH** 11 - 13

pH (as aqueous solution)

Melting point / freezing point

No data available

Not applicable . °C

Initial boiling point and boiling

Not applicable . °C

range

Flash point Not applicable . °C
Evaporation rate Not applicable .
Flammability No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableRelative vapor densityNo data availableRelative densityNo data available

Water solubility Insoluble in water Cement based

products react and solidify in contact

with water

Solubility(ies)

Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity

Dynamic viscosity

No data available
No data available
Not applicable .

Not applicable .

Explosive properties No information available Oxidizing properties No information available

Other information

Softening Point Not relevant Solid content (%) 100

Liquid Density No information available

Bulk density 1.2

VOC Content (%) No information available

## Section 10: Stability and reactivity

## Reactivity

Australia - EN Page 5/9

#### **DESIGNER GROUT 001 WHITE SMOOTH**

Revision Number 1.01 Supersedes Date: 26-Jul-2018

Revision date 16-Jun-2022

**Reactivity** Product cures with moisture.

Chemical stability

**Stability** Keep away from Incompatible materials. Stable under recommended storage conditions.

**Explosion data** 

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

**Conditions to avoid** 

Conditions to avoid Product cures with moisture. Protect from moisture.

**Incompatible materials** 

**Incompatible materials** Strong acids. Strong bases. Strong oxidizing agents. Acids. Aluminum.

**Hazardous decomposition products** 

Hazardous decomposition

products

Carbon oxides. Nitrogen oxides (NOx). May emit toxic fumes under fire conditions.

## Section 11: Toxicological information

## **Acute toxicity**

## Information on likely routes of exposure

## **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye

damage. May cause irreversible damage to eyes.

**Skin contact** Specific test data for the substance or mixture is not available. Causes skin irritation.

(based on components).

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.

## Numerical measures of toxicity - Product Information

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Cement, portland, chemicals	-	>2000 Kg/mg (Lapin)	>5 g/m³ (Rattus)
(Chromium VI reduced)			

See section 16 for terms and abbreviations

Australia - EN Page 6/9

**DESIGNER GROUT 001 WHITE SMOOTH** 

Revision Number 1.01 Supersedes Date: 26-Jul-2018

Revision date 16-Jun-2022

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation. Classification based on data available for ingredients. Causes

skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Causes serious eye

damage.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Reproductive toxicity No information available.

**STOT - single exposure** May cause respiratory irritation.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

## Section 12: Ecological information

**Ecotoxicity** 

**Aquatic ecotoxicity** 

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

**Bioaccumulation** No information available.

**Mobility** 

Mobility in soil No information available.

**Mobility** No information available.

Other adverse effects

Other adverse effects No information available.

## Section 13: Disposal considerations

## **Disposal methods**

Waste from residues/unused

products

Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.

Australia - EN Page 7/9

#### **DESIGNER GROUT 001 WHITE SMOOTH**

Revision Number 1.01 Supersedes Date: 26-Jul-2018

Revision date 16-Jun-2022

**Contaminated packaging** Do not reuse empty containers.

**Section 14: Transport information** 

ADG Not regulated

IATA Not regulated

**IMDG** Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

## Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National regulations**

#### Australia

See section 8 for national exposure control parameters

## Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

## **International Inventories**

AIIC Listed
NZIoC Listed
ENCS Not Listed
IECSC Not Listed
KECL Not Listed
PICCS Not Listed

#### Legend:

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

## **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

## **Europe**

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

Australia - EN Page 8/9

#### **DESIGNER GROUT 001 WHITE SMOOTH**

Revision Number 1.01 Supersedes Date: 26-Jul-2018

Revision date 16-Jun-2022

\_\_\_\_\_

## SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## 2015/863/EU - RoHS

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

## Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision date 16-Jun-2022

#### **Revision Note**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

**Section 11: TOXICOLOGICAL INFORMATION** 

LD50 (lethal dose)

Section 12: Ecological information

EC50 (effective concentration)

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

Australia - EN Page 9/9

<sup>\*\*\*</sup>Indicates updated data since last publication.