

MOISTURE SEAL KIT PART B

Revision date 19-Dec-2023 **Revision Number** 2 Supersedes Date: 06-Dec-2022

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name MOISTURE SEAL KIT PART B

Product Code(s) 30840500-B 30840500; 30619621

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use **Primers**

Uses advised against No information available.

Details of manufacturer or importer

Supplier

Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria Australia

Tel: 613 9279-9333 Fax: 613 9279-9342

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

Section 2: Hazard(s) identification

GHS Classification

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitization	Category 1 - (H317)

Label elements

Exclamation mark Corrosion

Page 1/10 Australia - EN

MOISTURE SEAL KIT PART B

Revision Number 2 Supersedes Date: 06-Dec-2022

Revision date 19-Dec-2023



Signal word DANGER

Hazard statements

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

Corrosive to the respiratory tract

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/clothing and eye/face protection

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor

IF ON SKIN: Wash with plenty of water and soap

Take off contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

No information available.

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

<u>Mixture</u>

Chemical name	CAS No.	Weight-%
Triethylenetetramine	112-24-3	1 - 10%
1,3-Benzenedimethanamine	1477-55-0	1 - 10%
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Emergency telephone number Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

Australia - EN Page 2/10

MOISTURE SEAL KIT PART B

Revision Number 2 Supersedes Date: 06-Dec-2022

attendance.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Get immediate medical attention. Rinse immediately with plenty of water, also under the

eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Revision date 19-Dec-2023

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. May cause

an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce Ingestion

vomiting. Call a physician.

Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section Self-protection of the first aider

8).

Most important symptoms and effects, both acute and delayed

Burning sensation. Itching. Rashes. Hives. **Symptoms**

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

Product is or contains a sensitizer. May cause sensitization by skin contact.

chemical

Hazardous combustion products Nitrogen oxides (NOx).

Special protective actions for fire-fighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from

and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Australia - EN Page 3/10

MOISTURE SEAL KIT PART B

Revision Number 2 Supersedes Date: 06-Dec-2022

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Please also refer to the SDS for the other component(s) of the kit. This product is part of

a kit. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory

Revision date 19-Dec-2023

equipment. Take off contaminated clothing and wash before reuse.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

Chemical name	Australia
1,3-Benzenedimethanamine 1477-55-0	Peak: 0.1 mg/m³

OEL as published by Safe Work Australia

Appropriate engineering controls

Engineering controls Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Hand protection For operations where prolonged or repeated skin contact may occur, impervious gloves

should be worn. Nitrile rubber.

Respiratory protection Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Organic gases

and vapors filter conforming to EN 14387.

Australia - EN Page 4/10

MOISTURE SEAL KIT PART B

Revision Number 2 Supersedes Date: 06-Dec-2022

Not applicable

Revision date 19-Dec-2023

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Liquid Physical state **Appearance** Paste Color Light green Odor Characteristic

Odor threshold No information available

Property Values Remarks • Method

No data available pН pH (as aqueous solution) No data available Melting point / freezing point No data available

Initial boiling point and boiling No data available range

Flash point No data available No data available **Evaporation rate** Flammability No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available Vapor pressure

Relative vapor density > 1 1.35 Relative density

Water solubility Immiscible in water Solubility(ies) No data available Partition coefficient No data available

No data available **Autoignition temperature**

Decomposition temperature No data available Kinematic viscosity No data available **Dynamic viscosity** No data available No information available **Explosive properties Oxidizing properties** No information available

Other information

Solid content (%) No information available **Density** No information available

VOC content 0 g/L

Section 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stable under normal conditions. Stability

Explosion data

Sensitivity to mechanical None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Australia - EN Page 5/10

MOISTURE SEAL KIT PART B

Revision Number 2 Supersedes Date: 06-Dec-2022

Revision date 19-Dec-2023

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid None known based on information supplied.

Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition

products

None known based on information supplied.

Section 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

damage. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. May cause sensitization

by skin contact. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components). Causes skin irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness

and tearing of the eyes.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 14,650.00 ATEmix (inhalation-gas) >20000 ATEmix (inhalation-vapor) >20

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Triethylenetetramine	LD50 = 1716 mg/kg (Rattus)	LD50 = 1465 mg/kg	-
	OECD 401	(Oryctolagus cuniculus) OECD	
		402	
1,3-Benzenedimethanamine	=930 mg/kg (Rattus)	> 2 g/kg (Oryctolagus	LC50 (4h) = 1.34 mg/L (Rattus)
		cuniculus)	OECD 403

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation. Classification based on data available for ingredients. Causes

skin irritation.

Australia - EN Page 6/10

MOISTURE SEAL KIT PART B

Revision date 19-Dec-2023 **Revision Number** 2 Supersedes Date: 06-Dec-2022

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Causes serious eye

damage.

Respiratory or skin sensitization Classification is based on mixture calculation methods based on component data. As a

precaution the product should be treated as a sensitizer. May cause an allergic skin

reaction.

Component Information			
1,3-Benzenedimethanamine (1477-55-0)			
Method	Species	Exposure route	Results
OECD Test No. 429: Skin	Mouse	Dermal	Sensitizing
Sensitisation: Local Lymph Nod	le		_
Assay			

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Triethylenetetramine 112-24-3	EC50: =20mg/L (72h, Pseudokirchneriella subcapitata) EC50: =3.7mg/L (96h, Pseudokirchneriella subcapitata) EC50: =2.5mg/L (72h, Desmodesmus subspicatus)	LC50: =495mg/L (96h, Pimephales promelas) LC50: =570mg/L (96h, Poecilia reticulata)	-	EC50: =31.1mg/L (48h, Daphnia magna)
1,3-Benzenedimethana mine 1477-55-0	EC50 (72h) = 20.3 mg/L (Pseudokirchnerella subcapitata) OECD 201	LC50 (96h) =87.6 mg/L (Oryzias latipes) Semi-static (OECD 203)	-	EC50 (48h) =15.2 mg/L (Daphnia magna) Static (OECD 202)

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Australia - EN Page 7/10

MOISTURE SEAL KIT PART B

Revision Number 2 Supersedes Date: 06-Dec-2022

Revision date 19-Dec-2023

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Triethylenetetramine 112-24-3	-1.4
1,3-Benzenedimethanamine 1477-55-0	0.18

Mobility

Mobility in soilNo information available.MobilityNo information available.

Other adverse effects

Other adverse effects No information available.

Section 13: Disposal considerations

Disposal methods

Waste from residues/unused Dispose of in accordance with local regulations. Dispose of waste in accordance with

products environmental legislation.

Contaminated packaging Do not reuse empty containers.

Section 14: Transport information

ADG Not regulated

IMDG Not regulated

Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u>

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Australia - EN Page 8/10

MOISTURE SEAL KIT PART B

Revision Number 2 Supersedes Date: 06-Dec-2022

Revision date 19-Dec-2023

International Inventories

AIIC Listed
NZIOC Not Listed
ENCS Not Listed
IECSC Not Listed
KECL Not Listed
PICCS Not Listed

Legend:

AllC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

2015/863/EU - RoHS

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision date 19-Dec-2023

Revision Note

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

C Carcinogen

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Australia - EN Page 9/10

^{***}Indicates updated data since last publication.

MOISTURE SEAL KIT PART B

Revision date 19-Dec-2023 Supersedes Date: 06-Dec-2022 **Revision Number** 2

Section 12: Ecological information

EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Australia - EN Page 10/10