



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Canada WHMIS which includes the amended Hazardous Products Act (HPA) and the  
Hazardous Products Regulation (HPR)

**BOSTIK'S BEST®**  
Revision Number 1.01

Revision date 05-Nov-2025  
Supersedes date 09-Jan-2019

## 1. Identification

### Product identifier

**Product Name** BOSTIK'S BEST®

### Other means of identification

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended use** Adhesives and/or sealants

**Restrictions on use** No information available

### Details of the supplier of the safety data sheet

#### Responsible Party

##### **Bostik Canada Limited**

655 Alphonse-Deshaies Boulevard  
Becancour  
Quebec  
G9H 2Y8  
Canada  
Phone: +1 (514) 593-0418  
Fax: +1 (514) 593-0413

#### Manufacturer Address

Bostik Inc.  
11320 W. Watertown Plank Road  
Wauwatosa, Wisconsin 53226 USA  
Phone: +1(800) 726-7845 (Domestic Toll Free)  
Phone: +1 (414) 774-2250 (International)

### **E-mail**

For regulatory and SDS-related questions, please contact a Bostik representative at  
[https://www.bostik.com/us/en\\_US/customer-support/](https://www.bostik.com/us/en_US/customer-support/)

### Emergency telephone number

CHEMTREC (Chemical Transportation Emergency Center)  
Chemtrec: 1-800-424-9300 (US) , 1-703-527-3887 (Outside U.S.)  
**Rocky Mountain Poison Center:** 1-866-767-5089

## 2. Hazard(s) identification

### Classification of the substance or mixture

Respiratory sensitization	Category 1
Skin sensitization	Category 1
Reproductive toxicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2

### Label elements

# SAFETY DATA SHEET

**BOSTIK'S BEST®**  
**Revision Number** 1.01

**Revision date** 05-Nov-2025  
**Supersedes date** 09-Jan-2019



## **Danger**

### **Hazard statements**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause an allergic skin reaction.  
May damage fertility or the unborn child.  
May cause damage to organs through prolonged or repeated exposure.

### **Precautionary Statements - Prevention**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Avoid breathing dust, fume, gas, mist, vapors and spray.  
In case of inadequate ventilation wear respiratory protection.  
Contaminated work clothing should not be allowed out of the workplace.  
Do not breathe dust, fume, gas, mist, vapors and spray.  
Wear protective gloves.

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention.  
Specific treatment (see supplemental first aid instructions on this label).

#### **Skin**

IF ON SKIN: Wash with plenty of water and soap.  
If skin irritation or rash occurs: Get medical advice and attention.  
Take off contaminated clothing and wash it before reuse.

#### **Inhalation**

IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
If experiencing respiratory symptoms: Call a POISON CENTER or doctor.

### **Precautionary Statements - Storage**

Store locked up.

### **Precautionary Statements - Disposal**

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

### **Other information**

Causes mild skin irritation. Harmful to aquatic life.

## **3. Composition/information on ingredients**

### **Substance**

Not applicable.

### **Mixture**

Chemical name	CAS No.	Weight-%	Hazardous Material	Date HMIRA filed and
---------------	---------	----------	--------------------	----------------------

# SAFETY DATA SHEET

**BOSTIK'S BEST®**  
Revision Number 1.01

**Revision date** 05-Nov-2025  
**Supersedes date** 09-Jan-2019

			Information Review Act registry number (HMIRA registry #)	date exemption granted (if applicable)
Limestone	1317-65-3	30 - <60	-	-
Naphtha, petroleum, hydrotreated heavy, <0.1% Benzene	64742-48-9	3 - <7	-	-
Methylenediphenyl diisocyanate	26447-40-5	1 - <5	-	-
4-isocyanatosulphonyltoluene tosyl isocyanate	4083-64-1	0.1 - <1	-	-
Quartz	14808-60-7	0.1 - <1	-	-
Dibutyltin dilaurate	77-58-7	0.1 - <1	-	-

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. First-aid measures

### Description of first aid measures

<b>General advice</b>	Show this safety data sheet to the doctor in attendance.
<b>Inhalation</b>	May cause allergic respiratory reaction. Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If symptoms persist, call a physician.
<b>Eye contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
<b>Skin contact</b>	May cause an allergic skin reaction. May cause sensitization by skin contact. Wash off immediately with soap and plenty of water for at least 15 minutes. Take off contaminated clothing and wash before reuse. In the case of skin irritation or allergic reactions see a physician.
<b>Ingestion</b>	May produce an allergic reaction. Clean mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical attention.
<b>Self-protection of the first aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. See section 8 for more information.

### Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.
<b>Effects of Exposure</b>	May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility. May cause damage to organs through prolonged or repeated exposure.

### Indication of any immediate medical attention and special treatment needed

<b>Note to physicians</b>	May cause sensitization in susceptible persons. May cause sensitization by inhalation and skin contact. Treat symptomatically.
---------------------------	--

# SAFETY DATA SHEET

BOSTIK'S BEST®  
Revision Number 1.01

Revision date 05-Nov-2025  
Supersedes date 09-Jan-2019

## 5. Fire-fighting measures

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Unsuitable extinguishing media</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Specific hazards arising from the chemical</b>	Product is or contains a sensitizer. May cause sensitization by inhalation. May cause sensitization by skin contact.
<b>Hazardous combustion products</b>	Carbon oxides. Carbon dioxide (CO <sub>2</sub> ). Hydrocarbons. Nitrogen oxides (NO <sub>x</sub> ). Hydrogen cyanide. Isocyanates. Silicon dioxide. Thermal decomposition can lead to release of irritating and toxic gases and vapors.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	None.
<b>Sensitivity to static discharge</b>	None.
<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Evacuate personnel to safe areas.
<b>Other information</b>	Refer to protective measures listed in Sections 7 and 8.

### Methods and material for containment and cleaning up

<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).
<b>Methods for cleaning up</b>	Use personal protective equipment as required. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.
<b>Prevention of secondary hazards</b>	Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. Handling and storage

### Precautions for safe handling

<b>Advice on safe handling</b>	Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes or clothing. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse.
--------------------------------	---

# SAFETY DATA SHEET

**BOSTIK'S BEST®**  
Revision Number 1.01

Revision date 05-Nov-2025  
Supersedes date 09-Jan-2019

## General hygiene considerations

Wear suitable gloves and eye/face protection. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of equipment, work area and clothing is recommended.

## Conditions for safe storage, including any incompatibilities

### Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Protect from moisture.

## 8. Exposure controls/personal protection

### Control Parameters

### Exposure Limits

This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

Chemical name	Alberta	British Columbia	Ontario	Quebec
Limestone 1317-65-3	TWA: 10 mg/m <sup>3</sup> ;	TWA: 10 mg/m <sup>3</sup> ; total dust TWA: 3 mg/m <sup>3</sup> ; respirable fraction STEL: 20 mg/m <sup>3</sup> ;	-	TWAEV: 10 mg/m <sup>3</sup> ; total dust
Methylenediphenyl diisocyanate 26447-40-5	-	TWA: 0.005 ppm; Ceiling: 0.01 ppm;	-	-
Quartz 14808-60-7	TWA: 0.025 mg/m <sup>3</sup> ; respirable particulate	TWA: 0.025 mg/m <sup>3</sup> ; respirable	TWA: 0.10 mg/m <sup>3</sup>	TWAEV: 0.05 mg/m <sup>3</sup> ; respirable dust
Dibutyltin dilaurate 77-58-7	TWA: 0.1 mg/m <sup>3</sup> ; STEL: 0.2 mg/m <sup>3</sup> ; pSk	TWA: 0.1 mg/m <sup>3</sup> ; STEL: 0.2 mg/m <sup>3</sup> ; Sk	TWA: 0.1 mg/m <sup>3</sup> ; STEL: 0.2 mg/m <sup>3</sup> ; dSk	-

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
Quartz	TWA: 0.025 mg/m <sup>3</sup> ; respirable particulate matter	TWA: 0.025 mg/m <sup>3</sup> ; respirable fraction	TWA: 0.025 mg/m <sup>3</sup> ; respirable particulate matter	TWA: 0.025 mg/m <sup>3</sup> ; respirable particulate matter

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Limestone	TWA: 10 mg/m <sup>3</sup> ; STEL: 20 mg/m <sup>3</sup> ;		TWA: 10 mg/m <sup>3</sup> ; STEL: 20 mg/m <sup>3</sup> ;	TWA: 30 mppcf; TWA: 10 mg/m <sup>3</sup> ; STEL: 20 mg/m <sup>3</sup> ;
Quartz	TWA: 0.05 mg/m <sup>3</sup> ; respirable fraction	TWA: 0.025 mg/m <sup>3</sup> ; respirable particulate matter	TWA: 0.05 mg/m <sup>3</sup> ; respirable fraction	TWA: 300 particle/mL;

# SAFETY DATA SHEET

BOSTIK'S BEST®  
Revision Number 1.01

Revision date 05-Nov-2025  
Supersedes date 09-Jan-2019

## Appropriate engineering controls

Engineering controls                      Showers  
   Eyewash stations  
   Ventilation systems.

## Individual protection measures, such as personal protective equipment

Eye/face protection                      Wear safety glasses with side shields (or goggles). Avoid contact with eyes.

Hand protection                              Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.

Skin and body protection                      Wear suitable protective clothing.

Respiratory protection                      Use appropriate respiratory protection.

## **9. Physical and chemical properties**

### Information on basic physical and chemical properties

Physical state                              Liquid  
Appearance                                Paste  
Color                                        Amber  
Odor                                        No information available  
Odor threshold                              No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	
pH (as aqueous solution)	No data available	
Melting point / freezing point	No data available	
Initial boiling point and boiling range	> 172 °C / 341.6 °F	
Flash point	> 110 °C / 230 °F	ASTM D3278
Evaporation rate	No data available	
Flammability	No data available	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	
Relative vapor density	No data available	
Relative density	No data available	
Water solubility	Reacts with water	Reacts with water
Solubility in other solvents	No data available	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Kinematic viscosity	No data available	
Dynamic viscosity	No data available	
Explosive properties	No information available.	
Oxidizing properties	No information available.	

### Other information

Softening point                              No information available

# SAFETY DATA SHEET

BOSTIK'S BEST®  
Revision Number 1.01

Revision date 05-Nov-2025  
Supersedes date 09-Jan-2019

Molecular weight	No information available
Density	1.508 g/cm <sup>3</sup>
Bulk density	No information available
Solid content (%)	93.0
VOC content	No information available

## 10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing
Hazardous polymerization	Hazardous polymerization may occur.
Conditions to avoid	Protect from moisture. Keep from any possible contact with water. Extremes of temperature and direct sunlight. Storage near to reactive materials.
Incompatible materials	Water. Alcohols. Strong bases. Strong oxidizing agents. Finely powdered metals.
Hazardous decomposition products	Carbon monoxide. Carbon dioxide (CO <sub>2</sub> ). Nitrogen oxides (NO <sub>x</sub> ). Hydrogen cyanide. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. Toxicological information

### Information on likely routes of exposure Product Information

Inhalation	May cause sensitization in susceptible persons.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May cause sensitization by skin contact. Causes mild skin irritation.
Ingestion	May cause additional effects as listed under "Inhalation".

### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.
----------	--

Acute toxicity	No information available.
----------------	---------------------------

### Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral)	>5000 mg/kg
ATEmix (dermal)	68,583.50 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-vapor)	>20 mg/L
ATEmix (inhalation-dust/mist)	79.79 mg/L

### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
---------------	-----------	-------------	-----------------

# SAFETY DATA SHEET

**BOSTIK'S BEST®**  
Revision Number 1.01

Revision date 05-Nov-2025  
Supersedes date 09-Jan-2019

Limestone 1317-65-3	>5000 mg/kg (Rattus)	-	-
Naphtha, petroleum, hydrotreated heavy, <0.1% Benzene 64742-48-9	>6000 mg/kg (Rattus)	> 3160 mg/kg (Oryctolagus cuniculus)	>8500 mg/m <sup>3</sup> (Rattus) 4 h
Methylenediphenyl diisocyanate 26447-40-5	>10000 mg/kg (Rattus)	> 10000 mg/kg (Oryctolagus cuniculus)	=490 mg/m <sup>3</sup> (Rattus) 4 h
4-isocyanatosulphonyltoluene tosyl isocyanate 4083-64-1	=2234 mg/kg (Rattus)	LD 50 (Rattus) > 2000 mg/kg OECD 402	>640 ppm (Rattus) 1 h
Quartz 14808-60-7	=6450 mg/kg (Rattus)	-	-
Dibutyltin dilaurate 77-58-7	=2071 mg/kg (Rattus) OECD 401	> 2000 mg/kg (Rattus)	-

## **Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes mild skin irritation.

**Serious eye damage/eye irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitization** May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Methylenediphenyl diisocyanate 26447-40-5	-	Group 3	-	-
Quartz 14808-60-7	A2 A2 - Suspected Human Carcinogen	Group 1	Known	X
Dibutyltin dilaurate 77-58-7	A4 - Not Classifiable as a Human Carcinogen	-	-	-

## **Legend**

**ACGIH (American Conference of Governmental Industrial Hygienists)**

A4 - Not classifiable as a human carcinogen

**IARC (International Agency for Research on Cancer)**

Group 3 - Not classifiable as to carcinogenicity in humans

Methylenediphenyl diisocyanate (26447-40-5)

Method	Species	Results
	in vivo	Limited evidence of a carcinogenic effect

**Reproductive toxicity** Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child.

**STOT - single exposure** Based on available data, the classification criteria are not met.



# SAFETY DATA SHEET

**BOSTIK'S BEST®**  
Revision Number 1.01

Revision date 05-Nov-2025  
Supersedes date 09-Jan-2019

**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** Based on available data, the classification criteria are not met.

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Limestone 1317-65-3	CE50 (72h) >200mg/L Algae (Desmodesmus subspicatus)	CL50 (96h) >10000mg/L (Oncorhynchus mykiss)	-	CE50 (48h) >1000 mg/L Daphnia Magna
Naphtha, petroleum, hydrotreated heavy, <0.1% Benzene 64742-48-9	-	LC50: =2200mg/L (96h, Pimephales promelas)	-	LC50: =2.6mg/L (96h, Chaetogammarus marinus)
Methylenediphenyl diisocyanate 26447-40-5	EC50: =3230mg/L (96h, Skeletonema costatum)	-	-	EC50: >1000mg/L (24h, Daphnia magna)
Dibutyltin dilaurate 77-58-7	EC50 1 (72h) mg/L (desmodesmus subspicatus)	LC50: =2mg/L (48h, Oryzias latipes)	-	0,463 (48h) mg/L (daphnia magma)

**Persistence and degradability** No information available.

Dibutyltin dilaurate (77-58-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready Biodegradability: Manometric Respirometry Test (TG 301 F)	39 days	23% biodegradation	Not readily biodegradable

## Bioaccumulation

### Component Information

Chemical name	Partition coefficient
Limestone 1317-65-3	0.9
Methylenediphenyl diisocyanate 26447-40-5	4.5
4-isocyanatosulphonyltoluene tosyl isocyanate 4083-64-1	0.6
Dibutyltin dilaurate 77-58-7	4.44

**Other adverse effects** No information available.

## 13. Disposal considerations

# SAFETY DATA SHEET

BOSTIK'S BEST®  
Revision Number 1.01

Revision date 05-Nov-2025  
Supersedes date 09-Jan-2019

## Disposal methods

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

## 14. Transport information

**TDG** Not regulated

**IATA** Not regulated

**IMDG** Not regulated

## 15. Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **NPRI - National Pollutant Release Inventory**

No component is listed on the NPRI above the threshold

#### International Inventories

<b>TSCA</b>	Complies
<b>DSL</b>	Complies

#### **Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

**Complies** - The components of this product are either listed or exempt from listing on inventory. Active

**Not Listed** - One or more components of this product are not listed on inventory.

#### International Regulations

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

## 16. Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### **Legend**

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals

# SAFETY DATA SHEET

**BOSTIK'S BEST®**  
Revision Number 1.01

Revision date 05-Nov-2025  
Supersedes date 09-Jan-2019

ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	U.S. Environmental Protection Agency
GHS	Globally Harmonized System
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organization
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organization for Standardization
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MARPOL	International Convention for the Prevention of Pollution from Ships
NFPA	National Fire Protection Association
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations

# SAFETY DATA SHEET

**BOSTIK'S BEST®**  
**Revision Number** 1.01

**Revision date** 05-Nov-2025  
**Supersedes date** 09-Jan-2019

VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
Sen+	Sensitizer
Sk*	Skin designation
**	Hazard Designation

## Key literature references and sources for data used to compile the SDS

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
U.S. Environmental Protection Agency  
Acute Exposure Guideline Level(s) (AEGL(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan National Institute of Technology and Evaluation (NITE)  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
U.S. National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications  
International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program  
International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set  
United Nations World Health Organization (WHO)

**Prepared By** Product Stewardship and Regulatory Affairs.  
**Revision date** 05-Nov-2025  
**Revision Note** SDS sections updated. 3. 4. 7.

## Disclaimer

*All information contained herein is believed to be accurate as of the date of publication, is provided "as-is" and is subject to change without notice. This is not a warranty, an agreement, or substitute for expert or professional advice. Bostik Inc. ("Company") expressly disclaims and assumes no liability for the use of the products or reliance on this information. It is the sole responsibility of the user to determine the suitability of any products for user's application(s). NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED (INCLUDING SUITABILITY FOR USE IN ANY MEDICAL DEVICE OR MEDICAL APPLICATION), IS MADE CONCERNING THE PRODUCTS OR THE INFORMATION PROVIDED HEREIN. The information provided relates only to the specific products designated herein and may not be valid where such products are used in combination with other materials or in any process. The performance of the product, its shelf life, and application characteristics depends on many variables, and changes in these variables can impact product performance. You are responsible to test the suitability of any product in advance for any intended use or application and before commercialization. Nothing herein shall be construed as a license for the use of any product in a manner that might infringe any patent and it should not be construed as an inducement to infringe any patent. Please carefully review the Safety Data Sheet for the product.*

*The Company adheres to a strict policy that applies to the use of any of its products in medical device applications. This policy can be found at <https://www.arkema.com/global/en/social-responsibility/innovation-and-sustainable-solutions/responsible-product-management/medical-device-policy/> which is incorporated herein by reference and made a part hereof. Except as expressly authorized, the Company (i) has designated specific medical grade compositions for products used in medical device applications and Company products not so designated are not authorized for use in medical device applications and (ii) strictly prohibits the use of any of its products in medical device applications that are implanted in the body or in contact with bodily fluids or tissues for greater than 30 days. The Company does not design, manufacture and/or directly sell any medical devices. The Company does not co-design, or offer assistance to any purchaser of its products, in their design,*

# SAFETY DATA SHEET

**BOSTIK'S BEST®**  
Revision Number 1.01

Revision date 05-Nov-2025  
Supersedes date 09-Jan-2019

---

*manufacture and/or sale of products for medical devices. It is the sole responsibility of the manufacturer of medical devices to determine the suitability of all raw material, products and components, including any medical grade products, in order to ensure that the medical device is safe for end-use and complies with all applicable legal and regulatory requirements and to conduct all necessary tests and inspections.*

**End of Safety Data Sheet**