

In accordance with OSHA 29 CFR 1910.1200

BIG TILE STONE™ WHITE Revision Number 2

Revision date 29-Jul-2025 Supersedes date 20-Apr-2016

1. Identification

1.1. Product identifier

Product Name BIG TILE STONE™ WHITE

Other means of identification

Other information Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use No information available Restrictions on use No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1(800) 726-7845 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

E-mail msds@bostik.com

1.4. Emergency telephone number

Emergency Telephone CHEMTREC (Chemical Transportation Emergency Center)

Chemtrec: 1-800-424-9300 (US), 1-703-527-3887 (Outside U.S.)

Rocky Mountain Poison Center: 1-866-767-5089

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

2.2. Label elements

EMERGENCY OVERVIEW

Danger

Hazard statements

Causes skin irritation

US - EN Page 1 / 12

BIG TILE STONE™ WHITE Revision Number 2

Revision date 29-Jul-2025 Supersedes date 20-Apr-2016

Causes serious eye damage
May cause an allergic skin reaction
May cause respiratory irritation
May cause cancer

Causes damage to organs through prolonged or repeated exposure



Appearance No information available

Physical state Solid

Odor No information available

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Contaminated work clothing must not be allowed out of the workplace Do not breathe dust/fume/gas/mist/vapors/spray Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Wear protective gloves/eye protection/face protection

Precautionary Statements - Response

Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor IF ON SKIN: Wash with plenty of water and soap

Take off contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

2.3. Other Information

Product dust may be irritating to eyes, skin and respiratory system. Repeated exposure may cause skin dryness or cracking. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers.

3. Composition/information on ingredients

3.1. Substances

Not applicable.

<u>Mixture</u>

US - EN Page 2 / 12

BIG TILE STONE™ WHITE Revision Number 2

Revision date 29-Jul-2025 Supersedes date 20-Apr-2016

Chemical name	CAS No.	Weight-%
Quartz	14808-60-7	40 - 70
Cement, portland, chemicals	65997-15-1	10 - 30
Limestone	1317-65-3	1 - <5
Calcium oxide	1305-78-8	1 - <5
Calcium diformate	544-17-2	0.1 - <1

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. First-aid measures

4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand. Take a copy of the

Safety Data Sheet when going for medical treatment.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Do not rub affected area. Get medical attention if

irritation develops and persists.

Skin contact Brush off loose particles from skin. Remove material from skin immediately. Take off

contaminated clothing and wash before reuse. In the case of skin irritation or allergic

reactions see a physician.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. If swallowed, call a poison control center or physician immediately.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Itching. Rashes. Hives. Causes serious eye damage. Irritating to skin.

Inhalation of dust in high concentration may cause irritation of respiratory system. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when

wearing trousers.

Effects of ExposureNo information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-Fighting Measures

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

US - EN Page 3 / 12

BIG TILE STONE™ WHITERevision date29-Jul-2025Revision Number2Supersedes date20-Apr-2016

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Hazardous combustion products Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Silicon dioxide.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

eyes, on skin, or on clothing.

Other information Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not flush into surface water or sanitary sewer system. See Section 12 for additional

Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry.

Prevent dust cloud.

Methods for cleaning up

Use personal protective equipment as required. Sweep up and shovel into suitable

containers for disposal. Avoid generation of dust. Clean contaminated surface thoroughly.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Use personal protection equipment. Ensure adequate ventilation. Avoid generation of dust.

Take off contaminated clothing and wash before reuse.

7.2. Conditions for safe storage, including any incompatibilities

US - EN Page 4 / 12

BIG TILE STONE™ WHITE Revision Number 2

Revision date 29-Jul-2025 **Supersedes date** 20-Apr-2016

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

7.3 References to other sections

Reference to other sections Section 10: STABILITY AND REACTIVITY

Section 13: DISPOSAL CONSIDERATIONS

8. Exposure Controls/Personal Protection

8.1. Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Quartz	TWA: 0.025 mg/m³ respirable	TWA: 50 μg/m³	IDLH: 50 mg/m³ respirable dust
14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m ³	TWA: 0.05 mg/m³ respirable
		respirable dust	dust
		: (250)/(%SiO2 + 5) mppcf	
		TWA respirable fraction	
		: _(10)/(%SiO2 + 2) mg/m ³	
		TWA respirable fraction	15111 5000 / 0
Cement, portland, chemicals	TWA: 1 mg/m³ particulate	TWA: 15 mg/m³ total dust	IDLH: 5000 mg/m³
65997-15-1	matter containing no asbestos	TWA: 5 mg/m³ respirable	TWA: 10 mg/m³ total dust
	and <1% crystalline silica,	fraction	TWA: 5 mg/m ³ respirable dust
	respirable particulate matter	(vacated) TWA: 10 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m³ respirable fraction	
		TWA: 50 mppcf <1% Crystalline	
		silica	
Limestone	-	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ total dust
1317-65-3		TWA: 5 mg/m³ respirable	TWA: 5 mg/m ³ respirable dust
		fraction	
		(vacated) TWA: 15 mg/m3 total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Calcium oxide	TWA: 2 mg/m ³	TWA: 5 mg/m ³	IDLH: 25 mg/m ³
1305-78-8		(vacated) TWA: 5 mg/m ³ not	TWA: 2 mg/m ³
		in effect as a result of	
		reconsideration	

Chemical name	Argentina	Brazil	S.D. 594/1999	Colombia
Quartz	TWA-CMP: 0.05 mg/m ³ ;	TWA-LT: 0.025 mg/m ³ ;	TWA-LPP:	TWA: 0.025mg/m ³
14808-60-7	respirable fraction	respirable particulate	0.08 mg/m ³ ;respirable	-
		matter	fraction	
Cement, portland, chemicals	TWA-CMP: 10 mg/m ³ ;	TWA-LT: 1 mg/m ³ ;	TWA-LPP:	TWA: 1mg/m ³
65997-15-1	_	respirable particulate	8.8 mg/m ³ ;free of	_

US - EN Page 5 / 12

BIG TILE STONE™ WHITERevision date29-Jul-2025Revision Number2Supersedes date20-Apr-2016

		matter	Asbestos with <1% free Crystalline Silica	
Limestone 1317-65-3	TWA-CMP: 10 mg/m ³ ;	-	TWA-LPP: 7 mg/m³;free of Asbestos with <1% free Crystalline Silica TWA-LPP: 5 mg/m³;respirable fraction	-
Calcium oxide 1305-78-8	TWA-CMP: 2 mg/m ³ ;	TWA-LT: 2 mg/m ³ ;	TWA-LPP: 1.75 mg/m ³ ;	TWA: 2mg/m ³

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
Quartz 14808-60-7	TWA: 0.025mg/m ³	TWA: 0.05mg/m ³	0.025 mg/m³ TWA (respirable particulate matter)	TWA: 0.025 mg/m ³
Cement, portland, chemicals 65997-15-1	TWA: 1mg/m ³	TWA: 10mg/m³	1 mg/m³ TWA (particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter)	TWA: 10 mg/m ³
Calcium oxide 1305-78-8	TWA: 2mg/m ³	TWA: 2mg/m ³	2 mg/m³ TWA	TWA: 2 mg/m ³

8.2. Exposure controls

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Avoid contact with eyes.

Hand protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing. Do

not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Regular cleaning of equipment, work area and

clothing is recommended.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

US - EN Page 6 / 12

BIG TILE STONE™ WHITE Revision date 29-Jul-2025 **Revision Number** 2 Supersedes date 20-Apr-2016

Physical state Solid

Appearance No information available

White Color

Odor No information available **Odor threshold** No information available

Property Values Remarks • Method

pН No data available None known pH (as aqueous solution) No data available None known No data available Not applicable Melting point / freezing point Initial boiling point and boiling rangeNo data available Not applicable > 93.3 °C / 199.94 °F Not applicable Flash point No data available None known **Evaporation rate** Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available Vapor pressure None known Relative vapor density No data available None known Relative density No data available None known No data available Cement based None known

Water solubility

products react and solidify in contact

with water

No data available Solubility(ies) None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available Not applicable **Dynamic viscosity** No data available Not applicable

9.2. Other information

No information available **Explosive properties Oxidizing properties** No information available Solvent content (%) No information available

Solid content (%) 100

Not applicable Softening point

Molecular weight No information available

VOC content

Liquid Density 2.68 g/cm³

Bulk density No information available

10. Stability and Reactivity

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

Chemical stability Keep away from Incompatible materials. Stable under recommended storage conditions.

No information available

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

US - EN Page 7 / 12

BIG TILE STONE™ WHITERevision date29-Jul-2025Revision Number2Supersedes date20-Apr-2016

10.4. Conditions to avoid

Conditions to avoid Product cures with moisture.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents. Acids. Aluminum.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied

11. Toxicological information

11.1. Information on toxicological effects

Product Information

Inhalation May cause irritation of respiratory tract.

Eye contact Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact May cause sensitization by skin contact. Repeated or prolonged skin contact may cause

allergic reactions with susceptible persons. Causes skin irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness and

tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 125,979.80 mg/kg

 ATEmix (dermal)
 157,459.00 mg/kg

 ATEmix (inhalation-gas)
 >20000 ppm

 ATEmix (inhalation-dust/mist)
 380.27 mg/l

 ATEmix (inhalation-vapor)
 >20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz	=6450 mg/kg (Rattus)	-	-
14808-60-7			
Cement, portland, chemicals 65997-15-1	LD50 >2000 mg/Kg (Rattus)	LD50 >2000 mg/Kg	-
Limestone 1317-65-3	>5000 mg/kg (Rattus)	-	-
Calcium oxide 1305-78-8	>2000 mg/kg (Rattus)	LD50 > 2500 mg/kg (Oryctolagus cuniculus)	> 6.04604 mg/L (Rat)4 h
Calcium diformate 544-17-2	=2650 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus) OECD 402	-

US - EN Page 8 / 12

BIG TILE STONE™ WHITERevision date29-Jul-2025Revision Number2Supersedes date20-Apr-2016

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Causes serious eye

damage.

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	X
14808-60-7	A2 - Suspected Human			
	Carcinogen			
Cement, portland,	A4 - Not Classifiable as a	-	-	-
chemicals	Human Carcinogen			
65997-15-1				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected human carcinogen

A4 - Not classifiable as a human carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Occupational Safety and Health Administration of the US Department of Labor

X - Present

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure May cause respiratory irritation.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.

Target organ effects Respiratory system, Eyes, Skin, Lungs.

Aspiration hazard Based on available data, the classification criteria are not met.

Other adverse effects

No information available.

Interactive effects

No information available.

12. Ecological information

12.1. Toxicity

US - EN Page 9 / 12

BIG TILE STONE™ WHITERevision date29-Jul-2025Revision Number2Supersedes date20-Apr-2016

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Limestone	CE50 (72h) >200mg/L	CL50 (96h)>10000mg/L	-	CE50 (48h) >1000 mg/L
1317-65-3	Algae (Desmondesmus	(Oncorhynchus mykiss)		Daphnia Magna
	subspicatus)			
Calcium oxide	EC50	LC50 96 h = 50.6 mg/L	EC50 (Bacteria): 229,2	EC50 (48h) = 49.1
1305-78-8	(Pseudokirchneriella	(Oncorhynchus mykiss)	mg/l	mg/l(Daphnia magna)
	subcapitata (green		Exposure time: 3 h	OECD 202
	algae)): 106,02 mg/l		Test Type: static test	
	End point: Growth rate		Method: OECD Test	
	Exposure time: 72 h		Guideline 209	
	Test Type: static test		GLP: yes	
	Method: OECD Test			
	Guideline 201			
	GLP: yes			
Calcium diformate	RC50 (72h) > 1000 mg/l	LC50: >=1000mg/L (96h,	-	EC50 (48h) > 1000 mg/l
544-17-2	(Pseudokirchnerella	Brachydanio rerio)		(Daphnia magna)
	subcapitata)			EPA-660/3-75-009

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Limestone	0.9
1317-65-3	

12.4. Mobility in soil

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

13. Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

US - EN Page 10 / 12

BIG TILE STONE™ WHITE Revision Number 2

Revision date 29-Jul-2025 Supersedes date 20-Apr-2016

14. Transport information

DOTNot regulatedIATANot regulatedIMDGNot regulated

15. Regulatory Information

International Inventories

TSCA	Complies
DSL	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Complies - The components of this product are either listed or exempt from listing on inventory. Active

Not Listed - One or more components of this product are not listed on inventory.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

16. Other Information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)
Ceiling Maximum limit value Sk* Skin designation

Prepared By Product Stewardship and Regulatory Affairs.

Revision date 29-Jul-2025

Revision Note SDS sections updated. 2. 11.

US - EN Page 11 / 12

BIG TILE STONE™ WHITE Revision Number 2

Revision date 29-Jul-2025 Supersedes date 20-Apr-2016

Disclaimer

All information contained herein is believed to be accurate as of the date of publication, is provided "as-is" and is subject to change without notice. This is not a warranty, an agreement, or substitute for expert or professional advice. Bostik Inc. ("Company") expressly disclaims and assumes no liability for the use of the products or reliance on this information. It is the sole responsibility of the user to determine the suitability of any products for user's application(s). NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED (INCLUDING SUITABILITY FOR USE IN ANY MEDICAL DEVICE OR MEDICAL APPLICATION), IS MADE CONCERNING THE PRODUCTS OR THE INFORMATION PROVIDED HEREIN. The information provided relates only to the specific products designated herein and may not be valid where such products are used in combination with other materials or in any process. The performance of the product, its shelf life, and application characteristics depends on many variables, and changes in these variables can impact product performance. You are responsible to test the suitability of any product in advance for any intended use or application and before commercialization. Nothing herein shall be construed as a license for the use of any product in a manner that might infringe any patent and it should not be construed as an inducement to infringe any patent. Please carefully review the Safety Data Sheet for the product.

The Company adheres to a strict policy that applies to the use of any of its products in medical device applications. This policy can be found at

https://www.arkema.com/global/en/social-responsibility/innovation-and-sustainable-solutions/responsible-product-mana gement/medical-device-policy/ which is incorporated herein by reference and made a part hereof. Except as expressly authorized, the Company (i) has designated specific medical grade compositions for products used in medical device applications and Company products not so designated are not authorized for use in medical device applications and (ii) strictly prohibits the use of any of its products in medical device applications that are implanted in the body or in contact with bodily fluids or tissues for greater than 30 days. The Company does not design, manufacture and/or directly sell any medical devices. The Company does not co-design, or offer assistance to any purchaser of its products, in their design, manufacture and/or sale of products for medical devices. It is the sole responsibility of the manufacturer of medical devices to determine the suitability of all raw material, products and components, including any medical grade products, in order to ensure that the medical device is safe for end-use and complies with all applicable legal and regulatory requirements and to conduct all necessary tests and inspections.

End of Safety Data Sheet

US - EN Page 12 / 12