



# SAFETY DATA SHEET

In accordance with OSHA 29 CFR 1910.1200

TREAD-LOCK(TM)  
Revision Number 2

Revision date 15-Jul-2024  
Supersedes date 17-Sep-2018

## 1. Identification

### 1.1. Product identifier

Product Name TREAD-LOCK(TM)

### Other means of identification

Other information Not applicable

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives and/or sealants

Restrictions on use No information available

### 1.3. Details of the supplier of the safety data sheet

#### Responsible Party

Bostik Inc.  
11320 W. Watertown Plank Road  
Wauwatosa, Wisconsin 53226 USA  
Phone: +1(800) 726-7845 (Domestic Toll Free)  
Phone: +1 (414) 774-2250 (International)

E-mail msds@bostik.com

### 1.4. Emergency telephone number

Emergency Telephone CHEMTREC (Chemical Transportation Emergency Center)  
Chemtrec: 1-800-424-9300 (US) , 1-703-527-3887 (Outside U.S.)  
Rocky Mountain Poison Center: 1-866-767-5089

## 2. Hazard(s) identification

### 2.1. Classification of the substance or mixture

Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Reproductive toxicity	Category 1B

### Hazards not otherwise classified (HNOC)

Not applicable

### 2.2. Label elements

#### EMERGENCY OVERVIEW

Danger

#### Hazard statements

Causes serious eye irritation  
May cause an allergic skin reaction  
May damage fertility or the unborn child

# SAFETY DATA SHEET

TREAD-LOCK(TM)  
Revision Number 2

Revision date 15-Jul-2024  
Supersedes date 17-Sep-2018



**Appearance** Paste

**Physical state** Liquid

**Odor** Fruity

## Precautionary Statements - Prevention

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Wear protective gloves/protective clothing/eye protection/face protection  
Wash face, hands and any exposed skin thoroughly after handling  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Contaminated work clothing must not be allowed out of the workplace

## Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention  
IF ON SKIN: Wash with plenty of water and soap  
If skin irritation or rash occurs: Get medical advice/attention  
Wash contaminated clothing before reuse

## Precautionary Statements - Storage

Store locked up

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

## 2.3. Other Information

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

## 3. Composition/information on ingredients

### 3.1. Substances

Not applicable.

### Mixture

Chemical name	CAS No.	Weight-%
Carbonic acid, calcium salt (1:1)	471-34-1	30 - 60
Limestone	1317-65-3	5 - <10
Stearic acid	57-11-4	1 - <5
Trimethoxyvinylsilane	2768-02-7	1 - <5
Titanium dioxide	13463-67-7	0.1 - <1
1-Propanamine, 3-(trimethoxysilyl)-	13822-56-5	0.1 - <1
Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-	22673-19-4	0.1 - <1
Glycidoxypropyltrimethoxysilane	2530-83-8	0.1 - <1
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	52829-07-9	0.1 - <1

# SAFETY DATA SHEET

TREAD-LOCK(TM)  
Revision Number 2

Revision date 15-Jul-2024  
Supersedes date 17-Sep-2018

*\*The exact percentage (concentration) of composition has been withheld as a trade secret*

## 4. First-aid measures

### 4.1. Description of first aid measures

<b>General advice</b>	Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.
<b>Inhalation</b>	Remove to fresh air. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. If eye irritation persists: Get medical advice/attention.
<b>Skin contact</b>	May cause an allergic skin reaction. May cause sensitization by skin contact. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. In the case of skin irritation or allergic reactions see a physician.
<b>Ingestion</b>	Small amounts of toxic methanol are released by hydrolysis. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Do not induce vomiting without medical advice. Call a physician immediately.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	None known.
<b>Effects of Exposure</b>	No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Note to physicians</b>	May cause sensitization by skin contact. May cause sensitization in susceptible persons. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. Treat symptomatically.
---------------------------	---

## 5. Fire-Fighting Measures

### 5.1. Extinguishing media

<b>Suitable Extinguishing Media</b> <b>Large Fire</b>	Water spray, carbon dioxide (CO <sub>2</sub> ), dry chemical, alcohol-resistant foam. CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	Full water jet.

### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards arising from the chemical</b>	Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May cause sensitization by skin contact.
<b>Hazardous combustion products</b>	Carbon oxides. Carbon monoxide. Carbon dioxide (CO <sub>2</sub> ). Silicon dioxide.

# SAFETY DATA SHEET

TREAD-LOCK(TM)  
Revision Number 2

Revision date 15-Jul-2024  
Supersedes date 17-Sep-2018

## Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

## 5.3. Advice for firefighters

**Special protective equipment and precautions for fire-fighters** Wear self contained breathing apparatus for fire fighting if necessary.

## 6. Accidental Release Measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Use personal protective equipment as required. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.

**Other information** Refer to protective measures listed in Sections 7 and 8.

### 6.2. Environmental precautions

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not allow to enter into soil/subsoil. Avoid release to the environment. See Section 12 for additional Ecological Information.

### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

**Methods for cleaning up** Use personal protective equipment as required. Take up with sand or other noncombustible absorbent material and place into containers for later disposal. With clean shovel place material into clean, dry container and cover loosely; move containers from spill area. Clean contaminated surface thoroughly.

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## 7. Handling and storage

### 7.1. Precautions for safe handling

**Advice on safe handling** Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Take off contaminated clothing and wash before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture.

**Recommended storage temperature** Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

# SAFETY DATA SHEET

TREAD-LOCK(TM)  
Revision Number 2

Revision date 15-Jul-2024  
Supersedes date 17-Sep-2018

## 7.3 References to other sections

Reference to other sections Section 10: STABILITY AND REACTIVITY  
Section 13: DISPOSAL CONSIDERATIONS

## 8. Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Carbonic acid, calcium salt (1:1) 471-34-1	-	-	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Limestone 1317-65-3	-	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Stearic acid 57-11-4	TWA: 10 mg/m <sup>3</sup> inhalable particulate matter TWA: 3 mg/m <sup>3</sup> respirable particulate matter	-	-
Titanium dioxide 13463-67-7	TWA: 0.2 mg/m <sup>3</sup> nanoscale respirable particulate matter TWA: 2.5 mg/m <sup>3</sup> finescale respirable particulate matter	TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 10 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup> TWA: 2.4 mg/m <sup>3</sup> CIB 63 fine TWA: 0.3 mg/m <sup>3</sup> CIB 63 ultrafine, including engineered nanoscale
Tin, dibutylbis(2,4-pentanedionato-O,O'), (OC-6-11)- 22673-19-4	TWA: 0.1 mg/m <sup>3</sup> Sn STEL: 0.2 mg/m <sup>3</sup> Sn Sk*	TWA: 0.1 mg/m <sup>3</sup> Sn (vacated) TWA: 0.1 mg/m <sup>3</sup> Sn (vacated) S*	IDLH: 25 mg/m <sup>3</sup> Sn TWA: 0.1 mg/m <sup>3</sup> except Cyhexatin Sn

Chemical name	Argentina	Brazil	S.D. 594/1999	Colombia
Limestone 1317-65-3	TWA: 10 mg/m <sup>3</sup>	-	LPP: 7 mg/m <sup>3</sup> LPP: 5 mg/m <sup>3</sup>	-
Stearic acid 57-11-4	-	TWA: 10 mg/m <sup>3</sup>	-	TWA: 10mg/m <sup>3</sup> TWA: 3mg/m <sup>3</sup>
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 2.5 mg/m <sup>3</sup>	-	TWA: 0.2mg/m <sup>3</sup> TWA: 2.5mg/m <sup>3</sup>
Tin, dibutylbis(2,4-pentanedionato-O,O'), (OC-6-11)- 22673-19-4	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup> Sk*	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup>	LPP: 0.09 mg/m <sup>3</sup> Sk*	STEL: 0.2mg/m <sup>3</sup> TWA: 0.1mg/m <sup>3</sup>

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
Carbonic acid, calcium salt (1:1) 471-34-1	-	TWA: 10mg/m <sup>3</sup>	-	TWA: 10 mg/m <sup>3</sup>
Stearic acid	-	-	10 mg/m <sup>3</sup> TWA	-

# SAFETY DATA SHEET

TREAD-LOCK(TM)  
Revision Number 2

Revision date 15-Jul-2024  
Supersedes date 17-Sep-2018

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
57-11-4			(inhalable particulate matter, listed under Stearates); 3 mg/m <sup>3</sup> TWA (respirable particulate matter, listed under Stearates)	
Titanium dioxide 13463-67-7	TWA: 10mg/m <sup>3</sup>	TWA: 10mg/m <sup>3</sup>	0.2 mg/m <sup>3</sup> TWA (nanoscale, respirable particulate matter); 2.5 mg/m <sup>3</sup> TWA (finescale, respirable particulate matter)	TWA: 10 mg/m <sup>3</sup>
Tin, dibutylbis(2,4-pentanedionato-O,O'), (OC-6-11)- 22673-19-4	STEL: 0.2mg/m <sup>3</sup>	STEL: 0.2mg/m <sup>3</sup> TWA: 0.1mg/m <sup>3</sup>	0.2 mg/m <sup>3</sup> STEL (as Sn) 0.1 mg/m <sup>3</sup> TWA (as Sn)	Skin STEL: 0.2 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Methyl alcohol 67-56-1	TWA: 200 ppm STEL: 250 ppm Sk*	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m <sup>3</sup> (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m <sup>3</sup> (vacated) S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 325 mg/m <sup>3</sup>

Chemical name	Argentina	Brazil	S.D. 594/1999	Colombia
Methyl alcohol 67-56-1	TWA: 200 ppm STEL: 250 ppm Sk*	TWA: 156 ppm TWA: 200 mg/m <sup>3</sup> STEL: 250 ppm Skin	LPP: 175 ppm LPP: 229 mg/m <sup>3</sup> LPT: 250 ppm LPT: 328 mg/m <sup>3</sup> Sk*	STEL: 250ppm TWA: 200ppm

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
Methyl alcohol 67-56-1	STEL: 250ppm TWA: 200ppm	STEL: 250ppm STEL: 328mg/m <sup>3</sup> TWA: 200ppm TWA: 262mg/m <sup>3</sup>	250 ppm STEL 200 ppm TWA	Skin STEL: 250 ppm TWA: 200 ppm

## 8.2. Exposure controls

### Appropriate engineering controls

**Engineering controls**                      Showers  
   Eyewash stations  
   Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection**                      Wear safety glasses with side shields (or goggles). Avoid contact with eyes.

# SAFETY DATA SHEET

TREAD-LOCK(TM)  
Revision Number 2

Revision date 15-Jul-2024  
Supersedes date 17-Sep-2018

<b>Hand protection</b>	Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
<b>Skin and body protection</b>	Wear suitable protective clothing.
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
<b>General hygiene considerations</b>	Wear suitable gloves and eye/face protection. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Take off contaminated clothing and wash it before reuse. Regular cleaning of equipment, work area and clothing is recommended.

## 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	Liquid
<b>Appearance</b>	Paste
<b>Color</b>	White
<b>Odor</b>	Fruity
<b>Odor threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	No data available	None known
<b>pH (as aqueous solution)</b>	No data available	None known
<b>Melting point / freezing point</b>	No data available	None known
<b>Initial boiling point and boiling range</b>	No data available	None known
<b>Flash point</b>	> 93 °C / 200 °F	
<b>Evaporation rate</b>	No data available	None known
<b>Flammability</b>	No data available	
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Vapor pressure</b>	No data available	None known
<b>Relative vapor density</b>	No data available	None known
<b>Relative density</b>	No data available	None known
<b>Water solubility</b>	Reacts with water	None known
<b>Solubility(ies)</b>	No data available	None known
<b>Partition coefficient</b>	No data available	None known
<b>Autoignition temperature</b>	No data available	None known
<b>Decomposition temperature</b>	No data available	None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	No data available	None known

### 9.2. Other information

<b>Explosive properties</b>	No information available
<b>Oxidizing properties</b>	No information available
<b>Solvent content (%)</b>	No information available
<b>Solid content (%)</b>	No information available
<b>Softening point</b>	No information available
<b>Molecular weight</b>	No information available

# SAFETY DATA SHEET

TREAD-LOCK(TM)  
Revision Number 2

Revision date 15-Jul-2024  
Supersedes date 17-Sep-2018

VOC content	30 g/L	No information available
Liquid Density	1.450 g/cm <sup>3</sup>	
Bulk density	No information available	

## 10. Stability and reactivity

### 10.1. Reactivity

Reactivity Product cures with moisture.

### 10.2. Chemical stability

Chemical stability Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

### 10.4. Conditions to avoid

Conditions to avoid Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and sources of ignition.

### 10.5. Incompatible materials

Incompatible materials None known based on information supplied.

### 10.6. Hazardous decomposition products

Hazardous decomposition products Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

## 11. Toxicological information

### 11.1. Information on toxicological effects

#### Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes.

#### Acute toxicity



# SAFETY DATA SHEET

TREAD-LOCK(TM)  
Revision Number 2

Revision date 15-Jul-2024  
Supersedes date 17-Sep-2018

## Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	>5000 mg/kg
ATEmix (dermal)	145,194.90 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-dust/mist)	>5 mg/l
ATEmix (inhalation-vapor)	451.20 mg/l

## Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Carbonic acid, calcium salt (1:1) 471-34-1	LD50 > 2000 mg/kg (Rattus) OECD 420	LD50 >2000 mg/kg (Rattus) OECD 402	LC50 (4h) >3mg/ml (Rattus)
Limestone 1317-65-3	>5000 mg/kg (Rattus)	-	-
Stearic acid 57-11-4	>5000 mg/Kg (Oryctolagus cuniculus)	> 5 g/kg (Oryctolagus cuniculus)	-
Trimethoxyvinylsilane 2768-02-7	LD50 = 7120 -7236 mg/kg (Rattus) OECD 401	= 3540 mg/kg (Oryctolagus cuniculus)	LC50 (4hr) 16.8 mg/l (Rattus) OECD TG 403
Titanium dioxide 13463-67-7	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L ( Rattus ) 4 h
1-Propanamine, 3-(trimethoxysilyl)- 13822-56-5	LD50 (Rattus) > 2000 mg/ kg (2,97 ml/kg) (OECD 401)	LD50 (Oryctolagus cuniculus) > 2000 mg/kg 11,3 ml/kg) OECD 402	-
Tin, dibutylbis(2,4-pentanedionato-O ,O')-, (OC-6-11)- 22673-19-4	LD50 = 1864 mg/kg (Rattus) OECD 401	LD50 > 2000 mg/kg (Rattus) OECD 402	LC50 4hr: 16.8 mg/l (Rattus) (OECD TG 403)
Glycidoxypropyltrimethoxysilane 2530-83-8	=8025 mg/kg (Rattus)	= 4250 mg/kg (Oryctolagus cuniculus)	>5.3 mg/L (Rattus) 4 h
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate 52829-07-9	LD50 (Rattus)> 2000 mg/kg OECD 423	LD50 (Rattus) > 3 170 mg/kg OECD 402	=500 mg/m <sup>3</sup> (Rattus) 4 h

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** May cause skin irritation.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404: Acute Dermal Irritation/Corrosion	Rabbit	Dermal			Non-irritant

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404: Acute Dermal Irritation/Corrosion	Rabbit	Dermal			Non-irritant

**Serious eye damage/eye irritation** Classification based on data available for ingredients. Causes serious eye irritation.

# SAFETY DATA SHEET

**TREAD-LOCK(TM)**  
Revision Number 2

Revision date 15-Jul-2024  
Supersedes date 17-Sep-2018

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit	eye		24 hours	Non-irritant

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit	Eye			Non-irritant

1-Propanamine, 3-(trimethoxysilyl)- (13822-56-5)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit	eye		72 hours	irritant

Glycidoxypropyltrimethoxysilane (2530-83-8)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit	Eye			Eye Damage

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit	eye			Eye Damage

**Respiratory or skin sensitization**      May cause an allergic skin reaction.

**Germ cell mutagenicity**                      Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 471: Bacterial Reverse Mutation Test	in vitro	Not mutagenic

Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)- (22673-19-4)

Method	Species	Results
OECD Test No. 476: In Vitro Mammalian Cell Gene Mutation Tests using the Hprt and xprt genes	in vitro	Mutagenic

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

**Carcinogenicity**                      The components of this product are inextricably bound in a polymer matrix and are not expected to be available as airborne hazards (dust, mist, or spray) under normal condition of use. This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7	A3	Group 2B	-	X

**Legend**

# SAFETY DATA SHEET

TREAD-LOCK(TM)  
Revision Number 2

Revision date 15-Jul-2024  
Supersedes date 17-Sep-2018

ACGIH (American Conference of Governmental Industrial Hygienists)  
A3 - Animal Carcinogen  
IARC (International Agency for Research on Cancer)  
Group 2B - Possibly Carcinogenic to Humans  
Occupational Safety and Health Administration of the US Department of Labor  
X - Present

**Reproductive toxicity** Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 422: Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test	Rat	Not Classifiable

Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)- (22673-19-4)

Method	Species	Results
OECD Test No. 414: Prenatal Development Toxicity Study	Rat Oral in vivo	Read-across. Reproductive toxicant. NOAEL: 1 mg/kg bw/day
OECD Test No. 421: Reproduction/Developmental Toxicity Screening Test	Rat Oral in vivo	Read-across Reproductive toxicant NOAEL 1.9-2.3 mg/kg bw/day

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Results
OECD Test No. 414: Prenatal Development Toxicity Study	Rat, Rabbit	Reproductive toxicant

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure** Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413: Subchronic Inhalation Toxicity: 90-day Study	Rat	Inhalation vapor		90 days	0.058 NOAEL

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Other adverse effects** No information available.

**Interactive effects** No information available.

## 12. Ecological information

### 12.1. Toxicity

#### Ecotoxicity

# SAFETY DATA SHEET

TREAD-LOCK(TM)  
Revision Number 2

Revision date 15-Jul-2024  
Supersedes date 17-Sep-2018

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Carbonic acid, calcium salt (1:1) 471-34-1	IC50 72H Algae >1000 mg/l	CL50 96H >1000 mg/l	-	EC50 48H Daphnia >1000 mg/l
Limestone 1317-65-3	CE50 (72h) >200mg/L Algae (Desmodesmus subspicatus)	CL50 (96h)>10000mg/L (Oncorhynchus mykiss)	-	CE50 (48h) >1000 mg/L Daphnia Magna
Stearic acid 57-11-4	EC50 >1016 mg/l 72Hr microbial growth inhibition	LC50 >1000 mg/l , 48 Hour	-	-
Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	-	EC50(48hr) 168.7mg/l (Daphnia magna)
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	-	-	-
1-Propanamine, 3-(trimethoxysilyl)- 13822-56-5	EC50 (72h) > 1000 mg/l (Desmodesmus subspicatus) EU Method C.3 (Algal Inhibition test)	LC50 (96h) > >934 mg/L (Danio rerio) OECD 203	-	EC50 (48h) = 331 mg/L (Daphnia magna) OECD 202
Tin, dibutylbis(2,4-pentanedio nato-O,O')-, (OC-6-11)- 22673-19-4	>2.0 mg/l	>2.0 mg/l	-	EC50 0.0036 mg/l 48Hr (Daphnia magna)
Glycidoxypropyltrimethoxysilane 2530-83-8	EC50 (96hr): 350 mg/l Pseudokirchneriella subcapitata	LC50 (96h) = 55 mg/L (Cyprinus carpio) OECD 203	-	EC50 (48h) =473 mg/L Daphnia magna
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate 52829-07-9	EC50 72Hr 0.705 mg/l (Pseudokirchnerella subcapitata)	LC50 (96h) = 5.29 mg/l (Oryzias latipes)	-	LC50 48Hr 8.58 mg/l (Daphnia magna)

## 12.2. Persistence and degradability

**Persistence and degradability** No information available.

## 12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

## Component Information

Chemical name	Partition coefficient
Limestone 1317-65-3	0.9
Stearic acid 57-11-4	8
Trimethoxyvinylsilane 2768-02-7	1.1
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate 52829-07-9	0.35

## 12.4. Mobility in soil

# SAFETY DATA SHEET

TREAD-LOCK(TM)  
Revision Number 2

Revision date 15-Jul-2024  
Supersedes date 17-Sep-2018

**Mobility** No information available.

**Other adverse effects**

**Other adverse effects** No information available.

## 13. Disposal considerations

### 13.1. Waste treatment methods

**Waste from residues/unused products** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

**Contaminated packaging** Handle contaminated packages in the same way as the product itself.

## 14. Transport information

**Note:** The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments made in non-bulk packages (see regulatory definition). The information shown here, may not always agree with the bill of lading shipping description for the material.

### DOT

**UN number or ID number** UN3082  
**UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-, Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate)  
**Transport hazard class(es)** 9  
**Packing group** III  
**Special Provisions** 8, 146, 173, 335, 441, IB3, T4, TP1, TP29  
**DOT Marine Pollutant** I  
**Marine pollutant** Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-, Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate  
**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-, Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate), 9, III, Marine pollutant  
**Emergency Response Guide Number** 171

### IATA

**UN number or ID number** UN3082  
**UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-)  
**Transport hazard class(es)** 9  
**Packing group** III  
**Special Provisions** A97, A158, A197, A215  
**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-), 9, III

### IMDG

**UN number or ID number** UN3082  
**UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-)  
**Transport hazard class(es)** 9  
**Packing group** III

# SAFETY DATA SHEET

TREAD-LOCK(TM)  
Revision Number 2

Revision date 15-Jul-2024  
Supersedes date 17-Sep-2018

EmS-No.	F-A, S-F
Special Provisions	274, 335, 969
Marine pollutant	P
IMDG Marine Pollutant Name	Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-), 9, III, Marine pollutant

## 15. Regulatory information

### International Inventories

TSCA	Complies
DSL	Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Complies - The components of this product are either listed or exempt from listing on inventory. Active

Not Listed - One or more components of this product are not listed on inventory.

### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

## 16. Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

SVHC: Substances of Very High Concern for Authorization:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate

LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

#### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

Sk\*

Skin designation

Prepared By Product Stewardship and Regulatory Affairs.

Revision date 15-Jul-2024

Revision Note SDS sections updated. 2. 3. 7.

#### Disclaimer

All information contained herein is believed to be accurate as of the date of publication, is provided "as-is" and is subject

# SAFETY DATA SHEET

TREAD-LOCK(TM)  
Revision Number 2

Revision date 15-Jul-2024  
Supersedes date 17-Sep-2018

---

to change without notice. This is not a warranty, an agreement, or substitute for expert or professional advice. Bostik Inc. ("Company") expressly disclaims and assumes no liability for the use of the products or reliance on this information. It is the sole responsibility of the user to determine the suitability of any products for user's application(s). **NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED (INCLUDING SUITABILITY FOR USE IN ANY MEDICAL DEVICE OR MEDICAL APPLICATION), IS MADE CONCERNING THE PRODUCTS OR THE INFORMATION PROVIDED HEREIN.** The information provided relates only to the specific products designated herein and may not be valid where such products are used in combination with other materials or in any process. The performance of the product, its shelf life, and application characteristics depends on many variables, and changes in these variables can impact product performance. You are responsible to test the suitability of any product in advance for any intended use or application and before commercialization. Nothing herein shall be construed as a license for the use of any product in a manner that might infringe any patent and it should not be construed as an inducement to infringe any patent. Please carefully review the Safety Data Sheet for the product.

The Company adheres to a strict policy that applies to the use of any of its products in medical device applications. This policy can be found at <https://www.arkema.com/global/en/social-responsibility/innovation-and-sustainable-solutions/responsible-product-management/medical-device-policy/> which is incorporated herein by reference and made a part hereof. Except as expressly authorized, the Company (i) has designated specific medical grade compositions for products used in medical device applications and Company products not so designated are not authorized for use in medical device applications and (ii) strictly prohibits the use of any of its products in medical device applications that are implanted in the body or in contact with bodily fluids or tissues for greater than 30 days. The Company does not design, manufacture and/or directly sell any medical devices. The Company does not co-design, or offer assistance to any purchaser of its products, in their design, manufacture and/or sale of products for medical devices. It is the sole responsibility of the manufacturer of medical devices to determine the suitability of all raw material, products and components, including any medical grade products, in order to ensure that the medical device is safe for end-use and complies with all applicable legal and regulatory requirements and to conduct all necessary tests and inspections.

**End of Safety Data Sheet**