

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

SIROFLEX INSTANT PLASTER FILLER WHITE Supercedes date 02-Nov-2022 Revision date 29-Jan-2025 Revision Number 2.01

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name	SIROFLEX INSTANT PLASTER FILLER WHITE
Pure substance/mixture	Mixture
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Recommended use	Sealant
Uses advised against	None known
1.3. Details of the supplier of the	e safety data sheet
<u>Company Name</u> Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36	
E-mail address	SDS.box-EU@bostik.com
1.4. Emergency telephone numl	<u>per</u>
United Kingdom	Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) NHS: 111
SECTION 2: Hazards iden	tification
2.1. Classification of the substa	nce or mixture
GB CLP (SI 2020/1567 as amend	led)
This mixture is classified as not ha	azardous according to regulation (EC) 1272/2008 [CLP]
2.2. Label elements	
This mixture is classified as not ha	azardous according to regulation (EC) 1272/2008 [CLP]
Signal word	

None

#### Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### **EU Specific Hazard Statements**

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] & 1,2-benzisothiazol-3(2H)-one [BIT]. May produce an allergic reaction EUH210 - Safety data sheet available on request

## SIROFLEX INSTANT PLASTER FILLER WHITE

#### 2.3. Other hazards

#### PBT & vPvB

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	Weight-	REACH	EC No (EU	Classification	Specific	M-Factor	M-Factor	Notes
	%	registration	Index No)		concentration		(long-ter	
		number		Regulation (EC) No.	limit (SCL)		m)	
				1272/2008 [CLP]				
1,2-benzisothiazol-3(	0.01 <	01-2120761540		Acute Tox. 4 (H302)		1	1	-
2H)-one [BIT]	0.036	-60-XXXX	(613-088-00-6)	Acute Tox. 2 (H330)	1A ::			
2634-33-5				Skin Irrit. 2 (H315)	C>=0.036%			
				Eye Dam. 1 (H318)				
				Skin Sens. 1A				
				(H317)				
				Aquatic Acute 1				
				(H400)				
				Aquatic Chronic 1				
				(H410)				
reaction mass of	<0.0015	No data	611-341-5	Acute Tox. 3 (H301)	Eye Dam. 1 ::	100	100	В
5-chloro-2-methyl-2		available		Acute Tox. 2 (H310)	C>=0.6%			
H-isothiazol-3-one				Acute Tox. 2 (H330)	Eye Irrit. 2 ::			
and				Skin Corr. 1C	0.06%<=C<0			
2-methyl-2H-isothiaz				(H314)	.6%			
ol-3-one (3:1)				Eye Dam. 1 (H318)	Skin Corr. 1C			
[C(M)IT/MIT]				Skin Sens. 1A	:: C>=0.6%			
55965-84-9				(H317)	Skin Irrit. 2 ::			
				Aquatic Acute 1	0.06%<=C<0			
				(H400)	.6%			
				Aquatic Chronic 1	Skin Sens.			
				(H410)	1A ::			
				(EUH071)	C>=0.0015%			

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

#### Full text of H- and EUH-phrases: see section 16

#### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

I	Chemical name	EC No (EU	CAS No.	Oral LD50	Dermal LD50	Inhalation	Inhalation	Inhalation
		Index No)		mg/kg	mg/kg	LC50 - 4 hour -	LC50 - 4 hour -	LC50 - 4 hour -
						dust/mist -	vapour - mg/L	gas - ppm
						mg/L		

#### SIROFLEX INSTANT PLASTER FILLER WHITE Supercedes date 02-Nov-2022

#### Revision date 29-Jan-2025 Revision Number 2.01

Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	LC50 - 4 hour -		
					dust/mist - mg/L	vapour - mg/L	gas - ppm
1,2-benzisothiazol-3(2 H)-one [BIT]	220-120-9 (613-088-00-6)	2634-33-5	450	-	=0.21 mg/L (ATE dust/mist)	0.21+	0.21 +
reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) [C(M)IT/MIT]		55965-84-9	66	141	0.17	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General advice	If medical advice is needed, have product container or label at hand.
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.
4.2. Most important symptoms and	l effects, both acute and delayed
Symptoms	No information available.
Effects of Exposure	No information available.
4.3. Indication of any immediate m	edical attention and special treatment needed
Note to doctors	No information available.
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	asures
	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.1. Extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the
5.1. Extinguishing media Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Full water jet.
5.1. Extinguishing media Suitable Extinguishing Media Unsuitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Full water jet. <b>he substance or mixture</b>

SIROFLEX INSTANT PLASTER FILLER WHITE Supercedes date 02-Nov-2022

### 5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.				
SECTION 6: Accidental relea	ase measures				
6.1. Personal precautions, protecti	ve equipment and emergency procedures				
Personal precautions	Ensure adequate ventilation.				
For emergency responders	Use personal protection recommended in Section 8.				
6.2. Environmental precautions					
Environmental precautions	See Section 12 for additional Ecological Information.				
6.3. Methods and material for cont	ainment and cleaning up				
Methods for containment	Do not scatter spilled material with high pressure water streams.				
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.				
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.				
6.4. Reference to other sections					
Reference to other sections	See section 8 for more information. See section 13 for more information.				
SECTION 7: Handling and st	torage				
7.1. Precautions for safe handling	_				
Advice on safe handling	Ensure adequate ventilation.				
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.				
7.2. Conditions for safe storage, in	cluding any incompatibilities				
Storage Conditions	Protect from frost. Keep away from food, drink and animal feedingstuffs. Keep from freezing.				
Recommended storage temperature	Do not freeze. Keep at temperatures between 10 and 20 $^{\circ}\text{C}.$ Keep at temperatures between 5 and 35 $^{\circ}\text{C}.$				
7.3. Specific end use(s)					
<b>Specific use(s)</b> Sealant.					
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.				
Other information	Observe technical data sheet.				
SECTION 8: Exposure contr	ols/personal protection				
8.1. Control parameters					
Exposure Limits					
Chemical name	European Union United Kingdom				

#### SIROFLEX INSTANT PLASTER FILLER WHITE

Supercedes date 02-Nov-2022

#### Revision date 29-Jan-2025 Revision Number 2.01

Silica, amorphous	-	TWA: 6 mg/m <sup>3</sup>
7631-86-9		TWA: 2.4 mg/m <sup>3</sup>
		STEL: 18 mg/m <sup>3</sup>
		STEL: 7.2 mg/m <sup>3</sup>

#### Derived No Effect Level (DNEL)

No information available

Derived No Effect Level (DNEL)						
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Long term Systemic health effects	Inhalation	6.81 mg/m³				
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d				

Derived No Effect Level (DNEL)					
1,2-benzisothiazol-3(2H)-one [BI	Г] (2634-33-5)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Long term Systemic health effects	Inhalation	1.2 mg/m <sup>3</sup>			
Consumer Long term Systemic health effects	Dermal	0.345 mg/kg bw/d			

## Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)				
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	4.03 µg/l			
Marine water	0.403 µg/l			
Sewage treatment plant	1.03 mg/l			
Freshwater sediment	49.9 µg/l			
Marine sediment	4.99 μg/l			
Soil	3 mg/kg dry weight			

### 8.2. Exposure controls

**Engineering controls** 

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment					
Eye/face protection	Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.				
Hand protection	Wear suitable gloves. Recommended Use:. Neoprene <sup>™</sup> . Nitrile rubber. Butyl rubber. Glove thickness > 0.1mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374				
Skin and body protection	Suitable protective clothing.				
Respiratory protection	None under normal use conditions.				

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SIROFLEX INSTANT PLASTER FILLER WHITE Supercedes date 02-Nov-2022 Revision date 29-Jan-2025 Revision Number 2.01

### SECTION 9: Physical and chemical properties

9.1. Information on basic physical Physical state	Solid	
Appearance	Paste	
Colour	White	
Odour	Characteristic.	
Property_	Values	Remarks • Method
Melting point / freezing point	= 0 °C	None known
Initial boiling point and boiling	= 100 °C	None known
range		
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Flash point	100.0000 °C	
Autoignition temperature	No data available	None known
Decomposition temperature		None known
рН	7 - 9	Insoluble in water.
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	> 21 mm²/s	
Dynamic viscosity	No data available	
Water solubility	Insoluble in water.	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Density	0.60 g/cm <sup>3</sup>	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
9.2. Other information		
Solid content (%)	No information available	
VOC content		No data available
9.2.1. Information with regards to p	hysical hazard classes	
Not applicable	-	

Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	No information available.	
10.2. Chemical stability		
Stability	Stable under normal conditions.	
Explosion data		
Sensitivity to mechanical	None.	

### SIROFLEX INSTANT PLASTER FILLER WHITE

Supercedes date 02-Nov-2022

 

 impact Sensitivity to static discharge
 None.

 10.3. Possibility of hazardous reactions
 Impact

 Possibility of hazardous reactions
 None under normal processing.

 10.4. Conditions to avoid
 Protect from frost. Do not freeze.

 10.5. Incompatible materials
 Protect from frost. Do not freeze.

 10.6. Hazardous decomposition products
 None known based on information supplied.

 10.6. Hazardous decomposition products
 None under normal use conditions. Stable under recommended storage conditions.

 SECTION 11: Toxicological information
 Impact to the storage conditions.

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

**Product Information** 

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Acute toxicity

#### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	>2000 mg/kg
ATEmix (dermal)	>2000 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-dust/mist)	>5 mg/l
ATEmix (inhalation-vapour)	>20 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
1,2-benzisothiazol-3(2H)-one	=450 mg/kg (ATE)	LD50 > 2000 mg/kg (Rattus)	-
[BIT]			
reaction mass of	66 mg/kg (Rat)	LD50 = 8141 mg/kg (Rat)	= 0.33 mg/L (Rat) 4h
5-chloro-2-methyl-2H-isothiazo		OECD 402	_
I-3-one and			
2-methyl-2H-isothiazol-3-one			

## SIROFLEX INSTANT PLASTER FILLER WHITE

Supercedes date 02-Nov-2022

(3:1) [C(M)IT/MIT]			
Delayed and immediate effects as well as chronic effects from short and long-term exposure			
Skin corrosion/irritation	Based on available data, the classification criteria are not met.		
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.		
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.		
Germ cell mutagenicity	Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, the classification criteria are not met.		
Reproductive toxicity	Based on available data, the classification criteria are not met.		
STOT - single exposure	Based on available data, the classification criteria are not met.		
STOT - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on available data, the classification criteria are not met.		
11.2. Information on other hazard	<u>S</u>		
11.2.1. Endocrine disrupting properties			
Endocrine disrupting properties	No information available.		
11.2.2. Other information			
Other adverse effects	No information available.		
SECTION 12: Ecological info	ormation		

## SECTION 12: Ecological information

### 12.1. Toxicity

### Ecotoxicity

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
1,2-benzisothiazol-3(2	EC50 3Hr	LC50 (96hr) 2.15	-	EC50(48hr) 2.94	1	1
H)-one [BIT]	13mg/l (activated	mg/I Cyprinodon		mg/I (Daphnia		
2634-33-5	sludge) (OECD	variegatus EPA		Magna) OECD		
	209)	540/9-85-006		202		
reaction mass of	EC50 (72h)	EC50 (96h) =	-	EC50 (48h) =0.1	100	100
5-chloro-2-methyl-2H-is	=0.048 mg/L	0.22 mg/L		mg/L (Daphnia		
othiazol-3-one and	(Pseudokirchner	(Oncorhynchus		magna) (OECD		
2-methyl-2H-isothiazol-	iella subcapitata)	mykiss) (OECD		202)		
3-one (3:1)	(OECD 201)	211)				

#### SIROFLEX INSTANT PLASTER FILLER WHITE

Supercedes date 02-Nov-2022

[C(M)IT/MIT]			
55965-84-9			

#### 12.2. Persistence and degradability

#### Persistence and degradability No

No information available.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)			
Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable
Biodegradability: CO2 Evolution Test			
(TG 301 B)			

#### 12.3. Bioaccumulative potential

#### Bioaccumulation

#### **Component Information**

Chemical name	Partition coefficient
1,2-benzisothiazol-3(2H)-one [BIT]	0.7
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

#### 12.4. Mobility in soil

Mobility in soilNo information available.12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** The product contains substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

#### 12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

#### 12.7. Other adverse effects

No information available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

### **SECTION 14: Transport information**

SIROFLEX INSTANT PLASTER FILLER WHITE Supercedes date 02-Nov-2022 Revision date 29-Jan-2025 Revision Number 2.01

Note:	Keep from freezing.
Land transport (ADR/RID) 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user	Not regulated Not regulated Not regulated Not regulated Not applicable
Special Provisions	None
IMDG 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Marine pollutant 14.6 Special precautions for user	Not regulated Not regulated Not regulated Not regulated NP
Special Provisions 14.7 Maritime transport in bulk	None
according to IMO instruments	Annex II of MARPOL and the IBC Code Not applicable
Transport in bulk according to	Annex if of MARFOL and the IBC Code Not applicable
Air transport (ICAO-TI / IATA-DGR)	<u> </u>
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated

- 14.4 Packing group Not regulated
- 14.5 Environmental hazards Not applicable
- 14.6 Special precautions for user

## Special Provisions None

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

#### Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

#### **Export Notification requirements**

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling

### SIROFLEX INSTANT PLASTER FILLER WHITE

Supercedes date 02-Nov-2022

obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

#### Ozone-depleting substances (ODS) Regulation (EU) 2024/590 Not applicable

Persistent Organic Pollutants

Not applicable

#### REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors Not applicable

#### National regulations

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

#### **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H301 - Toxic if swallowed

- H302 Harmful if swallowed
- H310 Fatal in contact with skin
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H330 Fatal if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

#### Notes relating to the identification, classification and labelling of substances

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Legend	
TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
Sk*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG	International Maritime Dangerous Goods (IMDG)
IATA	<b>b</b>
	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail

SIROFLEX INSTANT PLASTER FILLER WHITE Supercedes date 02-Nov-2022 Revision date 29-Jan-2025 Revision Number 2.01

 Key literature references and sources for data

 No information available

 Prepared By
 Product Safety & Regulatory Affairs

 Revision date
 29-Jan-2025

 Indication of changes
 ODD on the state

Revision Note Training Advice Further information SDS sections updated. No information available No information available

#### This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **End of Safety Data Sheet**