

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

SIROFLEX GLUE SCREWS SOLVENT FREE ADHESIVE

Supercedes date 02-Nov-2022

Revision date 02-Jan-2025 Revision Number 2.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name SIROFLEX GLUE SCREWS SOLVENT FREE ADHESIVE

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word

None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH210 - Safety data sheet available on request

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

[C(M)IT/MIT] & 1,2-benzisothiazol-3(2H)-one [BIT]. May produce an allergic reaction

United Kingdom - BE Page 1 / 12

SIROFLEX GLUE SCREWS SOLVENT FREE ADHESIVE Supercedes date 02-Nov-2022

Revision date 02-Jan-2025 Revision Number 2.01

2.3. Other hazards

No information available.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

No data available No data and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] S5965-84-9 No data Concentration number Index No) Acute Tox. 2 (H310) Acute Tox. 3 (H301) Eye Dam. 1 :: 100 100 B Acute Tox. 2 (H330) Skin Cern. 10 Acute Tox. 2 (H330) Acute Tox. 2 (H330) Eye Irrit. 2 :: Skin Cern. 10 Skin Irrit. 2 :: Skin Irrit. 2	Chamical name	Maiabt	REACH	EC No /ELL	Classification	Chaoifia	M Footor	M Cootor	Notes
No. No.	Chemical name		_						Notes
1.272/2008 [CLP] 1.272/2008 [CLP] 1.272/2008 [CLP] 1.2-benzisothiazol-3(70	~	muex No)				·	
1,2-benzisothiazol-3(0.01 < 0.036 2120761540 220-120-9 Acute Tox. 4 (H302) Skin Sens. 1 1 -			number		, ,	IIIIII (SCL)		m)	
2H)-one [BIT] 2634-33-5						011 0			
Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Acute Tox. 2 (H310) C>=0.6%	i i						1	1	-
Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	,	0.036	-60-XXXX	(613-088-00-6)					
Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Acute Tox. 3 (H301) Eye Dam. 1 :: 100 100 B Skin Corr. 1C (H314) Skin Corr. 1C (H314) Skin Corr. 1C (H314) Skin Corr. 1C (Skin Sens. 1A (H318) Skin Corr. 1C (Skin Sens. 1A (H317) Skin Irrit. 2 :: 100 S	2634-33-5								
Comparison of the content of the c					Eye Dam. 1 (H318)				
Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)					Skin Sens. 1A				
Comparison of the content of the c					(H317)				
Aquatic Chronic 1 (H410) Teaction mass of 5-chloro-2-methyl-2 H-isothiazol-3-one and 2-methyl-2H-isothiaz ol-3-one (3:1) [C(M)IT/MIT] 55965-84-9 Solution Aquatic Chronic 1 (H410) Acute Tox. 3 (H301) Eye Dam. 1 :: 100 100 B Acute Tox. 2 (H310) C>=0.6% Acute Tox. 2 (H330) Eye Irrit. 2 :: 0.06% Eye Irrit. 2 :: 0.06% C<0 (H314) Eye Dam. 1 (H318) Skin Corr. 1C Skin Sens. 1A :: C>=0.6% C<0 (H317) Skin Irrit. 2 :: 0.06% C<0 (H317) Skin Irrit. 2 :: 0.06% C<0 (H317) C>=0.6% C>					Aquatic Acute 1				
Comparison Com					(H400)				
reaction mass of 5-chloro-2-methyl-2 H-isothiazol-3-one and 2-methyl-2H-isothiaz ol-3-one (3:1) [C(M)IT/MIT] 55965-84-9					Aquatic Chronic 1				
5-chloro-2-methyl-2 available Acute Tox. 2 (H310) C>=0.6% H-isothiazol-3-one and 2-methyl-2H-isothiaz ol-3-one (3:1) [C(M)IT/MIT] 55965-84-9 Savailable Acute Tox. 2 (H310) C>=0.6% Eye Irrit. 2 :: 0.06%<=C<0					(H410)				
5-chloro-2-methyl-2 available Acute Tox. 2 (H310) C>=0.6% H-isothiazol-3-one and 2-methyl-2H-isothiaz ol-3-one (3:1) [C(M)IT/MIT] 55965-84-9 Savailable Acute Tox. 2 (H310) C>=0.6% Eye Irrit. 2 :: 0.06%<=C<0	reaction mass of	<0.0015	No data	611-341-5	Acute Tox. 3 (H301)	Eye Dam. 1 ::	100	100	В
H-isothiazol-3-one and Acute Tox. 2 (H330) Eye Irrit. 2 :: 0.06%<=C<0 (H314) 6%	5-chloro-2-methyl-2		available						
and 2-methyl-2H-isothiaz ol-3-one (3:1) [C(M)IT/MIT] 55965-84-9 Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Corr. 1C Skin Sens. 1A (H317) Skin Irrit. 2 ::	- 1								
2-methyl-2H-isothiaz ol-3-one (3:1) [C(M)IT/MIT] Skin Sens. 1A (H317) Skin Irrit. 2 :: C>=0.6% Skin Irrit. 2 ::	and								
ol-3-one (3:1) [C(M)IT/MIT] 55965-84-9 Eye Dam. 1 (H318) Skin Corr. 1C :: C>=0.6% (H317) Skin Irrit. 2 ::	2-methyl-2H-isothiaz								
[C(M)IT/MIT] Skin Sens. 1A :: C>=0.6% Skin Irrit. 2 ::									
55965-84-9 (H317) Skin Irrit. 2 ::	` '								
I I I AQUATIC ACUTE 1 IO 06%<=C<() I I	000000010				` ′	0.06%<=C<0			
(H400) (.6%					· •				
Aquatic Chronic 1 Skin Sens.					\ ,				
(H410) 1A ::									
(EUH071) C>=0.0015%					· '				

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

United Kingdom - BE Page 2 / 12

SIROFLEX GLUE SCREWS SOLVENT FREE ADHESIVE

Supercedes date 02-Nov-2022

Revision date 02-Jan-2025 Revision Number 2.01

Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg		Inhalation LC50 - 4 hour -	Inhalation LC50 - 4 hour -
	,		3 3	3 3	dust/mist - mg/L	vapour - mg/L	gas - ppm
1,2-benzisothiazol-3(2 H)-one [BIT]	220-120-9 (613-088-00-6)	2634-33-5	450	-	=0.21 mg/L (ATE dust/mist)	0.21+	0.21+
reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) [C(M)IT/MIT]		55965-84-9	66	141	0.17	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Consult an ophthalmologist.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

No information available.

chemical

Hazardous combustion products Carbon oxides.

United Kingdom - BE Page 3 / 12

SIROFLEX GLUE SCREWS SOLVENT FREE ADHESIVE

Supercedes date 02-Nov-2022

Revision date 02-Jan-2025 **Revision Number** 2.01

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Do not scatter spilled material with high pressure water streams. **Methods for containment**

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from frost. Keep away from food, drink and animal feedingstuffs. Keep from

freezing.

Recommended storage

temperature

Keep at temperatures between 5 and 35 °C. Do not freeze.

7.3. Specific end use(s)

Specific use(s)

Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom
Limestone	-	TWA: 10 mg/m ³

4 / 12 United Kingdom - BE Page

SIROFLEX GLUE SCREWS SOLVENT FREE ADHESIVE

Supercedes date 02-Nov-2022

Revision date 02-Jan-2025 Revision Number 2.01

1317-65-3		TWA: 4 mg/m³ STEL: 30 mg/m³ STEL: 12 mg/m³
Silica, amorphous 7631-86-9	-	TWA: 6 mg/m³ TWA: 2.4 mg/m³ STEL: 18 mg/m³ STEL: 7.2 mg/m³

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)						
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Long term Systemic health effects	Inhalation	6.81 mg/m³				
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d				

Derived No Effect Level (DNEL)							
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)							
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor				
Consumer Long term Systemic health effects	Inhalation	1.2 mg/m ³					
Consumer Long term Systemic health effects	Dermal	0.345 mg/kg bw/d					

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)	
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	4.03 μg/l
Marine water	0.403 μg/l
Sewage treatment plant	1.03 mg/l
Freshwater sediment	49.9 μg/l
Marine sediment	4.99 μg/l
Soil	3 mg/kg dry weight

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

Hand protection Wear suitable gloves. Recommended Use: Nitrile rubber. Butyl rubber. Glove thickness >

0.4 mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer

to glove supplier for information on breakthrough time for specific gloves. The

breakthrough time for the mentioned glove material is in general greater than 480 min.

Gloves must conform to standard EN 374

Skin and body protection Respiratory protection

Suitable protective clothing.

None under normal use conditions. During spraying wear suitable respiratory equipment.

United Kingdom - BE Page 5 / 12

SIROFLEX GLUE SCREWS SOLVENT FREE ADHESIVE

Supercedes date 02-Nov-2022

Revision date 02-Jan-2025 Revision Number 2.01

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid
Appearance Paste
Colour White

Odour Characteristic.

Property Values Remarks • Method

Melting point / freezing point 0 °C Initial boiling point and boiling 100 °C

range

Flammability No data available

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point Not applicable .

Autoignition temperature No data available

Decomposition temperature None known

pH 7 - 9

pH (as aqueous solution)
No data available

Kinematic viscosity

No data available

> 21 mm²/s

@ 40 °C

Dynamic viscosity No data available Miscible in water. Water solubility Solubility(ies) No data available **Partition coefficient** No data available Vapour pressure No data available Relative density No data available Bulk density No data available Density ca. 1.61 g/cm³ No data available Relative vapour density

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

Solid content (%) No information available

VOC content 0 g/L

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

United Kingdom - BE Page 6 / 12

SIROFLEX GLUE SCREWS SOLVENT FREE ADHESIVE

Supercedes date 02-Nov-2022

Revision date 02-Jan-2025 Revision Number 2.01

Explosion data

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from frost. Do not freeze.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions. Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >2000 mg/kg
ATEmix (dermal) >2000 mg/kg
ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-dust/mist) >5 mg/l
ATEmix (inhalation-vapour) >20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
1,2-benzisothiazol-3(2H)-one	=450 mg/kg (ATE)	LD50 > 2000 mg/kg (Rattus)	-
[BIT]			
reaction mass of	66 mg/kg (Rat)	LD50 = 8141 mg/kg (Rat)	= 0.33 mg/L (Rat) 4h

United Kingdom - BE Page 7 / 12

SIROFLEX GLUE SCREWS SOLVENT FREE ADHESIVE

Supercedes date 02-Nov-2022

Revision date 02-Jan-2025 Revision Number 2.01

5-chloro-2-methyl-2H-isothiazo	OECD 402	
I-3-one and		
2-methyl-2H-isothiazol-3-one		
(3:1) [C(M)IT/MIT]		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May produce an allergic reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity This product contains substances which in their raw state are powder form, however in

this product they are in a non-respirable form. Inhalation of powder/dust particles is

unlikely to occur from exposure to this product.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
1,2-benzisothiazol-3(2	EC50 3Hr	LC50 (96hr) 2.15	-	EC50(48hr) 2.94	1	1
H)-one [BIT]	13mg/l (activated	mg/l Cyprinodon		mg/l (Daphnia		
2634-33-5	sludge) (OECD	variegatus EPA		Magna) OECD		
	209)	540/9-85-006		202		

United Kingdom - BE Page 8 / 12

SIROFLEX GLUE SCREWS SOLVENT FREE ADHESIVE

Supercedes date 02-Nov-2022

Revision date 02-Jan-2025 Revision Number 2.01

reaction mass of	EC50 (72h)	EC50 (96h) =	-	EC50 (48h) =0.1	100	100
5-chloro-2-methyl-2H-is	=0.048 mg/L	0.22 mg/L		mg/L (Daphnia		
othiazol-3-one and	(Pseudokirchner	(Oncorhynchus		magna) (OECD		
2-methyl-2H-isothiazol-	iella subcapitata)	mykiss) (OECD		202)		
3-one (3:1)	(OECD 201)	211)				
[C(M)IT/MIT]						
55965-84-9						

12.2. Persistence and degradability

Persistence and degradability No information available.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)						
Method	Exposure time	Value	Results			
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable			
Biodegradability: CO2 Evolution Test	-	-				
(TG 301 B)						

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Component information		
Chemical name	Partition coefficient	
1,2-benzisothiazol-3(2H)-one [BIT]	0.7	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7	
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]		

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

Chemical name	PBT and vPvB assessment
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

United Kingdom - BE Page 9 / 12

SIROFLEX GLUE SCREWS SOLVENT FREE ADHESIVE

Supercedes date 02-Nov-2022

Revision date 02-Jan-2025 Revision Number 2.01

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Keep from freezing. Note:

Land transport (ADR/RID)

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions None

IMDG

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Marine pollutant NP

14.6 Special precautions for user

Special Provisions None

14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated Not regulated 14.3 Transport hazard class(es) 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

United Kingdom - BE Page 10 / 12

SIROFLEX GLUE SCREWS SOLVENT FREE ADHESIVE

Supercedes date 02-Nov-2022

Revision date 02-Jan-2025 Revision Number 2.01

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide: Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Ozone-depleting substances (ODS) Regulation (EU) 2024/590

Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Notes relating to the identification, classification and labelling of substances

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value Sk* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

United Kingdom - BE Page 11 / 12

SIROFLEX GLUE SCREWS SOLVENT FREE ADHESIVE

Supercedes date 02-Nov-2022

Revision date 02-Jan-2025 Revision Number 2.01

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 02-Jan-2025

Indication of changes

Revision Note Not applicable.

Training Advice No information available Further information No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 12 / 12