



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation of Hazardous Chemical Agents (HCA)

Revision date 02-Apr-2025

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product Name DEN BRAVEN ACRYL-W

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Sealant.

Restrictions on use No information available

Supplier's details

Supplier

Bostik South Africa
1 Beverley Close
Montague Gardens
Cape Town
South Africa
7441
Tel: +27 21 555 7400

Non-Emergency Telephone Number+27 21 555 7400

E-mail address psra.za@bostik.com

Emergency telephone number

Emergency Telephone Tel: +27 21 555 7400

Restrictions on emergency number 8am - 5pm (Monday - Friday)

SECTION 2: Hazards identification

Classification of the substance or mixture

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS)

GHS Label elements, including precautionary statements

Hazard statements

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Other hazards which do not result in classification

No information available.

SECTION 3: Composition/information on ingredients

SAFETY DATA SHEET

DEN BRAVEN ACRYL-W

Revision date 02-Apr-2025

Substance

Not applicable

Mixture

Chemical name	CAS No.	Weight-%
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	55965-84-9	<0.1

SECTION 4: First aid measures

Description of necessary first aid measures

Inhalation	Remove to fresh air.
Skin contact	Wash with soap and water.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.
Ingestion	Rinse mouth.

Most important symptoms and effects, both acute and delayed

Symptoms	No information available.
Effects of Exposure	No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Note to doctors	Treat symptomatically.
-----------------	------------------------

SECTION 5: Firefighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	No information available.
Hazardous combustion products	Carbon monoxide. Carbon dioxide (CO ₂).
Special protective actions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation.
----------------------	------------------------------

Environmental precautions

SAFETY DATA SHEET

DEN BRAVEN ACRYL-W

Revision date 02-Apr-2025

Environmental precautions No information available.

Methods and material for containment and cleaning up

Methods for cleaning up Pick up and transfer to properly labelled containers.

Methods for containment Do not scatter spilled material with high pressure water streams.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing.
Recommended storage temperature Do not freeze. Keep at temperatures between 5 and 35 °C.

Incompatible materials None known based on information supplied.

SECTION 8: Exposure controls/personal protection

Working area parameters, subject to mandatory control (MAC or TSEL)

Occupational exposure limits This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product. This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protection No special protective equipment required.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
Long term (repeated)	Wear protective nitrile rubber gloves	>0.3 mm	>480 minutes

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

SAFETY DATA SHEET

DEN BRAVEN ACRYL-W

Revision date 02-Apr-2025

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Paste
Physical state	Solid
Colour	White
Odour	Characteristic
Odour threshold	No information available

Property	Values	Remarks • Method
pH	7 - 9	
pH (as aqueous solution)	No data available	No information available
Melting point / freezing point	0 °C / 32 °F	
Initial boiling point and boiling range	100 °C / 212 °F	
Flash point	Not applicable	No data available
Evaporation rate	No data available	No information available
Flammability	No data available	
Upper/lower flammability or explosive limits		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapour pressure	No data available	No information available
Relative vapour density	No data available	No information available
Relative density	No data available	No information available
Solubility(ies)		
Water solubility	Miscible in water	No information available
Solubility in other solvents	No data available	No information available
Partition coefficient	No data available	No information available
Autoignition temperature	No data available	No information available
Decomposition temperature	No data available	No information available
Kinematic viscosity	21 mm ² /s	
Dynamic viscosity	No data available	No information available
Other information		
Explosive properties	No information available	
Oxidising properties	No information available	
VOC content	0.92721	
Density	1.71	

SECTION 10: Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Do not freeze.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	Carbon monoxide. Carbon dioxide (CO ₂). Hydrocarbons.

SECTION 11: Toxicological information

SAFETY DATA SHEET

DEN BRAVEN ACRYL-W

Revision date 02-Apr-2025

Information on the likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	No information available.
----------	---------------------------

Acute toxicity

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral)	>5000 mg/kg
ATEmix (dermal)	>5000 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-vapour)	>20 mg/l
ATEmix (inhalation-dust/mist)	>5 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	66 mg/kg (Rat)	LD50 = 8141 mg/kg (Rat) OECD 402	= 0.33 mg/L (Rat) 4h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
---------------------------	---------------------------

Serious eye damage/eye irritation	No information available.
-----------------------------------	---------------------------

Respiratory or skin sensitisation	No information available.
-----------------------------------	---------------------------

Germ cell mutagenicity	No information available.
------------------------	---------------------------

Carcinogenicity	This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.
-----------------	---

Legend

- IARC (International Agency for Research on Cancer)**
Group 1 - Carcinogenic to Humans
Group 2A - Probably Carcinogenic to Humans
Group 2B - Possibly Carcinogenic to Humans

Reproductive toxicity	No information available.
-----------------------	---------------------------

SAFETY DATA SHEET

DEN BRAVEN ACRYL-W

Revision date 02-Apr-2025

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

SECTION 12: Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Crustacea
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	EC50 (72h) = 0.048 mg/L (Pseudokirchneriella subcapitata) (OECD 201)	EC50 (96h) = 0.22 mg/L (Oncorhynchus mykiss) (OECD 211)	EC50 (48h) = 0.1 mg/L (Daphnia magna) (OECD 202)

Persistence and degradability No information available.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready Biodegradability: CO2 Evolution Test (TG 301 B)	28 days	biodegradation	Not readily biodegradable

Bioaccumulative potential

Component Information

Chemical name	Partition coefficient
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	0.7

Mobility in soil No information available.

Other adverse effects No information available.

SECTION 13: Disposal considerations

Disposal methods

Waste from residues/unused products Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

Note: Keep from freezing

IMDG Not regulated

IATA Not regulated

ADR Not regulated

SAFETY DATA SHEET

DEN BRAVEN ACRYL-W

Revision date 02-Apr-2025

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

South Africa - Occupational Injuries and Diseases - Chemical Agents Not applicable

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Directive 2011/65/EU (EU RoHS 2), as amended by the Delegated Directive (EU) 2015/863 (EU RoHS 3)

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

SECTION 16: Other information

Prepared By	Product Safety & Regulatory Affairs
Revision date	02-Apr-2025
Revision Note	No information available.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend SECTION 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGl(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

SAFETY DATA SHEET

DEN BRAVEN ACRYL-W

Revision date 02-Apr-2025

Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet